

**List of publications**  
**MERCOURI G. ANATZIDIS**

- 1) "A New Mo(IV) Thioanion Containing the Mo = S<sub>t</sub> Unit. The Synthesis and Structural Characterization of (Et<sub>4</sub>N)<sub>2</sub>MoS<sub>9</sub>", Simhon, E. D.; Baenziger, N. C.; Kanatzidis, M.; Draganjac, M.; Coucouvanis, D., *J. Am. Chem. Soc.* **1981**, *103* (5), 1218-1219.
- 2) "Synthesis, Molecular Structure, and Reactions Of Bis(tetraphenylphosphonium) Hexakis(μ-thiophenolato)-tetrachlorotetraferate(II), (Ph<sub>4</sub>P)<sub>2</sub>[Fe<sub>4</sub>(Sph)<sub>6</sub>Cl<sub>4</sub>]. Its Reactions with Dibenzyl Trisulfide and the Synthesis of the [Fe<sub>4</sub>S<sub>4</sub>Cl<sub>4</sub>]<sup>2-</sup> and [Fe<sub>4</sub>S<sub>4</sub>(Cl)<sub>2</sub>(SC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>]<sup>2-</sup> "Cubane"-Type Clusters", Coucouvanis, D.; Kanatzidis, M.; Simhon, E.; Baenziger, N. C., *J. Am. Chem. Soc.* **1982**, *104* (7), 1874-1882.
- 3) "Synthesis, Interconversions, and Structural Characterization of the molybdenum sulfide anions, [(S<sub>4</sub>)<sub>2</sub>MoS]<sup>2-</sup>, [(S<sub>4</sub>)<sub>2</sub>MoO]<sup>2-</sup>, (MO<sub>2</sub>S<sub>10</sub>)<sup>2-</sup>, and (Mo<sub>2</sub>S<sub>12</sub>)<sup>2-</sup>", Draganjac, M.; Simhon, E.; Chan, L. T.; Kanatzidis, M.; Baenziger, N. C.; Coucouvanis, D., *Inorg. Chem.* **1982**, *21* (9), 3321-3332.
- 4) "Crystal Structure Determination of Bis(Tetraphenylphosphonium) Heptasulfide, (Ph<sub>4</sub>P)<sub>2</sub>S<sub>7</sub>", Kanatzidis, M. G.; Baenziger, N. C.; Coucouvanis, D., *Inorg. Chem.* **1983**, *22* (2), 290-292.
- 5) "Structure Of Bis(tetraethylammonium) Tetrathiomolybdate (VI), 2C<sub>8</sub>H<sub>20</sub>N<sup>+</sup>·MoS<sub>4</sub><sup>2-</sup>", Kanatzidis, M. G.; Coucouvanis, D., *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1983**, *39* (July), 835-838.
- 6) "Synthesis and Structural Characterization of Bis(tetraphenylphosphonium) Bis(diethyldithiocarbamate) Bis(Thiophenolato) Tetrakis(μ<sub>3</sub>-sulfide)tetraferate(2II,2III), (Ph<sub>4</sub>P)<sub>2</sub>[Fe<sub>4</sub>S<sub>4</sub>(SPh)<sub>2</sub>(Et<sub>2</sub>dtc)<sub>2</sub>]. A "Cubane" Type Cluster with Mixed Terminal Ligands and Two Different Modes of Ligation on the Fe<sub>4</sub>S<sub>4</sub> Core", Kanatzidis, M. G.; Ryan, M.; Coucouvanis, D.; Simopoulos, A.; Kostikas, A., *Inorg. Chem.* **1983**, *22* (1), 179-181.
- 7) "Oxidative Transformation of the [Fe<sub>4</sub>S<sub>4</sub>X<sub>4</sub>]<sup>2-</sup> 'Cubanes' to the [Fe<sub>6</sub>S<sub>6</sub>X<sub>6</sub>]<sup>2-</sup> 'Prismane' Clusters (X = Cl, Br). The Crystal and Molecular-Structure of [(C<sub>6</sub>H<sub>5</sub>)<sub>4</sub>P]<sub>2</sub>Fe<sub>6</sub>S<sub>6</sub>Cl<sub>6</sub>", Coucouvanis, D.; Kanatzidis, M. G.; Dunham, W. R.; Hagen, W. R., *J. Am. Chem. Soc.* **1984**, *106* (25), 7998-7999.
- 8) "Dimeric Complexes Containing the [Fe<sub>2</sub>S<sub>2</sub>]<sup>2+</sup> Cores Coordinated by Non-Sulfur Containing Terminal Ligands. The Crystal and Molecular Structures of the Et<sub>4</sub>N<sup>+</sup> Salts of the [Fe<sub>2</sub>S<sub>2</sub>(o-o'-C<sub>12</sub>H<sub>8</sub>O<sub>2</sub>)<sub>2</sub>]<sup>2-</sup> and [Fe<sub>2</sub>S<sub>2</sub>(C<sub>4</sub>H<sub>4</sub>N)<sub>4</sub>]<sup>2-</sup> Anions", Coucouvanis, D.; Salifoglou, A.; Kanatzidis, M. G.; Simopoulos, A.; Papaefthymiou, V., *J. Am. Chem. Soc.* **1984**, *106* (20), 6081-6082.
- 9) "Synthesis, Structural Characterization and Electronic Structures of the 'Mixed' Terminal Ligand Cubanes [Fe<sub>4</sub>S<sub>4</sub>Cl<sub>2</sub>(XC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>]<sup>2-</sup> (X=S, O) and [Fe<sub>4</sub>S<sub>4</sub>(SC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>(OC<sub>6</sub>H<sub>4</sub>-p-CH<sub>3</sub>)<sub>2</sub>]<sup>2-</sup>. The First Examples of [Fe<sub>4</sub>S<sub>4</sub>]<sup>2+</sup> Cores with a Noncompressed D<sub>2d</sub> Idealized Geometry", Kanatzidis, M. G.; Baenziger, N. C.; Coucouvanis, D.; Simopoulos, A.; Kostikas, A., *J. Am. Chem. Soc.* **1984**, *106* (16), 4500-4511.

- 10) "Addition of Activated Acetylenes to Coordinated Polysulfide Ligands 2. Synthesis of the  $[\text{Fe}_2[\text{S}_2\text{C}_2(\text{COOCH}_3)_2]_4]^{2-}$  Dithiolene Complex by the Addition of  $\text{CH}_3\text{OOC}\equiv\text{COOCH}_3$  to the  $(\text{Fe}_2\text{S}_{12})^{2-}$  Anion. Crystal and Molecular Structure of  $(\text{Ph}_4\text{P})_2[\text{Fe}_2\text{S}_2\text{C}_2\text{COOCH}_3]_4$ ", Kanatzidis, M. G.; Coucouvanis, D., *Inorg. Chem.* **1984**, 23 (4), 403-409.
- 11) "A New Iron-Sulfide Cluster Containing the 'Prismane'  $[\text{Fe}_6(\mu\text{-S})_6]^{3+}$  Core. Synthesis, Structure and Properties of  $(\text{Et}_4\text{N})_3\text{Fe}_6\text{S}_6\text{Cl}_6$ ", Kanatzidis, M. G.; Dunham, W. R.; Hagen, W. R.; Coucouvanis, D., *J. Chem. Soc. Chem. Commun.* **1984**, (6), 356-358.
- 12) "The Synthesis and Structural Characterization of  $\text{Zr}_3(\text{S})(\text{t-BuS})_{10}$ . A Zr-S Cluster that Contains Thiolate Ligands in Three Different Modes of Coordination", Coucouvanis, D.; Hadjikyriacou, A.; Kanatzidis, M. G., *J. Chem. Soc. Chem. Commun.* **1985**, (18), 1224-1225.
- 13) "The Synthesis and Characterizations of New Fe/Mo/S Cluster Containing the  $[\text{Fe}_6\text{Mo}_2\text{S}_6]^{3+}$  Core. A Precursor to a Possible Structural Analog for the Fe/Mo Site of Nitrogenase", Coucouvanis, D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1985**, 107 (17), 5005-5006.
- 14) "The Reactions, Structural Characterization and Electronic Properties of the New Metastable  $[\text{Fe}_6\text{S}_6\text{L}_6]^{3-}$  and  $[\text{Fe}_6\text{S}_6\text{L}_6]^{2-}$  Complexes", Coucouvanis, D.; Kanatzidis, M. G.; Salifoglou, A.; Dunham, W. R.; Hagen, W. R., *Rev. Port. Quím.* **1985**, 27, 110-112.
- 15) "The First Examples of Polynuclear, Sulfur Containing, Zirconium Compounds. The Synthesis and Structural Characterization of the Trinuclear  $\text{Zr}_3\text{S}_3(\text{S-t-Bu})_2(\text{BH}_4)_4(\text{THF})_2$  and Hexanuclear  $\text{Zr}_6\text{S}_6(\text{S-t-Bu})_4(\text{BH}_4)_8(\text{THF})_2$  Clusters", Coucouvanis, D.; Lester, R. K.; Kanatzidis, M. G.; Kessissoglou, D. P., *J. Am. Chem. Soc.* **1985**, 107 (26), 8279-8280.
- 16) "Synthesis and Reactions of Binary Metal Sulfides. The Structural Characterization of the  $[(\text{S}_4)_2\text{Zn}]^{2-}$ ,  $[(\text{S}_4)_2\text{Ni}]^{2-}$ ,  $[(\text{S}_5)\text{Mn}(\text{S}_6)]^{2-}$  and  $[(\text{CS}_4)_2\text{Ni}]^{2-}$  Anions", Coucouvanis, D.; Patil, P. R.; Kanatzidis, M. G.; Detering, B.; Baenziger, N. C., *Inorg. Chem.* **1985**, 24 (1), 24-31.
- 17) "The Crystal and Molecular Structures of the  $[\text{K}(19\text{-crown-6})_2\text{Cu}(\text{S}_2\text{C}_2\text{O}_2)_2$  and  $([(\text{C}_6\text{H}_5)_3\text{P}]_2\text{N})\text{Cu}(\text{S}_2\text{C}_2\text{O}_2)_2$ , Cu(II) and Cu(III) Dithiooxalate Complexes", Kanatzidis, M. G.; Baenziger, N. C.; Coucouvanis, D., *Inorg. Chem.* **1985**, 24 (17), 2680-2683.
- 18) "Synthesis, Structural Characterization and Electronic Properties of the  $\text{Ph}_4\text{P}^+$  Salts of the Mixed Terminal Ligand Cubanes,  $[\text{Fe}_4\text{S}_4(\text{Et}_2\text{DTc})_n(\text{X})_{4-n}]^{2-}$  ( $\text{X}=\text{Cl}^-$ ,  $\text{PhS}^-$ ); ( $n=1,2$ ). Two Different Modes of Ligation of the  $[\text{Fe}_4\text{S}_4]^{2+}$  Core", Kanatzidis, M. G.; Coucouvanis, D.; Simopoulos, A.; Kostikas, A.; Papaefthymiou, V., *J. Am. Chem. Soc.* **1985**, 107 (17), 4925-4935.
- 19) "Metastable Fe/S Clusters. The Synthesis, Electronic Structure and Transformations of the  $[\text{Fe}_6\text{S}_6\text{L}_6]^{3-}$  Clusters ( $\text{L} = \text{Cl}^-, \text{Br}^-, \text{I}^-, \text{RS}^-, \text{RO}^-$ ) and the Structure of  $[(\text{C}_2\text{H}_5)_4\text{N}]_3\text{Fe}_6\text{S}_6\text{Cl}_6$ ", Kanatzidis, M. G.; Hagen, W. R.; Dunham, W. R.; Lester, R. K.; Coucouvanis, D., *J. Am. Chem. Soc.* **1985**, 107 (4), 953-961.

- 20) "A New Fe/S Cluster with the  $(\text{Fe}_6\text{S}_6)^{3+}$  Prismatic Core and *p*-Methylphenolate Terminal Ligands. The Synthesis, Structure and Properties of  $(\text{Et}_4\text{N})_3\text{Fe}_6\text{S}_6(\text{OC}_6\text{H}_4\text{-}p\text{-CH}_3)_6$ ", Kanatzidis, M. G.; Salifoglou, A.; Coucouvanis, D., *J. Am. Chem. Soc.* **1985**, *107* (11), 3358-3360.
- 21) "Unique Reactivity Characteristics of the Mo-Coordinated  $\text{S}_2^{2-}$  and  $\text{S}_4^{2-}$  Ligands", Coucouvanis, D.; Hadjikyriacou, A.; Draganjac, M.; Kanatzidis, M. G.; Ileperuma, O., *Polyhedron* **1986**, *5* (1-2), 349-356.
- 22) "The New  $[\text{Fe}_6\text{S}_6\text{Cl}_6(\text{Mo}(\text{CO})_3)_2]^{n-}$  Clusters ( $n=3,4$ ). Derivatives of either  $[\text{Fe}_6\text{S}_6\text{Cl}_6]^{3-}$  or  $[\text{Fe}_4\text{S}_4\text{Cl}_4]^{2-}$  with Possible Relevance to the Fe/Mo/S Center in Nitrogenase", Kanatzidis, M. G.; Coucouvanis, D., *J. Am. Chem. Soc.* **1986**, *108* (2), 337-338.
- 23) "Chemistry of  $[\text{Fe}_6\text{S}_6]^{3+}$  Prismatic Cages. Synthesis, Structural Characterization and Electronic Structures of the  $[\text{Et}_4\text{N}]_3[\text{Fe}_6\text{S}_6\text{L}_6]$  Clusters ( $\text{L}=\text{p-CH}_3\text{C}_6\text{H}_4\text{O-}, \text{Br-}$ )", Kanatzidis, M. G.; Salifoglou, A.; Coucouvanis, D., *Inorg. Chem.* **1986**, *25* (14), 2460-2468.
- 24) "The Synthesis and Structural Characterization of  $[\text{Et}_4\text{N}]_3[\text{Fe}_6\text{S}_6(\text{p-MeC}_6\text{H}_4\text{O})_6\{\text{W}(\text{CO})_3\}_2]$ . A Hetero-polynuclear Aggregate that contains the  $[\text{W}_2\text{Fe}_6\text{S}_6]^{3+}$  Core", Salifoglou, A.; Kanatzidis, M. G.; Coucouvanis, D., *J. Chem. Soc. Chem. Commun.* **1986**, (7), 559-561.
- 25) "Mössbauer Studies of Synthetic Analogues Simulating Building Blocks of Nitrogenase Reactions" Simopoulos, A.; Kostikas, A.; Papaefthymiou, V.; Coucouvanis, D.; Kanatzidis, M. G.; Simhon, E.; Stremple, P. in "*Frontiers in Bioinorganic Chemistry*", Xavier, A., Ed. Springer, **1986**.
- 26) "Unusual Band-filling and Counterion Ordering Effects in a Phthalocyanine Molecular Metal. Single Crystal Studies of  $\text{Ni}(\text{Pc})(\text{ClO}_4)_y$ ", Almeida, M.; Kanatzidis, M. G.; Tonge, L. M.; Marks, T. J.; Marcy, H. O.; McCarthy, W. J.; Kannewurf, C. R., *Solid State Commun.* **1987**, *63* (6), 457-461.
- 27) "Spectroscopic and Structural Evidence of Temperature Dependent Charge Localization, and Structural Differentiation of the Fe Sites within the  $[\text{Fe}_6\text{S}_6\text{X}_6]^{2-}$  Clusters ( $\text{X}=\text{Cl}^-, \text{Br}^-$ )", Coucouvanis, D.; Kanatzidis, M. G.; Salifoglou, A.; Dunham, W. R.; Simopoulos, A.; Sams, J. R.; Papaefthymiou, V.; Kostikas, A.; Strouse, C. E., *J. Am. Chem. Soc.* **1987**, *109* (22), 6863-6865.
- 28) "Structures and Electronic Properties of Fe/Mo/S Aggregates, Possible Structural Analogs for the Active Sites in Nitrogenase", Coucouvanis, D.; Salifoglou, A.; Alahmad, S.; Kanatzidis, M.; Simopoulos, A.; Kostikas, A., *Recl. Trav. Chim. Pays-Bas* **1987**, *106* (6-7), 300.
- 29) "The Synthesis, Structural Characterization and Electronic Structures of the  $[\text{Fe}_6\text{S}_6\text{X}_6(\text{Mo}\{\text{CO}\}_3)_2]^{3-}$  Clusters ( $\text{X}=\text{Cl}^-, \text{Br}^-$ )", Coucouvanis, D.; Salifoglou, A.; Kanatzidis, M. G.; Simopoulos, A.; Kostikas, A., *J. Am. Chem. Soc.* **1987**, *109* (12), 3807-3808.

- 30) "The First Structurally Characterized Monoalkylthioborane. Structure Of 1,3,5-Tri(*tert*-butyl)cyclotriborathiane", Kanatzidis, M. G.; Lester, R. K.; Kessissoglou, D.; Coucouvanis, D., *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1987**, *C43*, 2148-2151.
- 31) "Tetrahydroborate Intercalation Reagents. Convenient, Straightforward Routes to Known and New Types of Layered Intercalation Compounds", Kanatzidis, M. G.; Marks, T. J., *Inorg. Chem.* **1987**, *26* (6), 783-784.
- 32) "In Situ Intercalative Polymerization of Pyrrole In FeOCl. A New Class of Layered, Conducting Polymer Inorganic Hybrid Materials", Kanatzidis, M. G.; Tonge, L. M.; Marks, T. J.; Marcy, H. O.; Kannewurf, C. R., *J. Am. Chem. Soc.* **1987**, *109* (12), 3797-3799.
- 33) "Synthesis and Characterization of Sulfonylurea Complexes with Cd<sup>2+</sup>, Hg<sup>2+</sup>, and Ag<sup>+</sup>. Crystal and Molecular Structures Of K[Cd(Chlorpropamide)<sub>3</sub> and Hg(Tolbutamide)<sub>2</sub>]", Kessissoglou, D. P.; Manoussakis, G. E.; Hatzidimitriou, A. G.; Kanatzidis, M. G., *Inorg. Chem.* **1987**, *26* (9), 1395-1402.
- 34) "Metallocene Antitumor Agents. Unusual Mo( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>C<sub>12</sub> Nucleotide/Nucleobase Aqueous Coordination Chemistry", Kuo, L. Y.; Kanatzidis, M. G.; Marks, T. J., *J. Am. Chem. Soc.* **1987**, *109* (23), 7207-7209.
- 35) "The Synthesis, Structural Characterization and Electronic Properties of the [(Fe<sub>6</sub>S<sub>6</sub>X<sub>6</sub>)(M(CO)<sub>3</sub>)<sub>2</sub>]<sup>n-</sup> Anions (M=Mo, W; n=3, 4; X=Cl, Br, I)", Coucouvanis, D.; Salifoglou, A.; Kanatzidis, M. G.; Dunham, W. R.; Simopoulos, A.; Kostikas, A., *Inorg. Chem.* **1988**, *27* (22), 4066-4077.
- 36) "Oxidative Intercalation of Conducting Polymers in Layered Inorganic Matrices", Kanatzidis, M. G.; Marcy, H. O.; Hubbard, M.; Kannewurf, C. R.; Marks, T. J., *Solid State Ionics* **1988**, *26* (2), 162-163.
- 37) "Structure and Electronic Anisotropy in Polycrystalline Compactions of the High Tc Superconductor EuBa<sub>2</sub>Cu<sub>3</sub>O<sub>7- $\delta$</sub> ", Kanatzidis, M. G.; Marks, T. J.; Marcy, H. O.; McCarthy, W. J.; Kannewurf, C. R., *Solid State Commun.* **1988**, *65* (11), 1333-1337.
- 38) "Dimeric Complexes Containing the [Fe<sub>2</sub>S<sub>2</sub>]<sup>2+</sup> Cores Coordinated by Non-Sulfur Terminal Ligands . Synthesis, Structural Characterization, and Spectroscopic Properties of [Et<sub>4</sub>N]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(o,o'-C<sub>12</sub>H<sub>8</sub>O<sub>2</sub>)<sub>2</sub>], [Et<sub>4</sub>N]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(C<sub>4</sub>H<sub>4</sub>N)<sub>4</sub>], and [Et<sub>4</sub>N]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(O-o-C<sub>6</sub>H<sub>4</sub>CH(n-C<sub>4</sub>H<sub>9</sub>)NHC<sub>6</sub>H<sub>4</sub>-o-S)<sub>2</sub>] and the Structure of [Ph<sub>4</sub>P]<sub>2</sub>[Fe<sub>2</sub>S<sub>2</sub>(OC<sub>6</sub>H<sub>4</sub>-p-CH<sub>3</sub>)<sub>4</sub>]", Salifoglou, A.; Simopoulos, A.; Kostikas, A.; Dunham, R. W.; Kanatzidis, M. G.; Coucouvanis, D., *Inorg. Chem.* **1988**, *27* (19), 3394-3406.
- 39) "Phthalocyanine Molecular-Metals by Electrocrystallization Techniques. Unusual Anion and Oxidation-State Phenomena", Almeida, M.; Kanatzidis, M. G.; Tonge, L. M.; Marks, T. J.; McCarthy, W. J.; Marcy, H. O.; Kannewurf, C. R., *Synth. Met.* **1989**, *29* (2-3), F37-F44.
- 40) "Soluble Polychalcogenide Chemistry of Indium - Synthesis and Characterization of [In<sub>2</sub>Se<sub>21</sub>]<sup>4+</sup>, the First Indium Polyselenide", Kanatzidis, M. G.; Dhingra, S., *Inorg. Chem.* **1989**, *28* (11), 2024-2026.

- 41) "Unanticipated Redox Transformations in Gold Polyselenides. Isolation and Characterization of  $[\text{Au}_2\text{Se}_2(\text{Se}_4)_2]^{2-}$  and  $[\text{Se}_{11}]^{2-}$ ", Kanatzidis, M. G.; Huang, S. P., *Inorg. Chem.* **1989**, *28* (26), 4667-4669.
- 42) "Counterion Dependent Structural Diversity in Silver/Polyselenides. Crystallization of the New  $[\text{Ag}(\text{Se}_4)]_4^{4+}$ ,  $\text{Ag}(\text{Se}_5)_n^{n-}$  and  $[\text{Ag}_4(\text{Se}_4)_3]^{2-}$ ", Kanatzidis, M. G.; Huang, S. P., *Angew. Chem. Int. Ed.* **1989**, *28* (11), 1513-1514.
- 43) "Synthesis and Characterization of  $[(\text{Ph}_4\text{P})\text{Ag}(\text{Se}_4)]_n$ . A Novel One-Dimensional Inorganic Polymer", Kanatzidis, M. G.; Huang, S. P., *J. Am. Chem. Soc.* **1989**, *111* (2), 760-761.
- 44) "In Situ Intercalative Polymerization as a Route to Layered Conducting Polymer-Inorganic Matrix Microlaminates. Polypyrrole and Polythiophene in FeOCl", Kanatzidis, M. G.; Hubbard, M.; Tonge, L. M.; Marks, T. J.; Marcy, H. O.; Kannewurf, C. R., *Synth. Met.* **1989**, *28* (1-2), C89-C95.
- 45) "In Situ Intercalative Polymerization Chemistry of FeOCl. Generation and Properties of Novel, Highly Conductive Inorganic/Organic Polymer Microlaminates", Kanatzidis, M. G.; Marcy, H. O.; McCarthy, W. J.; Kannewurf, C. R.; Marks, T. J., *Solid State Ionics* **1989**, *32-3*, 594-608.
- 46) "Polychalcogenide Synthesis in Molten Salts. Novel One-Dimensional Compounds in the K/Cu/S System Containing Exclusively  $\text{S}_4^{2-}$  Ligands", Kanatzidis, M. G.; Park, Y., *J. Am. Chem. Soc.* **1989**, *111* (10), 3767-3769.
- 47) "Conductive-Polymer Intercalation in Layered  $\text{V}_2\text{O}_5$  Xerogels. Intercalated Polypyrrole", Kanatzidis, M. G.; Wu, C. G.; Marcy, H. O.; Kannewurf, C. R., *J. Am. Chem. Soc.* **1989**, *111* (11), 4139-4141.
- 48) "Conductive Polymer Bronzes. Intercalated Polyaniline In  $\text{V}_2\text{O}_5$  Xerogels", Kanatzidis, M. G.; Wu, C. G.; Marcy, H. O.; Kannewurf, C. R., *J. Am. Chem. Soc.* **1989**, *111* (11), 4139-4141.
- 49) "Metallocene Antitumor Agents: Aqueous Coordination of  $\text{Cp}_2\text{MoCl}_2$  to DNA Constituents", Kuo, L. Y.; Sabat, M.; Kanatzidis, M.; Tipton, A. L.; Marks, T. J., *J. Inorg. Biochem.* **1989**, *36* (3-4), 297.
- 50) "Octanuclear Heterometallic Clusters with Rhombic Dodecahedral Cores. The Synthesis, Structural Characterization and Properties of the  $\{\text{Fe}_6\text{S}_6(\text{p-RPhO})_6[\text{M}(\text{CO})_3]_2\}^{n-}$  Clusters (M=Mo, n=3, R= Me, OMe, NMe<sub>2</sub>; M= W, n=3, R= Me; M=Mo, n=4, R= Me, OMe, COMe). Precursors for Synthetic Analogs for the Fe/Mo/S Site in Nitrogenase", Alahmad, S. A.; Salifoglou, A.; Kanatzidis, M. G.; Dunham, W. R.; Coucouvanis, D., *Inorg. Chem.* **1990**, *29* (5), 927-938.
- 51) "Binucleating Macrocyclic [14]N<sub>4</sub> Ligands and Their Complexes. Synthesis of the Free Ligand 2,3-Dioxo-5,6:13,14-dibenzo-9,10-(4',5'-dimethylbenzo)-1,4,8,11-tetraazacyclotetradeca-7,11-diene (L) and of the 7,12-Me<sub>2</sub>-L Metal Complexes and Derivatives. Crystal Structures and Properties of the  $[\text{M}'][\text{M}(7,12\text{-Me}_2\text{-L})$  Complexes

(M=Ni(II); M=Co(II); M'=ZnCl<sub>2</sub>, M=Ni(II); M'=[Na(5-crown-15)], M=Ni(II); M'=[(C<sub>2</sub>H<sub>5</sub>)<sub>4</sub>N]<sup>+</sup>, M=Ni(II))", Christodoulou, D.; Kanatzidis, M. G.; Coucouvanis, D., *Inorg. Chem.* **1990**, 29 (2), 191-201.

- 52) "The Use of Soluble Metal-Polyselenide Complexes as Precursors to Binary and Ternary Solid Metal Selenides" Dhingra, S.; Kanatzidis, M. G. in "*Better Ceramics through Chemistry IV*", Zelinski, B. J. J.; Brinker, C. J.; Clark, D. E.; Ulrich, D. R., Eds. **1990**, 180, 825-830.
- 53) "The Use of Soluble Metal-Polyselenide Complexes as Precursors to Binary and Ternary Solid Metal Selenides", Dhingra, S.; Kanatzidis, M. G., *MRS Symp. Proc.* **1990**, 180, 825-830.
- 54) "Synthesis of [Ru(CO)<sub>2</sub>(Se<sub>4</sub>)<sub>2</sub>]<sup>2-</sup>. A Stable Anionic Ru<sup>2+</sup> Poly-Chalcogenide Complex", Draganjac, M.; Dhingra, S.; Huang, S. P.; Kanatzidis, M. G., *Inorg. Chem.* **1990**, 29 (4), 590-591.
- 55) "Synthesis, Structure and <sup>77</sup>Se/<sup>119</sup>Sn NMR Spectroscopy of the New Polyselenide Tris (tetraselenido) stannate (IV) [Sn(Se<sub>4</sub>)<sub>3</sub>]<sup>2-</sup>", Huang, S. P.; Dhingra, S.; Kanatzidis, M. G., *Polyhedron* **1990**, 9 (11), 1389-1395.
- 56) "Polymeric Electrical Conductors", Kanatzidis, M. G., *Chem. Eng. News* **1990**, 68 (49), 36-54.
- 57) "A New Mononuclear Thiolato Nickel(II) Square Planar Complex with an Uncommon (S<sub>2</sub>NO) Coordination", Kanatzidis, M. G., *Inorg. Chim. Acta* **1990**, 168 (1), 101-103.
- 58) "Soluble Polychalcogenides of the Late Transition and Main Group Elements", Kanatzidis, M. G., *Comments Inorg. Chem.* **1990**, 10 (4-5), 161-195.
- 59) "Molten Alkali-Metal Polychalcogenides as Reagents and Solvents for the Synthesis of New Chalcogenide Materials", Kanatzidis, M. G., *Chem. Mater.* **1990**, 2 (4), 353-363.
- 60) "Molten-Salt Synthesis of Low-Dimensional Ternary Chalcogenides. Novel Structure Types in the K/Hg/S, K/Hg/Se System", Kanatzidis, M. G.; Park, Y., *Chem. Mater.* **1990**, 2 (2), 99-101.
- 61) "Conductive-Polymer/Bronze Nanocomposites Intercalated Polythiophene in V<sub>2</sub>O<sub>5</sub> Xerogels", Kanatzidis, M. G.; Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Kannewurf, C. R., *Chem. Mater.* **1990**, 2 (3), 222-224.
- 62) "Intercalation Chemistry of Conducting Polymers. New Crystalline Microlaminate Phases in the Polyaniline/FeOCl System", Kanatzidis, M. G.; Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Kannewurf, C. R.; Kostikas, A., *Adv. Mater.* **1990**, 2 (8), 364-366.
- 63) "Hydrothermal Synthesis of Metal Polychalcogenides. Structural Characterization of [Mo<sub>12</sub>Se<sub>56</sub>]<sup>12-</sup>. A Cluster Of Clusters", Liao, J. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1990**, 112 (20), 7400-7402.

- 64) "Low-Dimensional Compounds Incorporating Polychalcogenide Ligands. The Unusual Polymeric Structures of  $[\text{AuSe}_5]_n^{n-}$  and  $[\text{AuSe}_{13}]_n^{n-}$ ", Park, Y. B.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1990**, 29 (8), 914-915.
- 65) "Low-Dimensional Electrically Conductive Systems Intercalated Polymers In  $\text{V}_2\text{O}_5$  Xerogels" Wu, C. G.; Kanatzidis, M. G.; Marcy, H. O.; Degroot, D. C.; Kannewurf, C. R. in "Lower-Dimensional Systems and Molecular Electronics", Metzger, R. M.; Day, P.; Papavassiliou, G. C., Eds. *Plenum Press, Inc.*, **1990**, 248, 427-433.
- 66) " $\text{V}_2\text{O}_5$  Xerogels as Hosts for Conductive Polymers. Intercalative Polymerization of Aniline, Pyrrole and 2,2'-Bithiophene" Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Kannewurf, C. R.; Kanatzidis, M. G. in "Advanced Organic Solid State Materials" Chiang, L. Y.; Chaikin, P. M.; Cowan, D. O., Eds. *Materials Research Society Symposium Proceedings* **1990**, 173, 317-322.
- 67) "Isolation of a Sulfur-Rich Indium-Polysulfide Complex Containing Two Different  $\text{S}_x^{2-}$  Ligands. Synthesis and Structure of  $[\text{InS}_{10}\text{Br}]^{2-}$ ", Dhingra, S.; Kanatzidis, M. G., *Polyhedron* **1991**, 10 (10), 1069-1073.
- 68) "Polychalcogenide Complexes as Low Temperature Precursors for Quantum Size and Bulk Binary and Ternary Semiconductors" Dhingra, S.; Kim, K. W.; Kanatzidis, M. G. in "Chemical Perspectives of Microelectronic Materials" Interrante, L. V.; Jensen, K. F.; Dubois, L. H.; Gross, M. E., Eds. *Materials Research Society Symposium Proceedings* **1991**, 204, 163-168.
- 69) "Au(I) vs. Au(III): Stabilization of Two Au(I) Polyselenide Compounds,  $(\text{Ph}_4\text{P})_2[\text{Au}_2(\text{Se}_2)(\text{Se}_3)]$  and  $(\text{Ph}_4\text{P})_2[\text{Au}_2(\text{Se}_2)(\text{Se}_4)]$ , by the Diselenide Unit", Huang, S. P.; Kanatzidis, M. G., *Inorg. Chem.* **1991**, 30 (18), 3572-3575.
- 70) "Synthesis, X-ray Structure Determination, and Spectroscopy of the New Silver Polyselenides  $[(\text{Ph}_4\text{P})\text{Ag}(\text{Se}_4)]_n$ ,  $[(\text{Me}_4\text{N})\text{Ag}(\text{Se}_5)]_n$ ,  $[(\text{Et}_4\text{N})\text{Ag}(\text{Se}_4)]_4$ , and  $(\text{Pr}_4\text{N})_2[\text{Ag}_4(\text{Se}_4)_3]$ . Extreme Structure Dependence on Counterion Size", Huang, S. P.; Kanatzidis, M. G., *Inorg. Chem.* **1991**, 30 (7), 1455-1466.
- 71) "Synthesis and Crystal Structure of  $(\text{Ph}_4\text{P})_2\text{Pd}(\text{Te}_4)_2\text{DMF}$ ", Kanatzidis, M. G., *Acta Crystallogr. Sect. C: Cryst. Struct. Commun.* **1991**, 47, 1193-1196.
- 72) "Intercalation of Layered  $\text{V}_2\text{O}_5$  Xerogel with Polymers" Kanatzidis, M. G.; Wu, C. G.; Liu, Y. J.; Degroot, D. C.; Schindler, J. L.; Marcy, H. O.; Kannewurf, C. R. in "Synthesis/Characterization and Novel Applications of Molecular Sieve Materials" Bedard, R. L.; Bein, T.; Davis, M. E.; Garces, J.; Maroni, V. A.; Stucky, G. D., Eds. *Materials Research Society Symposium Proceedings* **1991**, 233, 183-194.
- 73) "Synthesis and Structural Characterization of  $[\text{Hg}_7\text{Se}_{10}]^{4-}$  and  $[\text{Hg}_7\text{Se}_9]_n^{4n-}$ : Novel Metal-Chalcogenide Frameworks", Kim, K. W.; Kanatzidis, M. G., *Inorg. Chem.* **1991**, 30 (9), 1966-1969.

- 74) "Metallocene Antitumor Agents. Solution and Solid-State Molybdenocene Coordination Chemistry of DNA Constituents", Kuo, L. Y.; Kanatzidis, M. G.; Sabat, M.; Tipton, A. L.; Marks, T. J., *J. Am. Chem. Soc.* **1991**, *113* (24), 9027-9045.
- 75) "Intercalation of Polyethylene-Oxide in V<sub>2</sub>O<sub>5</sub> Xerogel", Liu, Y. J.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1991**, *3* (6), 992-994.
- 76) "K<sub>2</sub>Cu<sub>5</sub>Te<sub>5</sub>, A Novel Mixed-Valence Layered Compound with Metallic Properties", Park, Y.; Degroot, D. C.; Schindler, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1991**, *30* (10), 1325-1328.
- 77) "New Metal-Chalcogen Compounds with Polymeric Structures" Park, Y.; Liao, J. H.; Kim, K. W.; Kanatzidis, M. G. in *"Inorganic and Organometallic Oligomers and Polymers"*, Harrod, J. F.; Laine, R. M., Eds. *Springer Netherlands*, **1991**, 263-276.
- 78) "Synthesis and Characterization of K<sub>4</sub>Cu<sub>8</sub>Te<sub>11</sub>. A Novel Solid-State Chalcogenide Compound with a Dodecahedral Cluster as a Building Block", Park, Y. B.; Kanatzidis, M. G., *Chem. Mater.* **1991**, *3* (5), 781-783.
- 79) "The 1st Molecular-Metal Containing Fluoride Counterions", Schlueter, J. A.; Orihashi, Y.; Kanatzidis, M.; Liang, W. B.; Marks, T. J.; Degroot, D. C.; Marcy, H. O.; McCarthy, W. J.; Kannewurf, C. R., *Synth. Met.* **1991**, *42* (3), 2659-2663.
- 80) "Charge Transport and Optical-Properties of the First Highly Conductive One-Dimensional Molecular-Metal Containing Fluoride Counterion: (TSeT)F<sub>0.25</sub>Cl<sub>0.50</sub>", Schlueter, J. A.; Orihashi, Y.; Kanatzidis, M. G.; Liang, W. B.; Marks, T. J.; Degroot, D. C.; Marcy, H. O.; McCarthy, W. J.; Kannewurf, C. R.; Inabe, T., *Chem. Mater.* **1991**, *3* (6), 1013-1015.
- 81) "Synthesis of [U(Se<sub>2</sub>)<sub>4</sub>]<sup>4+</sup>. The First Homoleptic Actinide/Polychalcogenide Complex", Sutorik, A. C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1991**, *113* (20), 7754-7755.
- 82) "Layered V<sub>2</sub>O<sub>5</sub> Xerogels. Host-Guest Chemistry and Conductive-Polymers" Wu, C. G.; Kanatzidis, M. G. in *"Solid State Ionics"* Nazri, G. A.; Shriver, D. F.; Huggins, R. A.; Balkanski, M., Eds. *Materials Research Society Symposium Proceedings* **1991**, *210*, 429-442.
- 83) "Polymerization of Anilinium Ion in the van der Waals Space of [TiNbO<sub>5</sub>]<sup>-</sup> and [Nb<sub>3</sub>O<sub>8</sub>]<sup>-</sup>", Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Kannewurf, C. R.; Kanatzidis, M. G., *Synth. Met.* **1991**, *41* (1-2), 691.
- 84) "Oxidative Polymerization of Pyrrole and Aniline in Hofmann-Type Inclusion-Compounds", Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Synth. Met.* **1991**, *41* (1-2), 693-698.
- 85) "Intercalation Of Polyfuran In FeOCl", Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Leung, W. Y.; Benz, M.; Legoff, E.; Kanatzidis, M. G., *Synth. Met.* **1991**, *41* (3), 797-803.



- 86) "Variable Frequency Conductivity of Layered Polypyrrole/V<sub>2</sub>O<sub>5</sub> Composites" Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Liu, Y. J.; Wu, C. G.; Kanatzidis, M. G. in "Submicron Multiphase Materials" Baney, R. H.; Gilliom, L. R.; Hirano, S. I.; Schmidt, H. K., Eds. *Materials Research Society Symposium Proceedings* **1992**, 274, 133-138.
- 87) "Open Framework Structures Based on Se<sub>x</sub><sup>2-</sup> Fragments. Synthesis of (Ph<sub>4</sub>P) [M(Se<sub>6</sub>)<sub>2</sub>] (M=Ga, In, Tl) in Molten (Ph<sub>4</sub>P)<sub>2</sub>Se<sub>x</sub>", Dhingra, S.; Kanatzidis, M. G., *Science* **1992**, 258 (5089), 1769-1772.
- 88) "Synthesis and Structure of the First Indium Copper Cluster, [Cu<sub>6</sub>In<sub>3</sub>(SEt)<sub>16</sub>]<sup>-</sup> and Its Possible Relevance to CuInS<sub>2</sub>", Hirpo, W.; Dhingra, S.; Kanatzidis, M. G., *J. Chem. Soc. Chem. Commun.* **1992**, (7), 557-559.
- 89) "Synthesis and Properties of the Homo- and Hetero-Polychalcogenide [A(Q<sub>5</sub>)<sub>2</sub>]<sup>2-</sup> Family (A=Te, Q=S, Se; A=Se, Q=Se). Crystal Structures of (Ph<sub>4</sub>P)<sub>2</sub>[Te(S<sub>5</sub>)<sub>2</sub>] and β-(Ph<sub>4</sub>P)<sub>2</sub>[Se(Se<sub>5</sub>)<sub>2</sub>]", Huang, S. P.; Dhingra, S.; Kanatzidis, M. G., *Polyhedron* **1992**, 11 (15), 1869-1875.
- 90) "[Ru<sub>6</sub>(Te<sub>2</sub>)<sub>7</sub>(CO)<sub>12</sub>]<sup>2-</sup>: Hydrothermal Synthesis of a Novel Ru/Te Cluster and Its Relationship to RuTe<sub>2</sub>", Huang, S. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1992**, 114 (13), 5477-5478.
- 91) "Synthesis and Structure of the Cluster [NaAu<sub>12</sub>Se<sub>8</sub>]<sup>3-</sup>. An Inorganic Cryptand Complex", Huang, S. P.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1992**, 31 (6), 787-789.
- 92) "Gold Inorganic Rings Based on Polychalcogenide Chains", Kanatzidis, M. G.; Huang, S. P., *Phosphorus, Sulfur Silicon Relat. Elem.* **1992**, 64-5 (1-4), 153-160.
- 93) "Crystalline Inorganic Hosts as Media for the Synthesis of Conductive Polymers" Kanatzidis, M. G.; Wu, C. G.; Marcy, H. O.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Benz, M.; Legoff, E. in "Supramolecular Architecture: Synthetic Control in Thin Films and Solids", Bein, T., Ed. *ACS Symposium Series*, **1992**, 499, 194-219.
- 94) "Nanocrystalline Binary, Ternary And Dilute Magnetic Semiconductors From Polychalcogenide Complexes" Kim, K. W.; Cowen, J. A.; Dhingra, S.; Kanatzidis, M. G. in "Chemical Processes in Inorganic Materials: Metal and Semiconductor Clusters and Colloids" Persans, P. D.; Bradley, J. S.; Chianelli, R. R.; Schmid, G., Eds. *Materials Research Society Symposium Proceedings* **1992**, 272, 27-33.
- 95) "Hydrothermal Synthesis of K<sub>2</sub>PdSe<sub>10</sub>. Coexistence of Two Large Interpenetrating Frameworks of [Pd(Se<sub>4</sub>)<sub>2</sub>]<sup>2-</sup> and [Pd(Se<sub>6</sub>)<sub>2</sub>]<sup>2-</sup>", Kim, K. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1992**, 114 (12), 4878-4883.
- 96) "Characterization of Iron-Sulfur Clusters by Fast Atom Bombardment Mass Spectrometry: The Formation of Ionic [Fe<sub>m</sub>S<sub>n</sub>] Clusters through Gas Phase Unimolecular Reduction Processes and Their Solution Parallels", Lee, W. L.; Gage, D. A.; Huang, Z. H.; Chang, C. K.; Kanatzidis, M. G.; Allison, J., *J. Am. Chem. Soc.* **1992**, 114 (18), 7132-7141.

- 97) "Hydrothermal Polychalcogenide Chemistry. Stabilization Of  $[\text{Mo}_9\text{Se}_{40}]^{8-}$ , a Cluster of Clusters, and  $[\text{Mo}_3\text{Se}_{18}]_N^{2n-}$ , A Polymeric Polyselenide. Novel Phases Based on Trinuclear  $[\text{Mo}_3\text{Se}_7]^{4+}$  Building-Blocks", Liao, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **1992**, *31* (3), 431-439.
- 98) "Phonon Studies of Intercalated Conductive Polymers", Prassides, K.; Bell, C. J.; Dianoux, A. J.; Wu, C. G.; Kanatzidis, M. G., *Physica B* **1992**, *180*, 668-670.
- 99) "KCeSe<sub>4</sub> - A New Solid-State Lanthanide Polychalcogenide", Sutorik, A. C.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1992**, *31* (12), 1594-1596.
- 100) "K<sub>2</sub>Cd<sub>2</sub>S<sub>3</sub> vs. CdS: Can the Properties of Quantum Sized CdQ Semiconductors be Emulated by Bulk Alkali Metal Ternary A/Cd/Q Phases (Q=chalcogen)?", Axtell, E. A.; Liao, J. H.; Pikramenou, Z.; Park, Y. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1993**, *115* (25), 12191-12192.
- 101) "Inclusion of Polyaniline into MoO<sub>3</sub>", Bissessur, R.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Chem. Soc. Chem. Commun.* **1993**, (8), 687-689.
- 102) "Encapsulation of Polymers into MoS<sub>2</sub> and Metal to Insulator Transition in Metastable MoS<sub>2</sub>", Bissessur, R.; Kanatzidis, M. G.; Schindler, J. L.; Kannewurf, C. R., *J. Chem. Soc. Chem. Commun.* **1993**, (20), 1582-1585.
- 103) "Determination of Ground and Excited State Isomerization Barriers for the Oligothiophene 3,4-dibutyl-2,2:5,2-terthiophene", Dewitt, L.; Blanchard, G. J.; Legoff, E.; Benz, M. E.; Liao, J. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1993**, *115* (25), 12158-12164.
- 104) "Synthesis of  $[\text{Tl}_4\text{Se}_{16}]^{4-}$ : A Novel Tetranuclear  $\text{Tl}^{3+}$  Polyselenide", Dhingra, S.; Liu, F.; Kanatzidis, M. G., *Inorg. Chim. Acta* **1993**, *210* (2), 237-239.
- 105) "Synthesis and Characterization of the New Homoleptic Indium-Polysulfide Complexes:  $[\text{In}_2\text{S}_{27}]^{4-}$ ,  $[\text{In}_2\text{S}_{14}]^{2-}$  and  $[\text{In}_2\text{S}_{16}]^{2-}$ ", Dhingra, S. S.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (15), 3300-3305.
- 106) "Syntheses and Characterization of the First Thallium Polysulfide Anions", Dhingra, S. S.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (11), 2298-2307.
- 107) "Polyselenide Chemistry of In and Tl in Dimethylformamide, Acetonitrile and Water. Syntheses, Structures and Properties of the New Complexes  $[\text{In}_2(\text{Se}_4)_2(\text{Se}_5)]^{4-}$ ,  $[\text{In}_2\text{Se}_2(\text{Se}_4)_2]^{2-}$  and  $[\text{In}_3\text{Se}_3(\text{Se}_4)_3]^{3-}$ ", Dhingra, S. S.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (8), 1350-1362.
- 108) "Polyfuran: A New Synthetic Approach and Electronic Properties", Glenis, S.; Benz, M.; Legoff, E.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1993**, *115* (26), 12519-12525.

- 109) "Synthesis of Mixed Copper-Indium Chalcogenolates. Single Source Precursors for the Photovoltaic Materials  $\text{CuInQ}_2$  (Q=S, Se)", Hirpo, W.; Dhingra, S.; Sutorik, A. C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1993**, *115* (4), 1597-1599.
- 110) "Application of the Hydro(solvo)thermal to the Synthesis of Metal Carbonyl Clusters. Synthesis and X-ray Structures of  $[\{\text{Fe}_4\text{Te}_4(\text{CO})_{10}\}(\text{Te}_2)]^{2-}$  and  $[\{\text{Fe}_2\text{Se}(\text{CO})_6\}_2(\text{Se}_2)]^{2-}$ ", Huang, S. P.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (6), 821-825.
- 111) "New Intercalation Compounds of Conjugated Polymers. Encapsulation of Polyaniline in  $\text{MoS}_2$ ", Kanatzidis, M. G.; Bissessur, R.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R., *Chem. Mater.* **1993**, *5* (5), 595-596.
- 112) "Conjugated Polymers in Layered Hosts. Formation of Emeraldine Salt and Polyfuran in  $\text{FeOCl}$ " Kanatzidis, M. G.; Wu, C. G.; Degroot, D. C.; Schindler, J. L.; Benz, M.; Legoff, E.; Kannewurf, C. R. in "*Chemical Physics of Intercalation II*", Bernier, P.; Fischer, J. E.; Roth, S.; Solin, S. A., Eds. *Plenum Press*, New York, **1993**, *305*, 63-72.
- 113) "Hydrothermal Synthesis and Characterization of Two New Platinum Polysulfides:  $[\text{Pt}_4\text{S}_{22}]^{4-}$  and  $[\text{Pt}(\text{S}_4)_2]^{2-}$ ", Kim, K. W.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (19), 4161-4163.
- 114) " $(\text{Me}_4\text{N})[\text{M}(\text{Te}_4)]$  (M = Cu, Ag): The First Layered Metal Polytellurides", Kim, K. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1993**, *115* (13), 5871-5872.
- 115) "Methanothermal Synthesis of Two Dimeric Vanadium Polyselenides  $[\text{V}_2\text{O}_2\text{Se}_{10}]^{4-}$  and  $[\text{V}_2\text{O}_2\text{Se}_8]^{4-}$ ", Liao, J. H.; Hill, L.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (21), 4650-4652.
- 116) "Quaternary  $\text{Rb}_2\text{Cu}_2\text{SnS}_4$ ,  $\text{A}_2\text{Cu}_2\text{Sn}_2\text{S}_6$  (A = Na, K, Rb, Cs),  $\text{A}_2\text{Cu}_2\text{Sn}_2\text{Se}_6$  (A = K, Rb),  $\text{K}_2\text{Au}_2\text{SnS}_4$ , and  $\text{K}_2\text{Au}_2\text{Sn}_2\text{S}_6$ . Syntheses, Structures, and Properties of New Solid-State Chalcogenides Based on Tetrahedral  $[\text{SnS}_4]^{4-}$  Units", Liao, J. H.; Kanatzidis, M. G., *Chem. Mater.* **1993**, *5* (10), 1561-1569.
- 117) "Synthesis Structure and Properties of Six Novel Alkali Metal Tin Sulfides:  $\text{K}_2\text{Sn}_2\text{S}_8$ ,  $\alpha$ - $\text{Rb}_2\text{Sn}_2\text{S}_8$ ,  $\beta$ - $\text{Rb}_2\text{Sn}_2\text{S}_8$ ,  $\text{K}_2\text{Sn}_2\text{S}_5$ ,  $\text{Cs}_2\text{Sn}_2\text{S}_6$  and  $\text{Cs}_2\text{SnS}_{14}$ ", Liao, J. H.; Varotsis, C.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (11), 2453-2462.
- 118) "Intercalation of Water-Soluble Polymers in  $\text{V}_2\text{O}_5$  Xerogel", Liu, Y. J.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Adv. Mater.* **1993**, *5* (5), 369-372.
- 119) "Stabilization of Anilinium in  $\text{V}_2\text{O}_5$  Xerogel and its Post-Intercalative Polymerization to Polyaniline in Air", Liu, Y. J.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Chem. Soc. Chem. Commun.* **1993**, (7), 593-596.
- 120) "Topotactic Polymerization of Aniline in Layered Uranyl Phosphate", Liu, Y. J.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (14), 2989-2991.
- 121) "The Use of Molten Alkali Metal Polythiophosphate Fluxes For Synthesis at Intermediate Temperatures. Isolation and Structural Characterization of  $\text{ABiP}_2\text{S}_7$  (A=K,Rb)", McCarthy, T. J.; Kanatzidis, M. G., *Chem. Mater.* **1993**, *5* (8), 1061-1063.

- 122) "Molten Salt Synthesis and Properties of Three New Solid State Ternary Bismuth Chalcogenides,  $\beta$ -CsBiS<sub>2</sub>,  $\gamma$ -CsBiS<sub>2</sub> and K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub>", McCarthy, T. J.; Ngeyi, S. P.; Liao, J. H.; Degroot, D. C.; Hogan, T.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1993**, *5* (3), 331-340.
- 123) "Synthesis of CsCuS<sub>6</sub> and Cs<sub>6</sub>Cu<sub>2</sub>(TeS<sub>3</sub>)<sub>2</sub>(S<sub>6</sub>)<sub>2</sub> in Molten Cs<sub>2</sub>S<sub>x</sub>Te<sub>y</sub> Salts. Novel Compounds Containing Polychalcogenide Ligands", McCarthy, T. J.; Zhang, X.; Kanatzidis, M. G., *Inorg. Chem.* **1993**, *32* (13), 2944-2948.
- 124) "Intergrowth of Two Different Layered Networks in the Metallic Copper Oxyselenide Na<sub>1.9</sub>Cu<sub>2</sub>Se<sub>2</sub>·Cu<sub>2</sub>O", Park, Y. B.; Degroot, D. C.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1993**, *5* (1), 8-10.
- 125) "Studies on Conjugated Polymers: Synthesis of a Novel Polythiophene Derivative: Poly(3,4-dibutyl-a-terthiophene)", Wang, C.; Benz, M. E.; LeGoff, E.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Polym. Pre.* **1993**, *34*, 422-423.
- 126) "<sup>77</sup>Se Solid State NMR Studies of [M(Se<sub>4</sub>)<sub>2</sub>]<sup>2-</sup> Anions (M=Zn, Cd or Hg)", Barrie, P. J.; Clark, R. J. H.; Withnall, R.; Chung, D. Y.; Kim, K. W.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (6), 1212-1216.
- 127) "Nanoscale Composites Formed by Encapsulation of Polymers in MoS<sub>2</sub>. From Conjugated Polymers to Plastics. Detection of Metal to Insulator Transition", Bissessur, R.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M., *Mol. Cryst. Liq. Cryst. Sci. Technol., Sect. A* **1994**, *245* (1), 149-254.
- 128) "Pt<sup>2+</sup> vs. Pt<sup>4+</sup> in AsS<sub>3</sub><sup>3-</sup> Solutions and Isolation of the Clusters [Pt(As<sub>3</sub>S<sub>5</sub>)<sub>2</sub>]<sup>2-</sup> and [Pt<sub>3</sub>(As<sub>4</sub>)<sub>3</sub>]<sup>3-</sup>. Observation of Unique Thioarsenate Ligands and Pt-As Bonds", Chou, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (24), 5372-5373.
- 129) "Hydrothermal Assembly of Novel Covalent, Extended Structures Based on [As<sub>x</sub>S<sub>y</sub>]<sup>n-</sup> Building Blocks Derived from Condensation Of AsS<sub>3</sub><sup>3-</sup>. Isolation of (Ph<sub>4</sub>P)<sub>2</sub>[InAs<sub>3</sub>S<sub>7</sub>] and (Me<sub>4</sub>N)<sub>2</sub>Rb[BiAs<sub>6</sub>S<sub>12</sub>]", Chou, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (6), 1001-1002.
- 130) "Zirconium-Sulfur Chemistry. Synthesis and Structural Characterization of the Zr<sub>3</sub>S<sub>3</sub>(BuS)<sub>2</sub>(BH<sub>4</sub>)<sub>4</sub>(THF)<sub>2</sub>, Zr<sub>6</sub>S<sub>6</sub>(BuS)<sub>4</sub>(BH<sub>4</sub>)<sub>8</sub>(THF)<sub>2</sub>, Zr<sub>3</sub>S(BuS)<sub>10</sub> and (Mg(THF)<sub>6</sub>)[Zr<sub>2</sub>(SPh)<sub>7.2</sub>(CH<sub>2</sub>Ph)<sub>1.8</sub>]<sub>2</sub> · 3THF Clusters. Activation and Cleavage of the C-S Bond in Zirconium-Coordinated Alkanethiolate Ligands", Coucouvanis, D.; Hadjikyriacou, A.; Lester, R.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (17), 3645-3655.
- 131) "Synthesis and Characterization of Indium Thiolates: Structures of [Ph<sub>4</sub>P][In(SBu<sup>t</sup>)<sub>4</sub>].CH<sub>3</sub>OH and [Ph<sub>4</sub>P][In(SCH<sub>2</sub>CH<sub>2</sub>S)<sub>2</sub>]", Hirpo, W.; Sutorik, A. C.; Dhingra, S.; Kanatzidis, M. G., *Polyhedron* **1994**, *13* (19), 2797-2800.
- 132) "Counterion Size Versus Structure in Metal-Chalcogenide Salts", Kanatzidis, M. G., *Phosphorus, Sulfur Silicon Relat. Elem.* **1994**, *93* (1-4), 159-172.

- 133) "Coordination Chemistry of Heavy Polychalcogenide Ligands", Kanatzidis, M. G.; Huang, S. P., *Coord. Chem. Rev.* **1994**, *130* (1-2), 509-621.
- 134) "Synthesis, Structure, and Properties of the Polychalcogenides  $[M_4Te_{12}]^{4+}$  (M=Cd, Hg)", Kim, K. W.; Kanatzidis, M. G., *Inorg. Chim. Acta* **1994**, *224* (1-2), 163-169.
- 135) "Oligothiophenes as Models for Polythiophenes. The Crystal and Molecular Structures of 3",4"-dibutyl-pentathiophene and 3',3''',4',4''''-tetrabutyl-hexathiophene. Structural Implications for Conjugated Polymers", Liao, J. H.; Benz, M.; Legoff, E.; Kanatzidis, M. G., *Adv. Mater.* **1994**, *6* (2), 135-138.
- 136) "L-Histidine Tetrafluoroborate: A New Solution-Grown Frequency Conversion Crystal for Parametric Processes from 300-1300-NM" Marcy, H. O.; Rosker, M. J.; Warren, L. F.; Cunningham, P. H.; Thomas, C. A.; Deloach, L. D.; Velsko, S. P.; Ebbers, C. A.; Kanatzidis, M. G. in "OSA Proceedings on Advanced Solid-State Lasers" Fan, T. Y.; Chai, B., Eds. **1994**, *20*, 484-488.
- 137) "Sb $\cdots$ Sb and Bi $\cdots$ Bi Interactions in  $Cs_8M_4(P_2Se_6)_5$  (M=Sb, Bi)", McCarthy, T. J.; Hogan, T.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1994**, *6* (7), 1072-1079.
- 138) "Coordination Chemistry of  $[P_2Se_6]^{4+}$  in Molten Fluxes. Isolation of the Structurally Complex  $KMP_2Se_6$  (M=Sb, Bi)", McCarthy, T. J.; Kanatzidis, M. G., *J. Chem. Soc. Chem. Commun.* **1994**, (9), 1089-1090.
- 139) "Polysulfide Ligands in Solid-State Antimony Compounds. Isolation and Structural Characterization of  $Cs_2Sb_4S_8$  and  $CsSbS_6$ ", McCarthy, T. J.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (6), 1205-1211.
- 140) "Te-Te Bonding in Tellurides", Seong, S.; Albright, T. A.; Zhang, X.; Kanatzidis, M., *J. Am. Chem. Soc.* **1994**, *116* (16), 7287-7293.
- 141) "The First Examples of Alkali Metal/Cu/Ce/ Chalcogenides: On the Layered Heterometallic Compounds  $KCuCe_2S_6$  and  $K_2Cu_2CeS_4$ ", Sutorik, A. C.; Albrittonthomas, J.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1994**, *116* (17), 7706-7713.
- 142) " $Ba_6Ti_5S_{15}O$ : A New Metal/Oxysulfide Resulting from the Inclusion of BaO into the  $BaTiS_3$  Structure Type", Sutorik, A. C.; Kanatzidis, M. G., *Chem. Mater.* **1994**, *6* (10), 1700-1704.
- 143) "Studies on Conjugated Polymers: Preparation, Spectroscopic, and Charge-Transport Properties of a New Soluble Polythiophene Derivative: Poly(3',4'-dibutyl-2,2':5',2"-terthiophene)", Wang, C. G.; Benz, M. E.; Legoff, E.; Schindler, J. L.; Albrittonthomas, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1994**, *6* (4), 401-411.
- 144) "The Thiotellurites  $A_2Mn(TeS_3)_2$  (A=Cs, Rb): New Layered Solids Based on the Pyramidal  $TeS_3^{2-}$  Building Unit", Zhang, X.; Kanatzidis, M. G., *Inorg. Chem.* **1994**, *33* (6), 1238-1240.

- 145) "AMTeS<sub>3</sub> (A=K, Rb, Cs; M=Cu, Ag): A New Class of Compounds Based on a New Polychalcogenide Anion, TeS<sub>3</sub><sup>2-</sup>", Zhang, X.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1994**, *116* (5), 1890-1898.
- 146) "Se-77 Solid State NMR Spectroscopy and Structures of Tetramethylammonium Pentaselenide and Hexaselenide Complexes", Barrie, P. J.; Clark, R. J. H.; Chung, D. Y.; Chakrabarty, D.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (17), 4299-4304.
- 147) "Complex Multinary Compounds from Molten Alkali Metal Polyseleno-phosphate Fluxes: Layers and Chains in A<sub>4</sub>Ti<sub>2</sub>(P<sub>2</sub>Se<sub>9</sub>)<sub>2</sub>(P<sub>2</sub>Se<sub>7</sub>), and ATiPSe<sub>5</sub> (A=K, Rb). Isolation of [P<sub>2</sub>Se<sub>9</sub>]<sup>4-</sup> a Flux Constituent Anion", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (22), 5401-5402.
- 148) "Hydrothermal Synthesis of (Ph<sub>4</sub>P)<sub>2</sub>[Hg<sub>2</sub>As<sub>4</sub>S<sub>9</sub>] and (Me<sub>4</sub>N)[HgAs<sub>3</sub>S<sub>6</sub>]. Extended Chains and Layers Based on the Condensation of [AsS<sub>3</sub>]<sup>3-</sup> Units", Chou, J. H.; Kanatzidis, M. G., *Chem. Mater.* **1995**, *7* (1), 5-8.
- 149) "Nickel Coordination Chemistry with Oxothiolate Ligands and its Relevance to Hydrogenase Enzymes" Chou, J. H.; Varotsis, C.; Kanatzidis, M. G. in "*Bioinorganic Chemistry: An Inorganic Perspective of Life*", Kessissoglou, D. P., Ed. *Nato Advanced Science Institutes Series, Series C, Mathematical and Physical Sciences* **1995**, *459*, 333-348.
- 150) "Discrete Complexes Incorporating Heteropolychalcogenide Ligands: Ring and Cage Structures in [Au<sub>2</sub>(TeS<sub>3</sub>)<sub>2</sub>]<sup>2-</sup>, [Ag<sub>2</sub>Te(TeS<sub>3</sub>)<sub>2</sub>]<sup>2-</sup> and [Ag<sub>2</sub>Te(TeSe<sub>3</sub>)<sub>2</sub>]<sup>2-</sup>", Chung, D. Y.; Huang, S. P.; Kim, K. W.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (17), 4292-4293.
- 151) "Formation of Thioarsenide from the Reductive Coupling of Dithionite and Arsenite under Hydrothermal Conditions. Synthesis of (Ph<sub>4</sub>P)[Fe<sub>2</sub>(AsS)(CO)<sub>6</sub>]", Das, B. K.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (26), 6505-6508.
- 152) "New Mixed-Metal Carbonyl Tellurido Clusters from Solvothermal Synthesis", Das, B. K.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (23), 5721-5725.
- 153) "Telluride Alkylation and Formation of Novel Metal Carbonyl Polytelluride Clusters in Superheated Alcohols. Isolation of the Complexes [M<sub>4</sub>(Te<sub>2</sub>)<sub>2</sub>(Te)<sub>2</sub>(TeMe)<sub>2</sub>(CO)<sub>8</sub>]<sup>2-</sup> (M=Fe, Ru)", Das, B. K.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, *34* (5), 1011-1012.
- 154) "Electrochemical Synthesis and Electronic Properties of Poly(3,4-Dibutyl- $\alpha$ -Terthiophene)", Glenis, S.; Benz, M.; LeGoff, E.; Kanatzidis, M. G.; DeGroot, D. C.; Schindler, J. L.; Kannewurf, C. R., *Synth. Met.* **1995**, *75* (3), 213-221.
- 155) "Application of the Hydro(Solvo)thermal Technique to the Synthesis of Metal Carbonyl Chalcogenide Clusters. Part 3. Synthesis, Structural Characterization and Spectroscopic Studies of the Clusters [M(CO)<sub>4</sub>]<sub>n</sub>(MS<sub>4</sub>)<sup>2-</sup> (M=Mo, W; n=1, 2)", Huang, S. P.; Kanatzidis, M. G., *Inorg. Chim. Acta* **1995**, *230* (1-2), 9-17.
- 156) "From cyclo-Te<sub>8</sub> to Te<sub>x</sub><sup>n-</sup> Sheets: Are 'Non-Classical' Polytellurides More Classical Than We Thought?", Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1995**, *34* (19), 2109-2111.

- 157) "Ternary Bismuth Chalcogenides for Thermoelectric Applications. Synthesis and Charge Transport Properties of New Compounds in the K-Bi-S System" Kanatzidis, M. G.; McCarthy, T. J.; Tanzer, T. A.; Chen, L. H.; Hogan, T.; Kannewurf, C. R.; Iordanidis, L. in "Covalent Ceramics III - Science and Technology of Non-Oxides" Hepp, A. F.; Kumta, P. N.; Sullivan, J. J.; Fischman, G. S.; Kaloyeros, A. E., Eds. *Materials Research Society Symposium Proceedings* **1995**, 410, 37-43.
- 158) "The Application of Polychalcogenide Salts to the Exploratory Synthesis of Solid-State Multinary Chalcogenides at Intermediate Temperatures", Kanatzidis, M. G.; Sutorik, A. C., *Prog. Inorg. Chem.* **1995**, 43, 151-265.
- 159) "Isolation of the Hexathioorthoxalate  $[\text{C}_2\text{S}_6]^{6-}$  Ligand in the  $\alpha$ - and  $\beta$ - $[\text{Pd}_6(\text{C}_2\text{S}_6)(\text{S}_3)_6]^{6-}$  and  $[\text{Pd}_6(\text{C}_2\text{S}_6)(\text{S}_3)_4(\text{S}_4)_2]^{6-}$ ", Kim, K. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1995**, 117 (20), 5606-5607.
- 160) "CsAg<sub>5</sub>Te<sub>3</sub>: A New Metal-Rich Telluride with a Unique Tunnel Structure", Li, J.; Guo, H. Y.; Zhang, X.; Kanatzidis, M. G., *J. Alloys Compd.* **1995**, 218 (1), 1-4.
- 161) "Anion-Anion Interactions Involving the  $[\text{Mo}_3\text{Se}_{13}]^{2-}$  Cluster. Syntheses and Characterization of  $(\text{Me}_4\text{N})_2\text{Mo}_3\text{Se}_{13}$ ,  $\text{K}_2\text{Mo}_3\text{Se}_{12.5}\text{O}_{0.5}$  and  $\text{K}_6\text{Mo}_6\text{Se}_{2.7}\cdot 6\text{H}_2\text{O}$ ", Liao, J. H.; Li, J.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, 34 (10), 2658-2670.
- 162) "Investigation of the Alkali Metal Vanadium Oxide Xerogel Bronzes:  $\text{A}_x\text{V}_2\text{O}_5\cdot n\text{H}_2\text{O}$  (A=K and Cs)", Liu, Y. J.; Cowen, J. A.; Kaplan, T. A.; Degroot, D. C.; Schindler, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1995**, 7 (9), 1616-1624.
- 163) "Post-Intercalative Polymerization of Aniline and its Derivatives in Layered Metal Phosphates", Liu, Y. J.; Kanatzidis, M. G., *Chem. Mater.* **1995**, 7 (8), 1525-1533.
- 164) "L-Histidine Tetrafluoroborate: A Solution Grown 'Semiorganic' Crystal for Nonlinear Frequency Conversion", Marcy, H. O.; Rosker, M. T.; Warren, L. F.; Cunningham, P. H.; Thomas, C. A.; Deloach, L. A.; Velsko, S. P.; Ebberts, C. A.; Liao, J. H.; Kanatzidis, M. G., *Opt. Lett.* **1995**, 20 (3), 252-254.
- 165) "Encapsulation of Cyclo-octa-sulfur Molecules in an Open Metal-Sulfide Framework. Isolation of the Host Guest Complex  $\text{Cs}_2\text{Sn}_3\text{S}_7\cdot\frac{1}{2}\text{S}_8$  from Molten Cesium Polysulfide Fluxes", Marking, G. A.; Kanatzidis, M. G., *Chem. Mater.* **1995**, 7 (10), 1915-1921.
- 166) "Synthesis in Molten Alkali Metal Polyselenophosphate Fluxes: A New Family of Transition Metal Selenophosphate Compounds,  $\text{A}_2\text{MP}_2\text{Se}_6$  (A=K, Rb, Cs; M=Mn, Fe) and  $\text{A}_2\text{M}'_2\text{P}_2\text{Se}_6$  (A=K, Cs; M'=Cu, Ag)", McCarthy, T. J.; Kanatzidis, M. G., *Inorg. Chem.* **1995**, 34 (5), 1257-1267.
- 167) "A New Metastable Three-dimensional Bismuth Sulfide With Large Tunnels: Synthesis, Structural Characterization, Ion-Exchange Properties and Reactivity of  $\text{KBi}_3\text{S}_5$ ", McCarthy, T. J.; Tanzer, T. A.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1995**, 117 (4), 1294-1301.

- 168) "Synthesis of Ternary Chalcogenides in Molten Polychalcogenide Salts:  $\alpha$ -KCuQ<sub>4</sub>, KAUS<sub>5</sub>, NaBiS<sub>2</sub>, KFeQ<sub>2</sub> (Q = S, Se)" Park, Y.; McCarthy, T. J.; Sutorlk, A. C.; Kanatzidis, M. G.; Gillan, E. G. in *"Inorganic Syntheses: Nonmolecular Solids"*, Murphy, D.; Interrante, L. V., Eds. *John Wiley & Sons, Inc.*, Hoboken, NJ, **1995**, 30, 88-95.
- 169) "Poly(3,4-ethylenedithiathioephene). A New Soluble Conductive Polythiophene Derivative", Wang, C. G.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1995**, 7 (1), 58-68.
- 170) "Poly(3',4'-Dibutyl-a-Terthiophene-Phenylene-Vinylene): A New Soluble and Dopable Phenylene-Vinylene-Based Conjugated Polymer", Wang, C. G.; Xie, X. S.; Legoff, E.; Albrittonthomas, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Synth. Met.* **1995**, 74 (1), 71-74.
- 171) "Entrapment of Polypyrrole Chains Between MoS<sub>2</sub> Layers Via an In-situ Oxidative Polymerization Encapsulation Reaction", Wang, L.; Schindler, J.; Thomas, J. A.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1995**, 7 (10), 1753-1755.
- 172) "Reaction of Aniline with FeOCl. Formation and Ordering of Conducting Polyaniline in a Crystalline Layered Host", Wu, C. G.; Degroot, D. C.; Marcy, H. O.; Schindler, J. L.; Kannewurf, C. R.; Bakas, T.; Papaefthymiou, V.; Hirpo, W.; Yesinowski, J. P.; Liu, Y. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1995**, 117 (36), 9229-9242.
- 173) "Distorted Square Nets of Tellurium in the Novel Quaternary Polytelluride K<sub>0.33</sub>Ba<sub>0.67</sub>AgTe<sub>2</sub>", Zhang, X.; Li, J.; Foran, B.; Lee, S.; Guo, H. Y.; Hogan, T.; Kannewurf, C. R.; Kanatzids, M. G., *J. Am. Chem. Soc.* **1995**, 117 (42), 10513-10520.
- 174) "Reactivity of Copper in Molten Polytelluride Salts. K<sub>4</sub>Cu<sub>8</sub>Te<sub>11</sub>, A<sub>3</sub>Cu<sub>8</sub>Te<sub>10</sub> (A=Rb, Cs), AA'<sub>2</sub>Cu<sub>8</sub>Te<sub>10</sub> (A, A' = K, Rb, Cs) and A<sub>2</sub>BaCu<sub>8</sub>Te<sub>10</sub> (A=K, Rb, Cs): Novel Solids Based on Endohedrally Occupied [Cu<sub>8</sub>Te<sub>12</sub>] Dodecahedral Cage-Clusters", Zhang, X.; Park, Y. B.; Hogan, T.; Schindler, J. L.; Kannewurf, C. R.; Seong, S.; Albright, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1995**, 117 (41), 10300-10310.
- 175) "The Novel Copper Polytelluride Salts NaBa<sub>6</sub>Cu<sub>3</sub>Te<sub>14</sub> and (K<sub>0.60</sub>Ba<sub>0.40</sub>)-Ba<sub>6</sub>Cu<sub>2.58</sub>Te<sub>14</sub>: Discrete Clusters or Extended Solids?", Zhang, X.; Schindler, J. L.; Hogan, T.; Albrittonthomas, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1995**, 34 (1), 68-71.
- 176) "Synthesis and Characterization of Na<sub>6</sub>Cd<sub>7</sub>S<sub>10</sub>: A New Framework Sulfide with 1-D Channels Containing 12- and 16-Member Rings and a Sulfide Anion in an Umbrella-Like Geometry", Axtell, E. A.; Kanatzidis, M. G., *Chem. Mater.* **1996**, 8 (7), 1350-1352.
- 177) "Dimensional Reduction in II-VI materials: A<sub>2</sub>Cd<sub>3</sub>Q<sub>4</sub> (A=K, Q=S, Se, Te; A=Rb, Q=S, Se), Novel Ternary Low-Dimensional Cadmium Chalcogenides Produced by Incorporation of A<sub>2</sub>Q in CdQ", Axtell, E. A.; Liao, J. H.; Pikramenou, Z.; Kanatzidis, M. G., *Chem. Eur. J.* **1996**, 2 (6), 656-666.



- 178) "Toward Pillared Layered Metal Sulfides. Intercalation of the Chalcogenide Clusters  $\text{Co}_6\text{Q}_8(\text{PR}_3)_6$  (Q=S, Se, and Te and R=alkyl) into  $\text{MoS}_2$ ", Bissessur, R.; Heising, J.; Hirpo, W.; Kanatzidis, M., *Chem. Mater.* **1996**, *8* (2), 318-&.
- 179) "Synthesis and Characterization  $\text{K}_2\text{UP}_3\text{Se}_9$ . The First Actinide Selenophosphate", Chondroudis, K.; Kanatzidis, M. G., *Comp. Ren. Acad. Sci. IIB* **1996**, *322* (12), 887-894.
- 180) "Isolation of  $[\text{Sn}(\text{PSe}_5)_3]^{5-}$  and  $[\text{Sn}_2\text{Se}_4(\text{PSe}_5)_2]^{6-}$ . The First Discrete Complexes from Molten Alkali-Metal Polyselenophosphate Fluxes", Chondroudis, K.; Kanatzidis, M. G., *Chem. Commun.* **1996**, (11), 1371-1372.
- 181) " $\text{A}_2\text{AuP}_2\text{Se}_6$  (A=K, Rb): Mixed-Valent Compounds with all Possible Coordination Geometries for Gold", Chondroudis, K.; McCarthy, T. J.; Kanatzidis, M. G., *Inorg. Chem.* **1996**, *35* (12), 3451-3452.
- 182) "Chemistry in Molten Alkali Metal Polyselenophosphate Fluxes. Influence of Flux Composition on Dimensionality. Layers and Chains in  $\text{APbPSe}_4$ ,  $\text{A}_4\text{Pb}(\text{PSe}_4)_2$  (A=Rb, Cs), and  $\text{K}_4\text{Eu}(\text{PSe}_4)_2$ ", Chondroudis, K.; McCarthy, T. J.; Kanatzidis, M. G., *Inorg. Chem.* **1996**, *35* (4), 840-844.
- 183) "Hydrothermal Synthesis and Characterization of  $(\text{Me}_4\text{N})[\text{HgAsSe}_3]$ ,  $(\text{Et}_4\text{N})[\text{HgAsSe}_3]$ , and  $(\text{Ph}_4\text{P})_2[\text{Hg}_2\text{As}_4\text{Se}_{11}]$ : Novel 1-D Mercury Selenoarsenates", Chou, J. H.; Kanatzidis, M. G., *J. Solid State Chem.* **1996**, *123* (1), 115-122.
- 184) "Solvothermal synthesis, Molecular Structures and Spectroscopic Characterization of the Cluster Compounds  $(\text{Ph}_4\text{P})_2[\text{Fe}_4\text{Te}_2(\text{CO})_{14}]$  and  $\text{Cs}[\text{HFe}_3\text{Te}(\text{CO})_9]$ ", Das, B. K.; Kanatzidis, M. G., *J. Organomet. Chem.* **1996**, *513* (1-2), 1-6.
- 185) "New Materials from Reactions in Intermediate Temperature Molten Salts. Synthetic Methodologies for Multinary Solid State Chalcogenides" Kanatzidis, M. G. in "*Physics and Chemistry of Low-Dimensional Inorganic Conductors*", Schlenker, C.; Dumas, J.; Greenblatt, M.; vanSmaalen, S., Eds. *Plenum Press, NATO Advanced Science Institutes Series, Series B, Physics* **1996**, *354*, 83-99.
- 186) "Isolation of  $\beta\text{-Ag}_3\text{AsSe}_3$ ,  $(\text{Me}_3\text{NH})[\text{Ag}_3\text{As}_2\text{Se}_5]$ ,  $\text{K}_5\text{Ag}_2\text{As}_3\text{Se}_9$ , and  $\text{KAg}_3\text{As}_2\text{S}_5$ . Novel Solid State Silver Thio- and Selenoarsenates from Solvento-thermal Synthesis", Kanatzidis, M. G.; Chou, J. H., *J. Solid State Chem.* **1996**, *127* (2), 186-201.
- 187) "Thermoelectric Materials: Solid State Synthesis", Kanatzidis, M. G.; DiSalvo, F. J., *ONR Quart. Rev.* **1996**, *XLVII*, 14-22.
- 188) "Synthesis and Thermoelectric Properties of the New Ternary Bismuth Sulfides  $\text{KBi}_{6.33}\text{S}_{10}$  and  $\text{K}_2\text{Bi}_8\text{S}_{13}$ ", Kanatzidis, M. G.; McCarthy, T. J.; Tanzer, T. A.; Chen, L. H.; Iordanidis, L.; Hogan, T.; Kannewurf, C. R.; Uher, C.; Chen, B. X., *Chem. Mater.* **1996**, *8* (7), 1465-1474.
- 189) "Synthesis, Structure, and Reactions of Poly(ethylene oxide)  $\text{V}_2\text{O}_5$  Intercalative Nanocomposites", Liu, Y. J.; Schindler, J. L.; DeGroot, D. C.; Kannewurf, C. R.; Hirpo, W.; Kanatzidis, M. G., *Chem. Mater.* **1996**, *8* (2), 525-534.

- 190) "Synthesis in Molten Alkali Metal Polythiophosphate Fluxes. The New Quaternary Bismuth and Antimony Thiophosphates  $\text{ABiP}_2\text{S}_7$  (A=K, Rb),  $\text{A}_3\text{M}(\text{PS}_4)_2$  (A=K, Rb, Cs; M=Sb, Bi),  $\text{Cs}_3\text{Bi}_2(\text{PS}_4)_3$ , and  $\text{Na}_{0.16}\text{Bi}_{1.28}\text{P}_2\text{S}_6$ ", McCarthy, T.; Kanatzidis, M. G., *J. Alloys Compd.* **1996**, 236 (1-2), 70-85.
- 191) "[Co(en)<sub>3</sub>]CoSb<sub>4</sub>S<sub>8</sub>: A Novel Non-Centrosymmetric Lamellar Heterometallic Sulfide with Large-Framework Holes", Stephan, H. O.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1996**, 118 (48), 12226-12227.
- 192) "[Cu<sub>4</sub>Mn<sub>4</sub>(SC<sub>3</sub>H<sub>7</sub>)<sub>12</sub>]<sup>2-</sup>, a Novel Heterometallic Sulfide Thiolate Complex Consisting of a Metal Cube with an Interstitial  $\mu$ -Sulfide Ion and Edge-Bridging Ligands", Stephan, H. O.; Kanatzidis, M. G.; Henkel, G., *Angew. Chem. Int. Ed.* **1996**, 35 (18), 2135-2137.
- 193) "New Quaternary Compounds Resulting from the Reaction of Copper and F-Block Metals in Molten Polychalcogenide Salts at Intermediate Temperatures. Valence Fluctuations in the Layered CsCuCeS<sub>3</sub>", Sutorik, A. C.; Albritton-Thomas, J.; Hogan, T.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1996**, 8 (3), 751-761.
- 194) "Synthesis and Characterization of a New Conjugated Aromatic Poly(azomethine) Derivative Based on the 3',4'-Dibutyl- $\alpha$ -Terthiophene Building Block", Wang, C. G.; Shieh, S.; LeGoff, E.; Kanatzidis, M. G., *Macromolecules* **1996**, 29 (9), 3147-3156.
- 195) "Poly(3',4'-Dibutyl- $\alpha$ -Terthiophene-Phenylene-Vinylene), and Poly(3',4'-Dibutyl- $\alpha$ -Terthiophene-Phenylene-Imine): Synthesis and Properties of Two New Isoelectronic Soluble Conjugated Polymers" Wang, C. G.; Xie, X. S.; LeGoff, E.; Kanatzidis, M. G. in "*Electrical, Optical, and Magnetic Properties of Organic Solid State Materials III*" Jen, A. K. Y.; Lee, C. Y. C.; Dalton, L. R.; Rubner, M. F.; Wnek, G. E.; Chiang, L. Y., Eds. *Materials Research Society Symposium Proceedings* **1996**, 413, 483-490.
- 196) "Redox Intercalative Polymerization of Aniline in V<sub>2</sub>O<sub>5</sub> Xerogel. The Post-Intercalative Intralamellar Polymer Growth in Polyaniline/Metal-Oxide Nanocomposites is Facilitated by Molecular Oxygen", Wu, C. G.; DeGroot, D. C.; Marcy, H. O.; Schindler, J. L.; Kannewurf, C. R.; Liu, Y. J.; Hirpo, W.; Kanatzidis, M. G., *Chem. Mater.* **1996**, 8 (8), 1992-2004.
- 197) "Sulfur p-Band Hole Generation in  $\beta$ -BaCu<sub>2</sub>S<sub>2</sub>. Synthesis of Metallic K<sub>x</sub>Ba<sub>1-x</sub>Cu<sub>2</sub>S<sub>2</sub> from Molten Mixed K-Ba Polysulfide Salts", Zhang, X.; Hogan, T.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Alloys Compd.* **1996**, 236 (1-2), 1-5.
- 198) "NaCu<sub>4</sub>S<sub>4</sub>, a Simple New Low-Dimensional, Metallic Copper Polychalcogenide, Structurally Related to CuS", Zhang, X.; Kanatzidis, M. G.; Hogan, T.; Kannewurf, C. R., *J. Am. Chem. Soc.* **1996**, 118 (3), 693-694.
- 199) "Magnetic Behavior and Coulomb-Lattice-Gas Ordering of Mn<sup>2+</sup> and Sn<sup>4+</sup> Ions in K<sub>2</sub>MnSnS<sub>4</sub>", Albertelli, G. D.; Cowen, J. A.; Hoff, C. N.; Kaplan, T. A.; Mahanti, S. D.; Liao, J. H.; Kanatzidis, M. G., *Phys. Rev. B* **1997**, 55 (17), 11056-11059.

- 200) "Transport Properties of Bi<sub>2</sub>S<sub>3</sub> and the Ternary Bismuth Sulfides K<sub>2</sub>Bi<sub>8</sub>S<sub>13</sub> and KBi<sub>6.33</sub>Se<sub>10</sub>", Chen, B. X.; Uher, C.; Iordanidis, L.; Kanatzidis, M. G., *Chem. Mater.* **1997**, *9* (7), 1655-1658.
- 201) "KThSb<sub>2</sub>Se<sub>6</sub> and BaLaBi<sub>2</sub>Q<sub>6</sub> (Q=S,Se) Adopt a New Structure Type Stabilized with Dichalcogenide Groups", Choi, K. S.; Iordanidis, L.; Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1997**, *36* (18), 3804-3805.
- 202) "Chemistry of Gold in Molten Alkali Metal Polychalcogeno-phosphate Fluxes. Synthesis and Characterization of the Low Dimensional Compounds A<sub>3</sub>AuP<sub>2</sub>Se<sub>8</sub> (A=K, Rb, Cs), A<sub>2</sub>Au<sub>2</sub>P<sub>2</sub>Se<sub>6</sub> (A=K, Rb), A<sub>2</sub>AuPS<sub>4</sub> (A = K, Rb, Cs) and AAuP<sub>2</sub>S<sub>7</sub> (A = K, Rb)", Chondroudis, K.; Hanco, J. A.; Kanatzidis, M. G., *Inorg. Chem.* **1997**, *36* (12), 2623-2632.
- 203) "<sup>1/∞</sup>[P<sub>3</sub>Se<sub>4</sub><sup>-</sup>]: A Novel Polyanion in K<sub>3</sub>RuP<sub>5</sub>Se<sub>10</sub>. Formation of Ru-P bonds in a Molten Polyselenophosphate Flux", Chondroudis, K.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1997**, *36* (12), 1324-1326.
- 204) "Stabilization of U<sup>5+</sup> in Rb<sub>4</sub>U<sub>4</sub>P<sub>4</sub>Se<sub>26</sub>. An Actinide Compound with a Mixed Selenophosphate/Polyselenide Framework and Ion-Exchange Properties", Chondroudis, K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1997**, *119* (10), 2574-2575.
- 205) "[M<sub>4</sub>(Se<sub>2</sub>)<sub>2</sub>(PSe<sub>4</sub>)<sub>4</sub>]<sup>8-</sup>: A Novel, Tetranuclear, Cluster Anion with a Stellane-like core", Chondroudis, K.; Kanatzidis, M. G., *Chem. Commun.* **1997**, (4), 401-402.
- 206) "Palladium Chemistry in Molten Alkali Metal Polychalcogeno-phosphate Fluxes. Synthesis and Characterization of K<sub>4</sub>Pd(PS<sub>4</sub>)<sub>2</sub>, Cs<sub>4</sub>Pd(PSe<sub>4</sub>)<sub>2</sub>, Cs<sub>10</sub>Pd(PSe<sub>4</sub>)<sub>4</sub>, KPdPS<sub>4</sub>, K<sub>2</sub>PdP<sub>2</sub>S<sub>6</sub> and Cs<sub>2</sub>PdP<sub>2</sub>Se<sub>6</sub>", Chondroudis, K.; Kanatzidis, M. G.; Sayettat, J.; Jobic, S.; Brec, R., *Inorg. Chem.* **1997**, *36* (25), 5859-5868.
- 207) "Synthesis and Characterization of (Ph<sub>4</sub>P)<sub>2</sub>[Ni<sub>2</sub>As<sub>4</sub>S<sub>8</sub>], (Me<sub>4</sub>N)<sub>2</sub>[Mo<sub>2</sub>O<sub>2</sub>As<sub>2</sub>S<sub>7</sub>], and (Et<sub>4</sub>N)<sub>2</sub>[Mo<sub>2</sub>O<sub>2</sub>As<sub>2</sub>Se<sub>7</sub>]. New One-Dimensional Polymeric Compounds Containing Thio- and Seleno Arsenate Ligands", Chou, J. H.; Hanco, J. A.; Kanatzidis, M. G., *Inorg. Chem.* **1997**, *36* (1), 4-9.
- 208) "High Thermopower and Low Thermal Conductivity in Semiconducting Ternary K-Bi-Se Compounds. Synthesis and Properties of β-K+2Bi<sub>8</sub>Se<sub>13</sub> and K<sub>2.5</sub>Bi<sub>8.5</sub>Se<sub>14</sub> and their Sb Analogs", Chung, D. Y.; Choi, K. S.; Iordanidis, L.; Schindler, J. L.; Brazis, P. W.; Kannewurf, C. R.; Chen, B. X.; Hu, S. Q.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **1997**, *9* (12), 3060-3071.
- 209) "Searching for New Thermoelectrics in Chemically and Structurally Complex Bismuth Chalcogenides" Chung, D. Y.; Hogan, T.; Schindler, J.; Iordanidis, L.; Brazis, P.; Kannewurf, C. R.; Chen, B.; Uher, C.; Kanatzidis, M. G. in "*Thermoelectric Materials - New Directions and Approaches*" Tritt, T. M.; Kanatzidis, M. G.; Lyon, H. B.; Maham, G. D., Eds. *Materials Research Society Symposium Proceedings* **1997**, *478*, 333-344.
- 210) "Complex Bismuth Chalcogenides As Thermoelectrics" Chung, D. Y.; Hogan, T.; Schindler, J.; Iordanidis, L.; Brazis, P.; Kannewurf, C. R.; Chen, B. X.; Uher, C.; Kanatzidis,

M. G. in "Proceedings ICT '97. XVI International Conference on Thermoelectrics" Dresden, Germany, *IEEE Dresden, Germany*, **1997**, 459-462.

- 211) "Oligomerization versus Polymerization of  $\text{Te}_x^{2-}$  in the Polytelluride Compound  $\text{BaBiTe}_3$ . Structural Characterization, Electronic Structure and Thermoelectric Properties", Chung, D. Y.; Jobic, S.; Hogan, T.; Kannewurf, C. R.; Brec, R.; Rouxel, J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1997**, *119* (10), 2505-2515.
- 212) "Thermoelectric Properties and Electronic Structure of  $\text{BaBiTe}_3$ " Chung, D. Y.; Jobic, S.; Hogan, T.; Kannewurf, C. R.; Brec, R.; Rouxel, J.; Kanatzidis, M. G. in "Solid-State Chemistry of Inorganic Materials" Davies, P. K.; Jacobson, A. J.; Torardi, C. C.; Vanderah, T. A., Eds. *Materials Research Society Symposium Proceedings* **1997**, *453*, 15-22.
- 213) "Methanothermal Synthesis of Polynuclear Ruthenium Telluride Carbonyl Clusters", Das, B. K.; Kanatzidis, M. G., *Polyhedron* **1997**, *16* (17), 3061-3066.
- 214) "New Directions in Synthetic Solid State Chemistry: Chalcophosphate Salt Fluxes for Discovery of New Multinary Solids", Kanatzidis, M. G., *Curr. Opin. Solid State Mater. Sci.* **1997**, *2* (2), 139-149.
- 215) "The Ethane-like  $[\text{Ge}_2\text{S}_6]^{6-}$  and  $[\text{Si}_2\text{Se}_6]^{6-}$  Ligands Bound to Main-Group Metals in  $\text{Na}_8\text{Pb}_2[\text{Ge}_2\text{S}_6]^2$ ,  $\text{Na}_8\text{Sn}_2[\text{Ge}_2\text{S}_6]^2$ ,  $\text{Na}_8\text{Pb}_2[\text{Si}_2\text{Se}_6]^2$ ", Marking, G. A.; Kanatzidis, M. G., *J. Alloys Compd.* **1997**, *259* (1-2), 122-128.
- 216) "On the Dissolution of Gold in  $\text{K}_2\text{Q}_x$  and  $\text{Na}_2\text{Q}_x$  Fluxes (Q=S, Se). Formation of  $\text{KAuS}_5$ ,  $\text{KAuSe}_5$ ,  $\text{CsAuSe}_3$ ,  $\text{KAuSe}_2$  and  $\text{NaAuSe}$ : Low-Dimensional  $\text{Au}^+$  and  $\text{Au}^{3+}$  Compounds with Poly- and Mono-chalcogenide Ligands", Park, Y.; Kanatzidis, M. G., *J. Alloys Compd.* **1997**, *257* (1-2), 137-145.
- 217) "Electrical Properties and Figures of Merit for New Chalcogenide-Based Thermoelectric Materials" Schindler, J. L.; Hogan, T. P.; Brazis, P. W.; Kannewurf, C. R.; Chung, D. Y.; Kanatzidis, M. G. in "Thermoelectric Materials - New Directions and Approaches" Tritt, T. M.; Kanatzidis, M. G.; Lyon, H. B.; Maham, G. D., Eds. *Materials Research Society Symposium Proceedings* **1997**, *478*, 327-332.
- 218) " $[\text{Fe}_3\text{Cu}(\text{SC}_3\text{H}_7)_6\text{Cl}_3]^{2-}$ : A Novel Mixed-Metal Thiolate Complex with a 'Truncated' Adamantane-like Structure", Stephan, H. O.; Henkel, G.; Kanatzidis, M. G., *Chem. Commun.* **1997**, (1), 67-68.
- 219) "Low-Dimensional Sulfoantimonates with Metal Complexes as Counterions. Hydrothermal Synthesis and Properties of  $[\text{M}(\text{en})_3]\text{Sb}_2\text{S}_4$  (M = Co, Ni) and  $[\text{M}(\text{en})_3]\text{Sb}_4\text{S}_7$  (M = Fe, Ni)", Stephan, H. O.; Kanatzidis, M. G., *Inorg. Chem.* **1997**, *36* (26), 6050-6057.
- 220) "Stabilization of Uranyl Cations in Molten Sodium Polysulfide and Formation of the Novel Solid Oxysulfide  $\text{Na}_4(\text{UO}_2)\text{Cu}_2\text{S}_4$ ", Sutorik, A. C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1997**, *119* (33), 7901-7902.

- 221) "Reactions of Lanthanides and Actinides in Molten Alkali Metal/Polychalcogenide Fluxes at Intermediate Temperatures (250-600 °C)", Sutorik, A. C.; Kanatzidis, M. G., *Chem. Mater.* **1997**, *9* (1), 387-398.
- 222) "Isolation of the Polysulfide Complex  $[(\text{UO}_2)(\text{S}_2)_3]^{4-}$  from the in situ Formation and Subsequent Reaction of Uranyl Cations in Molten Alkali Metal/ Polysulfide Salts", Sutorik, A. C.; Kanatzidis, M. G., *Polyhedron* **1997**, *16* (22), 3921-3927.
- 223) "Exfoliated-Restacked Phase of  $\text{WS}_2$ ", Tsai, H. L.; Heising, J.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1997**, *9* (4), 879-882.
- 224) "Plastic Superconducting Polymer-NbSe<sub>2</sub> Nanocomposites", Tsai, H. L.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1997**, *9* (4), 875-878.
- 225) "Lamellar Polymer-Li<sub>x</sub>MoO<sub>3</sub> Nanocomposites via Encapsulative Precipitation", Wang, L.; Schindler, J.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Mater. Chem.* **1997**, *7* (7), 1277-1283.
- 226) "Metamagnetic Transition in EuSe<sub>2</sub>: A New, Metastable Binary Rare-Earth Polychalcogenide", Aitken, J. A.; Cowen, J. A.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (12), 3928-3935.
- 227) "First Examples of Gold Thiocadmates.  $\text{A}_2\text{Au}_2\text{Cd}_2\text{S}_4$  (A=Rb, Cs) and  $\text{K}_2\text{Au}_4\text{CdS}_4$ : Bright Photoluminescence from New Alkali Metal/Gold Thiocadmates", Axtell, E. A.; Kanatzidis, M. G., *Chem. Eur. J.* **1998**, *4* (12), 2435-2441.
- 228) "Flux Synthesis of LiAuS and NaAuS: "Chicken-Wire-Like" Layer Formation by Interweaving of  $(\text{AuS})_n^{n-}$  Threads. Comparison with  $\alpha$ -HgS and  $\text{AAuS}$  (A = K, Rb)", Axtell, E. A.; Liao, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (21), 5583-5587.
- 229) "Incorporation of  $\text{A}_2\text{Q}$  into HgQ and Dimensional Reduction to  $\text{A}_2\text{Hg}_3\text{Q}_4$  and  $\text{A}_2\text{Hg}_6\text{Q}_7$  (A = K, Rb, Cs; Q = S, Se). Access of Li ions in  $\text{A}_2\text{Hg}_6\text{Q}_7$  through Topotactic Ion-Exchange", Axtell, E. A.; Park, Y.; Chondroudis, K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1998**, *120* (1), 124-136.
- 230) "Structurally Characterized Mesostructured Hybrid Surfactant-Inorganic Lamellar Phases Containing the Adamantane  $[\text{Ge}_4\text{S}_{10}]^{4-}$  Anion: Synthesis and Properties", Bonhomme, F.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (4), 1153-1159.
- 231) "Microstructural Characterization of Highly HDS-Active  $\text{Co}_6\text{S}_8$ -Pillared Molybdenum Sulfides", Brenner, J.; Marshall, C. L.; Ellis, L.; Tomczyk, N.; Heising, J.; Kanatzidis, M., *Chem. Mater.* **1998**, *10* (5), 1244-1257.
- 232) "Exploratory Synthesis with Molten Al as a Solvent and Routes to Multinary Aluminum Silicides.  $\text{Sm}_2\text{Ni}(\text{Ni}_x\text{Si}_{1-x})\text{Al}_4\text{Si}_6$  (x=0.18 - 0.27): A New Silicide with a Ferromagnetic Transition at 17.5 K", Chen, X. Z.; Sportouch, S.; Sieve, B.; Brazis, P.; Kannewurf, C. R.; Cowen, J. A.; Patschke, R.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (10), 3202-3211.

- 233) "Charge Density Wave Caused by Reducing ThSe<sub>3</sub> by One Electron. Superstructure and Short Range Order in ATh<sub>2</sub>Se<sub>6</sub> (A=K, Rb) Studied by X-ray Diffraction, Electron Diffraction and Diffuse Scattering", Choi, K. S.; Patschke, R.; Billinge, S. J. L.; Waner, M. J.; Dantus, M.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1998**, *120* (41), 10706-10714.
- 234) "Synthesis of the One-dimensional Compound (Ph<sub>4</sub>P)[In(P<sub>2</sub>Se<sub>6</sub>)] in a Selenophosphate Flux with Organic Counteranions, and Structure of [In(P<sub>2</sub>Se<sub>6</sub>)<sub>2</sub>]<sup>5-</sup> a Discrete Molecular Fragment of the [In(P<sub>2</sub>Se<sub>6</sub>)<sub>n</sub>]<sup>n-</sup> Chain", Chondroudis, K.; Chakrabarty, D.; Axtell, E. A.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **1998**, *624* (6), 975-979.
- 235) "New Lanthanide Selenophosphates. Influence of Flux Composition on the Distribution of [PSe<sub>4</sub>]<sup>3-</sup>/[P<sub>2</sub>Se<sub>6</sub>]<sup>4-</sup> Units and the Stabilization of the Low-Dimensional Compounds A<sub>3</sub>REP<sub>2</sub>Se<sub>8</sub>, and A<sub>2</sub>REP<sub>2</sub>Se<sub>7</sub> (A = Rb, Cs; RE = Ce, Gd)", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (15), 3792-3797.
- 236) "Group-10 and 12 One-Dimensional Selenodiphosphates: A<sub>2</sub>MP<sub>2</sub>Se<sub>6</sub> (A=K, Rb, Cs; M=Pd, Zn, Cd, Hg)", Chondroudis, K.; Kanatzidis, M. G., *J. Solid State Chem.* **1998**, *138* (2), 321-328.
- 237) "Rb<sub>4</sub>Sn<sub>2</sub>Ag<sub>4</sub>(P<sub>2</sub>Se<sub>6</sub>)<sub>3</sub>: First Example of a Quinary Selenophosphate and an Unusual Sn-Ag s<sup>2</sup>-d<sup>10</sup> Interaction", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (12), 2848-2849.
- 238) "[P<sub>8</sub>Se<sub>18</sub>]<sup>6-</sup> (6-): A New Oligomeric Selenophosphate Anion with P<sup>4+</sup> and P<sup>3+</sup> Centers and Pyramidal PSe<sub>3</sub> Fragments", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (10), 2582-2584.
- 239) "Flux Synthesis of K<sub>2</sub>Cu<sub>2</sub>P<sub>4</sub>Se<sub>10</sub>: A Layered Selenophosphate with a New Cyclohexane-like [P<sub>4</sub>Se<sub>10</sub>]<sup>4-</sup> Group", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (9), 2098-2099.
- 240) "New Topotactic Derivatives of the Open-Framework Semiconductor KBi<sub>3</sub>S<sub>5</sub> Via a Low-Temperature Solid-State Ion-Exchange Route", Chondroudis, K.; Kanatzidis, M. G., *J. Solid State Chem.* **1998**, *136* (2), 328-332.
- 241) "K<sub>4</sub>In<sub>2</sub>(PSe<sub>5</sub>)<sub>2</sub>(P<sub>2</sub>Se<sub>6</sub>) and Rb<sub>3</sub>Sn(PSe<sub>5</sub>)(P<sub>2</sub>Se<sub>6</sub>): One-Dimensional Compounds with Mixed Selenophosphate Anions", Chondroudis, K.; Kanatzidis, M. G., *J. Solid State Chem.* **1998**, *136* (1), 79-86.
- 242) "[Ce(PSe<sub>4</sub>)<sub>4</sub>]<sup>9-</sup>: A Highly Anionic Ce<sup>3+</sup> Selenophosphate Coordination Complex", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Chem. Commun.* **1998**, *1* (2), 55-57.
- 243) "Complex Chalcogenides as Thermoelectric Materials: A Solid State Chemistry Approach", Chung, D. Y.; Iordanidis, L.; Choi, K. S.; Kanatzidis, M. G., *Bull. Korean Chem. Soc.* **1998**, *19* (12), 1283-1293.

- 244) "(Ph<sub>4</sub>P)<sub>4</sub>[Pd<sub>7</sub>As<sub>10</sub>S<sub>22</sub>]: A Sulfosalt with a Large Cluster Anion whose Structure Resembles a Gondola", Hanko, J. A.; Chou, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **1998**, *37* (8), 1670-1671.
- 245) "Polythioantimonate Flux Synthesis of the Low-Dimensional Compounds A<sub>2</sub>AuSbS<sub>4</sub> (A = Rb, Cs)", Hanko, J. A.; Kanatzidis, M. G., *J. Alloys Compd.* **1998**, *280* (1-2), 71-76.
- 246) "Rb<sub>2</sub>Au<sub>6</sub>Sb<sub>4</sub>S<sub>10</sub>: A Novel Sulfosalt with Two Different Interpenetrating Anionic Frameworks: [Au<sub>3</sub>Sb<sub>4</sub>S<sub>8</sub>]<sup>-</sup> and [Au<sub>3</sub>S<sub>2</sub>]<sup>-</sup>", Hanko, J. A.; Kanatzidis, M. G., *Chem. Commun.* **1998**, (6), 725-726.
- 247) "A Three-Dimensional Framework with Accessible Nanopores: RbCuSb<sub>2</sub>Se<sub>4</sub>•H<sub>2</sub>O ", Hanko, J. A.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1998**, *37* (3), 342-344.
- 248) "A<sub>2</sub>CuP<sub>3</sub>S<sub>9</sub> (A=K, Rb), Cs<sub>2</sub>Cu<sub>2</sub>P<sub>2</sub>S<sub>6</sub>, and K<sub>3</sub>CuP<sub>2</sub>S<sub>7</sub>: New Phases from the Dissolution of Copper in Molten Polythiophosphate Fluxes", Hanko, J. A.; Sayettat, J.; Jobic, S.; Brec, R.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (10), 3040-3049.
- 249) "Towards Pillared Metal Sulfides: Encapsulation and Rietveld Structural Characterization of the Al<sub>13</sub>O<sub>4</sub>(OH)<sub>24</sub>(H<sub>2</sub>O)<sub>12</sub><sup>7+</sup> Cluster into MoS<sub>2</sub> and WS<sub>2</sub>", Heising, J.; Bonhomme, F.; Kanatzidis, M. G., *J. Solid State Chem.* **1998**, *139* (1), 22-26.
- 250) "Counterion Effects In Pd Polyselenides: Evolution from Molecular to Three-Dimensional Framework Structures", Kim, K. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1998**, *120* (32), 8124-8135.
- 251) "New Layered Compounds through Polysulfide Flux Synthesis. A<sub>2</sub>Sn<sub>4</sub>S<sub>9</sub> (A=K, Rb, Cs) Present a New Form of the [Sn<sub>4</sub>S<sub>9</sub>]<sup>2-</sup> Network", Marking, G. A.; Evain, M.; Petricek, V.; Kanatzidis, M. G., *J. Solid State Chem.* **1998**, *141* (1), 17-28.
- 252) "New Quaternary Thiostannates and Thiogermanates A<sub>2</sub>Hg<sub>3</sub>M<sub>2</sub>S<sub>8</sub> (A=Cs, Rb; M=Sn, Ge) Through Molten A<sub>2</sub>S<sub>x</sub>. Reversible Glass Formation in Cs<sub>2</sub>Hg<sub>3</sub>M<sub>2</sub>S<sub>8</sub>", Marking, G. A.; Hanko, J. A.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (4), 1191-1199.
- 253) "Synthesis and Structure of Li<sub>4</sub>GeS<sub>4</sub>", Matsushita, Y.; Kanatzidis, M. G., *Z. Naturforsch., B: Chem. Sci.* **1998**, *53* (1), 23-30.
- 254) "Some New Synthetic Low-Dimensional Semiconductors Based on Inorganic Units", Papavassiliou, G. C.; Mousdis, G. A.; Koutselas, I.; Raptopoulou, C. P.; Terzis, A.; Kanatzidis, M. G.; Axtell, E. A., *Adv. Mater. Opt. Electron.* **1998**, *8* (5), 263-267.
- 255) "Optical and Related Properties of Some Synthetic Low-Dimensional Semiconductors based on Metal Sulfide Units" Papavassiliou, G. C.; Mousdis, G. A.; Koutselas, I. B.; Kanatzidis, M. G.; Axtell, E. A.; Whangbo, M. H. in "*Proceedings of the Third International Conference on Excitonic Processes in Condensed Matter - Excon '98*", Williams, R. T.; Yen, W. M., Eds. **1998**, *98*, 343-348.

- 256) "K<sub>2</sub>Ag<sub>3</sub>CeTe<sub>4</sub>: A Semiconducting Tunnel Framework Made from the Covalent 'Link-Up' of [Ag<sub>2</sub>CeTe<sub>4</sub>]<sup>3-</sup> Layers with Ag", Patschke, R.; Brazis, P.; Kannewurf, C. R.; Kanatzidis, M., *Inorg. Chem.* **1998**, *37* (26), 6562-6563.
- 257) "Rb<sub>2</sub>Cu<sub>3</sub>CeTe<sub>5</sub>: A Quaternary Semiconducting Compound with a Two-Dimensional Polytelluride Framework", Patschke, R.; Brazis, P.; Kannewurf, C. R.; Kanatzidis, M., *J. Mater. Chem.* **1998**, *8* (12), 2587-2589.
- 258) "KCuCeTe<sub>4</sub>: A New Intergrowth Rare Earth Telluride with an Incommensurate Superstructure Associated with a Distorted Square Net of Tellurium", Patschke, R.; Heising, J.; Kanatzidis, M.; Brazis, P.; Kannewurf, C. R., *Chem. Mater.* **1998**, *10* (3), 695-697.
- 259) "Site Occupancy Wave and Unprecedented Infinite Zig-Zag (Te<sub>2</sub><sup>2-</sup>)<sub>n</sub> Chains in the Flat Te Nets of the New Ternary Rare Earth Telluride Family, ALn<sub>3</sub>Te<sub>8</sub>", Patschke, R.; Heising, J.; Schindler, J.; Kannewurf, C. R.; Kanatzidis, M., *J. Solid State Chem.* **1998**, *135* (1), 111-115.
- 260) "A New Redox Host for Intercalative Polymerization: Insertion of Polyaniline into α-RuCl<sub>3</sub>", Wang, L.; Brazis, P.; Rocci, M.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1998**, *10* (11), 3298-3300.
- 261) "α-RuCl<sub>3</sub>: A New Host for Polymer Intercalation. Lamellar Polymer/α-RuCl<sub>3</sub> Nanocomposites" Wang, L.; Brazis, P.; Rocci, M.; Kannewurf, C. R.; Kanatzidis, M. G. in "Organic/Inorganic Hybrid Materials" Laine, R. M.; Sanchez, C.; Brinker, C. J.; Giannelis, E., Eds. *Materials Research Society Symposium Proceedings* **1998**, *519*, 257-264.
- 262) "β-Bi<sub>4</sub>(P<sub>2</sub>Se<sub>6</sub>)<sub>3</sub>: A New Ternary Selenophosphate Obtained in P<sub>2</sub>Se<sub>5</sub> Flux", Aitken, J. A.; Brown, S.; Chondroudis, K.; Jobic, S.; Brec, R.; Kanatzidis, M. G., *Inorg. Chem.* **1999**, *38* (21), 4795-4800.
- 263) "Transport Properties of Doped CsBi<sub>4</sub>Te<sub>6</sub> Thermoelectric Materials" Brazis, P. W.; Rocci, M.; Chung, D. Y.; Kanatzidis, M. G.; Kannewurf, C. R. in "Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications", Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, *545*, 75-80.
- 264) "Molten Ga As a Solvent for Exploratory Synthesis. Preparation, Structure, and Properties of Two Ternary Silicides MNiSi<sub>3</sub> (M=Sm, Y)", Chen, X. Z.; Larson, P.; Sportouch, S.; Brazis, P.; Mahanti, S. D.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1999**, *11* (1), 75-83.
- 265) "Ln<sub>2</sub>Al<sub>3</sub>Si<sub>2</sub> (Ln=Ho, Er, Tm): New Silicides from Molten Aluminum—Determination of the Al/Si Distribution with Neutron Crystallography and Metamagnetic Transitions", Chen, X.-Z.; Sieve, B.; Henning, R.; Schultz, A. J.; Brazis, P.; Kannewurf, C. R.; Cowen, J. A.; Crosby, R.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **1999**, *38* (5), 693-696.
- 266) "Structure and Thermoelectric Properties of SrBiTe<sub>3</sub>: 12-Fold Superstructure Caused by Distortion of the Two-Dimensional Te-Nets" Choi, K. S.; Chung, D. Y.; Heising, J.; Brazis, P. W.; Kannewurf, C. R.; Kanatzidis, M. G. in "Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications",



Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 117-122.

- 267) "Eight-Fold Superstructure in  $K_2Gd_2Sb_2Se_9$  and  $K_2La_2Sb_2S_9$  Caused by Three-Dimensional Ordering of the  $5s^2$  Lone Pair of  $Sb^{3+}$  Ions", Choi, K. S.; Hanco, J. A.; Kanatzidis, M. G., *J. Solid State Chem.* **1999**, 147 (1), 309-319.
- 268) "New Uranium Chalcoantimonates,  $RbU_2SbS_8$  and  $KU_2SbSe_8$ , with a Polar Noncentrosymmetric Structure", Choi, K. S.; Kanatzidis, M. G., *Chem. Mater.* **1999**, 11 (9), 2613-2618.
- 269) "Flux Synthesis of New Multinary Bismuth Chalcogenides and their Thermoelectric Properties" Chung, D. Y.; Choi, K. S.; Brazis, P. W.; Kannewurf, C. R.; Kanatzidis, M. G. in *"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"*, Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 65-74.
- 270) "First Quaternary A-Pb-Bi-Q (A = K, Rb, Cs; Q = S, Se) Compounds: Synthesis, Structure, and Properties of  $\alpha$ - and  $\beta$ - $CsPbBi_3Se_6$ ,  $APbBi_3Se_6$ , (A = K, Rb), and  $APbBi_3S_6$  (A = Rb, Cs)", Chung, D. Y.; Iordanidis, L.; Rangan, K. K.; Brazis, P. W.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **1999**, 11 (5), 1352-1362.
- 271) "EuSe<sub>2</sub>: A Novel Antiferromagnetic Rare-Earth Polychalcogenide", Cowen, J. A.; Michlin, P.; Kraus, J.; Mahanti, S. D.; Aitken, J. A.; Kanatzidis, M. G., *J. Appl. Phys.* **1999**, 85 (8), 5381-5383.
- 272) "Exfoliated and Restacked MoS<sub>2</sub> and WS<sub>2</sub>: Ionic or Neutral Species? Encapsulation and Ordering of Hard Electropositive Cations", Heising, J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1999**, 121 (50), 11720-11732.
- 273) "Structure of Restacked MoS<sub>2</sub> and WS<sub>2</sub> Elucidated by Electron Crystallography", Heising, J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1999**, 121 (4), 638-643.
- 274) "Synthesis and Thermoelectric Properties of  $Cs_2Bi_{7.33}Se_{12}$ ,  $A_2Bi_8Se_{13}$  (A=Rb, Cs),  $Ba_{4-x}Bi_{6+2/3x}Se_{13}$ , and  $Ba_{3\pm x}Pb_{3\pm x}Bi_6Se_{15}$ " Iordanidis, L.; Brazis, P. W.; Kannewurf, C. R.; Kanatzidis, M. G. in *"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"*, Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 189-196.
- 275) "ALn<sub>1+x</sub>Bi<sub>4+x</sub>S<sub>8</sub> (A=K, Rb; Ln=La, Ce, Pr, Nd): New Semiconducting Quaternary Bismuth Sulfides", Iordanidis, L.; Schindler, J. L.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Solid State Chem.* **1999**, 143 (2), 151-162.
- 276) "Solid State Chemistry Approach to Advanced Thermoelectrics. Ternary and Quaternary Alkali Metal Bismuth Chalcogenides as Thermoelectric Materials" Kanatzidis, M. G.; Chung, D. Y.; Iordanidis, L.; Choi, K. S.; Brazis, P.; Rocci, M.; Hogan, T.; Kannewurf, C. in

*"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"*, Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 233-246.

- 277) "Superheated Solvent Media for Organometallic (Poly)chalcogenide Cluster Synthesis", Kanatzidis, M. G.; Das, B. K., *Comments Inorg. Chem.* **1999**, 21 (1-3), 29-51.
- 278) "Ba<sub>4</sub>In<sub>8</sub>Sb<sub>16</sub>: Thermoelectric Properties of a New Layered Zintl Phase with Infinite Zig-Zag Sb Chains and Pentagonal Tubes", Kim, S. J.; Hu, S. Q.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **1999**, 11 (11), 3154-3159.
- 279) "The Superstructure of KCuCe<sub>2</sub>Se<sub>6</sub> due to Ordering of Copper Cations", Klawitter, Y.; Nather, C.; Jess, I.; Bensch, W.; Kanatzidis, M. G., *Solid State Sciences* **1999**, 1 (6), 421-431.
- 280) "Electronic Structure of Rare-Earth Nickel Pnictides: Narrow-Gap Thermoelectric Materials", Larson, P.; Mahanti, S. D.; Sportouch, S.; Kanatzidis, M. G., *Phys. Rev. B* **1999**, 59 (24), 15660-15668.
- 281) "Electronic Structure of Complex Bismuth Chalcogenides and other Narrow-Gap Thermoelectric Materials" Mahanti, S. D.; Larson, P.; Chung, D. Y.; Sportouch, S.; Kanatzidis, M. G. in *"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"* Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 23-36.
- 282) "Optical and Related Properties of Some Synthetic Low-Dimensional Semiconductors Based on Inorganic Units", Papavassiliou, G. C.; Mousdis, G. A.; Koutselas, I. B.; Pistolis, G.; Kanatzidis, M. G.; Axtell, A., *Synth. Met.* **1999**, 103 (1-3), 2689-2689.
- 283) "Cu<sub>0.66</sub>EuTe<sub>2</sub>, KCu<sub>2</sub>EuTe<sub>4</sub> and Na<sub>0.2</sub>Ag<sub>2.8</sub>EuTe<sub>4</sub>: Compounds with Modulated Square Te nets", Patschke, R.; Brazis, P.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Mater. Chem.* **1999**, 9 (10), 2293-2296.
- 284) "Aqueous Mediated Synthesis of Mesostructured Manganese Germanium Sulfide with Hexagonal Order", Rangan, K. K.; Billinge, S. J. L.; Petkov, V.; Heising, J.; Kanatzidis, M. G., *Chem. Mater.* **1999**, 11 (10), 2629-2632.
- 285) "Multinary Intermetallics from Molten Al. Synthesis of SmNiAl<sub>4</sub>Ge<sub>2</sub> and YNiAl<sub>4</sub>Ge<sub>2</sub>. Possible Spin Frustration in Separated Triangular Sm<sup>3+</sup> Layers", Sieve, B.; Chen, X.; Cowen, J.; Larson, P.; Mahanti, S. D.; Kanatzidis, M. G., *Chem. Mater.* **1999**, 11 (9), 2451-2455.
- 286) "Thermoelectric Properties of the Cubic Family of Compounds AgPbBiQ<sub>3</sub> (Q= S, Se, Te). Very Low Thermal Conductivity Materials" Sportouch, S.; Bastea, M.; Brazis, P.; Ireland, J.; Kannewurf, C. R.; Uher, C.; Kanatzidis, M. G. in *"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"*, Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 123-130.

- 287) "Observed Properties and Electronic Structure of RNiSb Compounds (R=Ho, Er, Tm, Yb and Y). Potential Thermoelectric Materials" Sportouch, S.; Larson, P.; Bastea, M.; Brazis, P.; Ireland, J.; Kannewurf, C. R.; Mahanti, S. D.; Uher, C.; Kanatzidis, M. G. in *"Thermoelectric Materials 1998 - the Next Generation Materials for Small-Scale Refrigeration and Power Generation Applications"*, Tritt, T. M.; Kanatzidis, M. G.; Mahan, G. D.; Lyon, H. B., Eds. *Materials Research Society Symposium Proceedings* **1999**, 545, 421-433.
- 288) "RbAg<sub>2</sub>As<sub>3</sub>Se<sub>6</sub>: A Unique Three-Dimensional Silver-Selenoarsenate Framework <sup>3∞</sup>[Ag<sub>2</sub>As<sub>3</sub>Se<sub>6</sub>]<sup>-</sup>, Assembled from [As+3Se<sub>6</sub>]<sup>3-</sup> Rings and "Ag<sub>2</sub><sup>2+</sup>" Dumbbell Units", Wachhold, M.; Kanatzidis, M. G., *Inorg. Chem.* **1999**, 38 (19), 4178-+.
- 289) "Condensation of Pyramidal [AsSe<sub>3</sub>]<sup>3-</sup> Anions for the Construction of Polymeric Networks: Solventothermal Synthesis of K<sub>3</sub>AgAs<sub>2</sub>Se<sub>5</sub>·0.25MeOH, K<sub>2</sub>AgAs<sub>3</sub>Se<sub>6</sub>, and Rb<sub>2</sub>AgAs<sub>3</sub>Se<sub>6</sub>", Wachhold, M.; Kanatzidis, M. G., *Inorg. Chem.* **1999**, 38 (17), 3863-3870.
- 290) "Powerful Counterion Templating Effect in Rb/Pd/Se<sub>x</sub> Promoted by Crown Ether Like [Rb(Se<sub>8</sub>)<sup>+</sup> Coordination. Formation of Rb<sub>2</sub>[Pd(Se<sub>4</sub>)<sub>2</sub>]<sup>-</sup>·Se<sub>8</sub>: A Layered Pd Polyselenide with "Encapsulated" Eight Membered Selenium Rings", Wachhold, M.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **1999**, 121 (17), 4189-4195.
- 291) "LiEuPSe<sub>4</sub> and KEuPSe<sub>4</sub>: Novel Selenophosphates with the Tetrahedral [PSe<sub>4</sub>]<sup>3-</sup> Building Block", Aitken, J. A.; Chondroudou, K.; Young, V. G.; Kanatzidis, M. G., *Inorg. Chem.* **2000**, 39 (7), 1525-1533.
- 292) "Flux Synthesis and Isostructural Relationship of Cubic Na<sub>1.5</sub>Pb<sub>0.75</sub>PSe<sub>4</sub>, Na<sub>0.5</sub>Pb<sub>1.75</sub>CeS<sub>4</sub>, and Li<sub>0.5</sub>Pb<sub>1.75</sub>GeS<sub>4</sub>", Aitken, J. A.; Marking, G. A.; Evain, M.; Iordanidis, L.; Kanatzidis, M. G., *J. Solid State Chem.* **2000**, 153 (1), 158-169.
- 293) "The Effect of Nitrogen on Competitive Growth Mechanisms of Diamond Thin Films", Ayres, V. M.; Bieler, T. R.; Kanatzidis, M. G.; Spano, J.; Hagopian, S.; Balhareth, H.; Wright, B. F.; Farhan, M.; Majeed, J. A.; Spach, D.; Wright, B. L.; Asmussen, J., *Diamond Relat. Mater.* **2000**, 9 (3-6), 236-240.
- 294) "β-KMP<sub>2</sub>Se<sub>6</sub> (M = Sb, Bi): Kinetically Accessible Phases Obtained from Rapid Crystallization of Amorphous Precursors", Breshears, J. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2000**, 122 (32), 7839-7840.
- 295) "Molten Ga as a Solvent for Exploratory Synthesis. The New Ternary Polygallide Sm<sub>2</sub>NiGa<sub>12</sub>", Chen, X. Z.; Small, P.; Sportouch, S.; Zhuravleva, M.; Brazis, P.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **2000**, 12 (9), 2520-2522.
- 296) "Sulfosalts with Alkaline Earth Metals. Centrosymmetric vs. Acentric Interplay in Ba<sub>3</sub>Sb<sub>4.66</sub>S<sub>10</sub>, and Ba<sub>2.62</sub>Pb<sub>1.38</sub>Sb<sub>4</sub>S<sub>10</sub> Based on the Ba/Pb/Sb Ratio. Phases Related to Arsenosulfide Minerals of the Rathite Group and the Novel Polysulfide Sr<sub>6</sub>Sb<sub>6</sub>S<sub>17</sub>", Choi, K. S.; Kanatzidis, M. G., *Inorg. Chem.* **2000**, 39 (25), 5655-5662.

- 297) "CsBi<sub>4</sub>Te<sub>6</sub>: A High-Performance Thermoelectric Material for Low-Temperature Applications", Chung, D.-Y.; Hogan, T.; Brazis, P.; Rocci-Lane, M.; Kannewurf, C.; Bastea, M.; Uher, C.; Kanatzidis, M. G., *Science* **2000**, 287 (5455), 1024-1027.
- 298) "Solvothermal Synthesis and Structure of Iron Tellurido Carbonyl Clusters", Das, B. K.; Kanatzidis, M. G., *Polyhedron* **2000**, 19 (18-19), 1995-2002.
- 299) "A Unique Distortion in K<sub>1/3</sub>Ba<sub>2/3</sub>AgTe<sub>2</sub>. X-ray Diffraction Determination and Electronic Band Structure Analysis Fits Incommensurately Modulated Structure", Gourdon, O.; Hanko, J.; Boucher, F.; Petricek, V.; Whangbo, M. H.; Kanatzidis, M. G.; Evain, M., *Inorg. Chem.* **2000**, 39 (7), 1398-1409.
- 300) "Electronic Structure of Bi<sub>2</sub>Te<sub>3</sub> Studied by Angle-Resolved Photoemission", Greanya, V. A.; Tonjes, W. C.; Liu, R.; Olson, C. G.; Chung, D. Y.; Kanatzidis, M. G., *Phys. Rev. B* **2000**, 62 (24), 16425-16429.
- 301) "Cs<sub>2</sub>CuP<sub>3</sub>S<sub>9</sub>: A Chiral Compound with Screw Helices", Hanko, J. A.; Kanatzidis, M. G., *J. Solid State Chem.* **2000**, 151 (2), 326-329.
- 302) "Redox-Induced 'Zipper' Action in the Solid State. Unprecedented Single-Crystal to Single-Crystal to Single-Crystal Cascade Conversions in Cs<sub>3</sub>Bi<sub>7</sub>Se<sub>12</sub>. Framework evolution from 2D to 2D' to 3D", Iordanidis, L.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2000**, 122 (34), 8319-8320.
- 303) "Redox-Induced 'Zipper' Action in Rb<sub>2</sub>Bi<sub>4</sub>Se<sub>7</sub> and Cs<sub>2</sub>Bi<sub>4</sub>Se<sub>7</sub>. Coupling of Slabs to a Three-Dimensional Framework through Single Crystal to Single Crystal Conversion", Iordanidis, L.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2000**, 39 (11), 1928-1930.
- 304) "The Structure and Thermoelectric Properties of Ba<sub>6</sub>Ge<sub>25-x</sub>, Ba<sub>6</sub>Ge<sub>23</sub>Sn<sub>2</sub> and Ba<sub>6</sub>Ge<sub>22</sub>In<sub>3</sub>: Zintl Phases with a Chiral Clathrate Structure", Kim, S. J.; Hu, S. Q.; Uher, C.; Hogan, T.; Huang, B. Q.; Corbett, J. D.; Kanatzidis, M. G., *J. Solid State Chem.* **2000**, 153 (2), 321-329.
- 305) "Ba<sub>2</sub>Cu<sub>18-x</sub>As<sub>10</sub>: A New Mixed-Valent Ternary Copper-rich Arsenide with Metallic Properties", Kim, S. J.; Ireland, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **2000**, 12 (10), 3133-3138.
- 306) "Yb<sub>5</sub>In<sub>2</sub>Sb<sub>6</sub>: A New Rare Earth Zintl Phase with a Narrow Band Gap", Kim, S. J.; Ireland, J. R.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Solid State Chem.* **2000**, 155 (1), 55-61.
- 307) "Structural Stability of Ni Containing Half-Heusler Compounds", Larson, P.; Mahanti, S. D.; Kanatzidis, M. G., *Phys. Rev. B* **2000**, 62 (19), 12754-12762.
- 308) "Electronic Structure and Transport of Bi<sub>2</sub>Te<sub>3</sub> and BaBiTe<sub>3</sub>", Larson, P.; Mahanti, S. D.; Kanatzidis, M. G., *Phys. Rev. B* **2000**, 61 (12), 8162-8171.
- 309) "Structure and Thermoelectric Properties of the New Quaternary Tin Selenide K<sub>1-x</sub>Sn<sub>5-x</sub>Bi<sub>1+x</sub>Se<sub>22</sub>", Mrozek, A.; Chung, D. Y.; Hogan, T.; Kanatzidis, M. G., *J. Mater. Chem.* **2000**, 10 (7), 1667-1672.

- 310) "Optical and Related Properties of the Synthetic Quasi-Two-Dimensional Semiconductors  $K_2Cd_3S_4$ ,  $Rb_2Cd_3S_4$  and  $Cs_2Cd_3S_4$ " Papavassiliou, G. C.; Koutselas, I. B.; Mousdis, G. A.; Kapoutsis, J. A.; Axtell, E. A.; Kanatzidis, M. G. in "Optical Properties of Semiconductor Nanostructures", Sadowski, M. L.; Potemski, M.; Grynberg, M., Eds. *Kluwer Academic Publishers*, **2000**, *81*, 97-100.
- 311) "Application of Atomic Pair Distribution Function Analysis to Materials with Intrinsic Disorder. Three-Dimensional Structure of Exfoliated-Restacked  $WS_2$ : Not Just a Random Turbostratic Assembly of Layers", Petkov, V.; Billinge, S. J. L.; Heising, J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2000**, *122* (47), 11571-11576.
- 312) "High Real-Space Resolution Structure of Materials by High-Energy X-Ray Diffraction" Petkov, V.; Billinge, S. J. L.; Heising, J.; Kanatzidis, M. G.; Shastri, S. D.; Kycia, S. in "Applications of Synchrotron Radiation Techniques to Materials Science V" Stock, S. R.; Mini, S. M.; Perry, D. L., Eds. *Materials Research Society Symposium Proceedings* **2000**, *590*, 151-156.
- 313) "Light-Emitting Meso-Structured Sulfides with Hexagonal Symmetry: Supramolecular Assembly of  $[Ge_4S_{10}]^{4-}$  Clusters with Trivalent Metal Ions and Cetylpyridinium Surfactant", Rangan, K. K.; Trikalitis, P. N.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2000**, *122* (41), 10230-10231.
- 314) "Structural Analysis of the Thermoelectric Clathrate Compound  $Sr_8Ga_{16}Ge_{30}$ ", Schujman, S. B.; Nolas, G. S.; Young, R. A.; Lind, C.; Wilkinson, A. P.; Slack, G. A.; Patschke, R.; Kanatzidis, M. G.; Ulutagay, M.; Hwu, S. J., *J. Appl. Phys.* **2000**, *87* (3), 1529-1533.
- 315) "Valence Fluctuations and Metallic Behavior in  $K_6Cu_{12}U_2S_{15}$ , a New Quaternary Sulfide with a Unique Three-Dimensional Cubic Framework", Sutorik, A. C.; Patschke, R.; Schindler, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Eur. J.* **2000**, *6* (9), 1601-1607.
- 316) "Supramolecular Assembly of Hexagonal Mesosstructured Germanium Sulfide and Selenide Nanocomposites Incorporating the Biological  $Fe_4S_4$  Cluster", Trikalitis, P. N.; Bakas, T.; Papaefthymiou, V.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2000**, *39* (24), 4558-4562.
- 317) "Surfactant-Templated Inorganic Lamellar and Non-Lamellar Hybrid Phases Containing Adamantane  $[Ge_4Se_{10}]^{4-}$  anions", Wachhold, M.; Kanatzidis, M. G., *Chem. Mater.* **2000**, *12* (10), 2914-2923.
- 318) " $Cs_4BiAs_3Se_7$ : A Novel Bismuth-Selenoarsenate with Infinite  $^{1\infty}[BiAs_3Se_7]^{4-}$  Chains Containing Two Different Anions  $[AsSe_3]^{3-}$  and *trans*- $[As_2Se_4]^{4-}$ ", Wachhold, M.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2000**, *626* (9), 1901-1904.
- 319) " $Cs_3AgAs_4Se_8$  and  $CsAgAs_2Se_4$ : Two Selenoarsenates With Flexible  $^{1\infty}[AsSe_2]^-$  Chains in Different  $Ag^+$  Coordination Environments", Wachhold, M.; Kanatzidis, M. G., *Inorg. Chem.* **2000**, *39* (11), 2337-2343.
- 320) "Mesosstructured Non-Oxidic Solids with Adjustable Worm-hole Shaped Pores: Metal Germanium Sulfide and Selenide Frameworks Based on the Tetrahedral  $[Ge_4Q_{10}]^{4-}$  Clusters",

Wachhold, M.; Rangan, K. K.; Billinge, S. J. L.; Petkov, V.; Heising, J.; Kanatzidis, M. G., *Adv. Mater.* **2000**, *12* (2), 85-91.

- 321) "Mesostructured Metal Germanium Sulfide and Selenide Materials Based on the Tetrahedral  $[\text{Ge}_4\text{S}_{10}]^{4-}$  and  $[\text{Ge}_4\text{Se}_{10}]^{4-}$  Units. Surfactant Templated Three-Dimensional Disordered Frameworks Perforated with Worm Holes", Wachhold, M.; Rangan, K. K.; Lei, M.; Thorpe, M. F.; Billinge, S. J. L.; Petkov, V.; Heising, J.; Kanatzidis, M. G., *J. Solid State Chem.* **2000**, *152* (1), 21-36.
- 322) " $\alpha$ - $\text{RuCl}_3$ /Polymer Nanocomposites: the First Group of Intercalative Nanocomposites with Transition-Metal-Halides ", Wang, L.; Rocci-Lane, M.; Brazis, P.; Kannewurf, C. R.; Kim, Y. I.; Lee, W.; Choy, J. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2000**, *122* (28), 6629-6640.
- 323) "Design of Solids from Molecular Building Blocks: Golden Opportunities for Solid State Chemistry ", Yaghi, O. M.; O'Keeffe, M.; Kanatzidis, M., *J. Solid State Chem.* **2000**, *152* (1), 1-2.
- 324) " $[\text{P}_2\text{S}_{10}]^{4-}$ : A Novel Polythiophosphate Anion Containing a Tetrasulfide Fragment", Aitken, J. A.; Canlas, C.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, *40* (25), 6496-6498.
- 325) " $\alpha$ - $\text{Na}_6\text{Pb}_3(\text{PS}_4)_4$ , a Noncentrosymmetric Thiophosphate with the Novel, Saucer-Shaped  $[\text{Pb}_3(\text{PS}_4)_4]^{6-}$  Cluster, and its Metastable, 3-Dimensionally Polymerized Allotrope  $\beta$ - $\text{Na}_6\text{Pb}_3(\text{PS}_4)_4$  ", Aitken, J. A.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, *40* (13), 2938-2939.
- 326) "New Information on the Na-Ti-Se Ternary System", Aitken, J. A.; Kanatzidis, M. G., *Z. Naturforsch., B: Chem. Sci.* **2001**, *56* (1), 49-56.
- 327) " $\text{Li}_2\text{PbGeS}_4$  and  $\text{Li}_2\text{EuGeS}_4$ : Polar Chalcopyrites with a Severe Tetragonal Compression", Aitken, J. A.; Larson, P.; Mahanti, S. D.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (12), 4714-4721.
- 328) "Photoluminescence and Magnetism in the New Magnetic Semiconductors:  $\text{K}+2\text{Cd}_{3(1-x)}\text{Mn}_{3x}\text{S}_4$ ", Axtell, E. A.; Hanko, J.; Cowen, J. A.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (9), 2850-2863.
- 329) "Transitions in Morphology Observed in Nitrogen/Methane-Hydrogen Depositions of Polycrystalline Diamond Films", Ayres, V. M.; Farhan, M.; Spach, D.; Bobbitt, J.; Majeed, J. A.; Wright, B. F.; Wright, B. L.; Asmussen, J.; Kanatzidis, M. G.; Bieler, T. R., *J. Appl. Phys.* **2001**, *89* (11), 6062-6068.
- 330) "Electronic Structure of  $\text{K}_2\text{Bi}_8\text{Se}_{13}$ " Bilc, D. I.; Larson, P.; Mahanti, S. D.; Kanatzidis, M. G. in "*Thermoelectric Materials 2001-Research and Applications*" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, *691*, 413-418.
- 331) "Modular Construction of  $\text{A}_{1+x}\text{M}_{4-2x}\text{M}'_{7+x}\text{Se}_{15}$  (A = K, Rb; M = Pb, Sn; M' = Bi, Sb): A New Class of Solid State Quaternary Thermoelectric Compounds", Choi, K. S.; Chung, D. Y.;

- Mrotzek, A.; Brazis, P.; Kannewurf, C. R.; Uher, C.; Chen, W.; Hogan, T.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (3), 756-764.
- 332) "Unique Periodic Modulations in the Infinite  $[\text{Te}_x]^{n-}$  Chains of  $\text{RbUSb}_{0.33}\text{Te}_6$ ", Choi, K. S.; Kanatzidis, M. G., *J. Solid State Chem.* **2001**, *161* (1), 17-22.
- 333) "Si Extraction from Silica in a Basic Polychalcogenide Flux. Stabilization of  $\text{Ba}_4\text{SiSb}_2\text{Se}_{11}$ , a Novel Mixed Selenosilicate/Selenoantimonate with a Polar Structure", Choi, K. S.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, *40* (1), 101-104.
- 334) "Structure and Thermoelectric Properties of New Layered Compounds in the Quaternary System Cs-Pb-Bi-Te" Hsu, K. F.; Chung, D. Y.; Lal, S.; Hogan, T.; Kanatzidis, M. G. in "Thermoelectric Materials 2001-Research and Applications" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, *691*, 269-274.
- 335) " $\text{A}_2\text{Bi}_8\text{Se}_{13}$  (A = Rb, Cs),  $\text{CsBi}_{3.67}\text{Se}_6$ , and  $\text{BaBi}_2\text{Se}_4$ : New Ternary Semiconducting Bismuth Selenides", Iordanidis, L.; Brazis, P. W.; Kyratsi, T.; Ireland, J.; Lane, M.; Kannewurf, C. R.; Chen, W.; Dyck, J. S.; Uher, C.; Ghelani, N. A.; Hogan, T.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (2), 622-633.
- 336) "Novel Quaternary Lanthanum Bismuth Sulfides  $\text{Pb}_2\text{La}_x\text{Bi}_{8-x}\text{S}_{14}$ ,  $\text{Sr}_2\text{La}_x\text{Bi}_{8-x}\text{S}_{14}$  and  $\text{Cs}_2\text{La}_x\text{Bi}_{10-x}\text{S}_{16}$  with Complex Structures", Iordanidis, L.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, *40* (8), 1878-1887.
- 337) "Initial Assessment of the Thermoelectric Properties for the Mixed System  $\text{K}_{2-x}\text{Rb}_x\text{Bi}_8\text{Se}_{13}$ " Ireland, J. R.; Kyratsi, T.; Kanatzidis, M. G.; Kannewurf, C. R. in "Thermoelectric Materials 2001-Research and Applications" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, *691*, 431-436.
- 338) "The Role of Solid-State Chemistry in the Discovery of New Thermoelectric Materials" Kanatzidis, M. G. in "Semiconductors and Semimetals", Terry, M. T., Ed. *Elsevier*, **2001**, *69*, 51-100.
- 339) " $\text{Yb}_5\text{In}_2\text{Sb}_6$ : A New Rare Earth Zintl Phase with a Narrow Band Gap (vol 155, pg 55, 2000)", Kim, S. J.; Ireland, J. R.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Solid State Chem.* **2001**, *161* (1), 177-177.
- 340) "A Unique framework in  $\text{BaGa}_2\text{Sb}_2$ : A New Zintl Phase with Large Tunnels", Kim, S. J.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, *40* (15), 3781-3785.
- 341) " $\text{Yb}_9\text{Zn}_4\text{Bi}_9$ : Extension of the Zintl Concept to the Mixed-Valent Spectator Cations", Kim, S. J.; Salvador, J.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2001**, *123* (50), 12704-12705.
- 342) "Thermoelectric Properties of  $\text{K}_2\text{Bi}_{8-x}\text{Sb}_x\text{Se}_{13}$  Solid Solutions and Se Doping" Kyratsi, T.; Dyck, J. S.; Chen, W.; Chung, D. Y.; Uher, C.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "Thermoelectric Materials 2001-Research and Applications" Nolas, G. S.; Johnson, D. C.;

Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, 691, 419-424.

- 343) "Thermoelectric Module for Low Temperature Applications" Lal, S.; Loo, S.; Chung, D. Y.; Kyratsi, T.; Kanatzidis, M. G.; Cauchy, C.; Hogan, T. P. in "*Thermoelectric Materials 2001-Research and Applications*" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, 691, 121-129.
- 344) "Doping and Alloying Trends in New Thermoelectric Materials" Loo, S.; Lal, S.; Kyratsi, T.; Chung, D. Y.; Hsu, K. F.; Kanatzidis, M. G.; Hogan, T. P. in "*Thermoelectric Materials 2001-Research and Applications*" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, 691, 77-84.
- 345) "Multifold Enhancement of the Thermoelectric Figure of Merit in p-Type BaBiTe<sub>3</sub> by Pressure Tuning", Meng, J. F.; Shekar, N. V. C.; Badding, J. V.; Chung, D. Y.; Kanatzidis, M. G., *J. Appl. Phys.* **2001**, 90 (6), 2836-2839.
- 346) "Structure and Thermoelectric Properties of the New Quaternary Bismuth Selenides A<sub>1-x</sub>M<sub>4-x</sub>Bi<sub>11+x</sub>Se<sub>21</sub> (A=K, Rb, Cs; M=Sn, Pb). Members of the Grand Homologous Series K<sub>m</sub>(M<sub>6</sub>Se<sub>8</sub>)<sub>m</sub>(M<sub>5+n</sub>Se<sub>9+n</sub>)", Mrotzek, A.; Chung, D. Y.; Ghelani, N.; Hogan, T.; Kanatzidis, M. G., *Chem. Eur. J.* **2001**, 7 (9), 1915-1926.
- 347) "Search for new Thermoelectric Materials Through Exploratory Solid State Chemistry. The Quaternary Phases A<sub>1-x</sub>M<sub>3-2x</sub>Bi<sub>7+x</sub>Se<sub>14</sub>, A<sub>1-x</sub>M<sub>4-x</sub>Bi<sub>11+x</sub>Se<sub>20</sub>, A<sub>1-x</sub>M<sub>4-x</sub>Bi<sub>11+x</sub>Se<sub>21</sub> and A<sub>1-x</sub>M<sub>s-x</sub>Bi<sub>11+x</sub>Se<sub>22</sub> (A = K, Rb, Cs, M = Sn, Pb) and the Homologous Series A<sub>m</sub>[M<sub>6</sub>Se<sub>8</sub>]<sub>m</sub>[M<sub>5+n</sub>Se<sub>9+n</sub>]" Mrotzek, A.; Hogan, T.; Kanatzidis, M. G. in "*Thermoelectric Materials 2001-Research and Applications*" Nolas, G. S.; Johnson, D. C.; Mandrus, D. G., Eds. *Materials Research Society Symposium Proceedings* **2001**, 691, 101-112.
- 348) "New Members of the Homologous Series A<sub>m</sub>[M<sub>6</sub>Se<sub>8</sub>]<sub>m</sub>[M<sub>5+n</sub>Se<sub>9+n</sub>]: The Quaternary Phases A<sub>1-x</sub>M<sub>3-x</sub>Bi<sub>11+x</sub>Se<sub>20</sub> and A<sub>1+x</sub>M'<sub>3-2x</sub>Bi<sub>7+x</sub>Se<sub>14</sub> (A=K, Rb, Cs, M' =Sn, Pb)", Mrotzek, A.; Iordanidis, L.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, 40 (24), 6204-6211.
- 349) "Cs<sub>1-x</sub>Sn<sub>1-x</sub>Bi<sub>9+x</sub>Se<sub>15</sub> and Cs<sub>1.5-3x</sub>Bi<sub>9.5+x</sub>Se<sub>15</sub>: Members of the Homologous Superseries A<sub>m</sub>[M<sub>1+l</sub>Se<sub>2+l</sub>]<sub>2m</sub>[M<sub>1+2l+n</sub>Se<sub>3+3l+n</sub>] (A = alkali metal, M = Sn and Bi) Allowing Structural Evolution in Three Different Dimensions", Mrotzek, A.; Iordanidis, L.; Kanatzidis, M. G., *Chem. Commun.* **2001**, (17), 1648-1649.
- 350) "AuCuSe<sub>4</sub>: A Mixed Polychalcogenide with Se<sub>3</sub><sup>2-</sup> and Se<sub>2</sub><sup>-</sup> Anions", Park, Y.; Kanatzidis, M. G., *Inorg. Chem.* **2001**, 40 (23), 5913-5916.
- 351) "Cu<sub>x</sub>UTe<sub>3</sub>: Stabilization of UTe<sub>3</sub> in the ZrSe<sub>3</sub> Structure Type via Copper Insertion. The Artifact of Te-Te Chains and Evidence for Distortions due to Long Range Modulations", Patschke, R.; Breshears, J. D.; Brazis, P.; Kannewurf, C. R.; Billinge, S. J. L.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2001**, 123 (20), 4755-4762.
- 352) "Thermoelectric Properties and Electronic Structure of the Cage Compounds A<sub>2</sub>BaCu<sub>8</sub>Te<sub>10</sub> (A=K, Rb, Cs). Systems with Low Thermal Conductivity", Patschke, R.; Zhang, X.; Singh,



- D.; Schindler, J.; Kannewurf, C. R.; Lowhorn, N.; Tritt, T.; Nolas, G. S.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (2), 613-621.
- 353) "Local Atomic Strain in ZnSe<sub>1-x</sub>Te<sub>x</sub> from High Real Space Resolution Neutron Pair Distribution Function Measurements", Peterson, P. F.; Proffen, T.; Jeong, I. K.; Billinge, S. J. L.; Choi, K. S.; Kanatzidis, M. G.; Radaelli, P. G., *Phys. Rev. B* **2001**, *63* (16), 165211.
- 354) "Structure of Crystallographically Challenged Materials by Profile Analysis of Atomic Pair Distribution Functions: Study of LiMoS<sub>2</sub> and Mesostructured MnGe<sub>4</sub>S<sub>10</sub>" Petkov, V.; Rangan, K. K.; Kanatzidis, M. G.; Billinge, S. J. L. in "*Proc. MRS*" New York, USA, 2001/001/001; *Cambridge University Press* New York, USA, **2001**, 678, EE1.5.1.
- 355) "Hexagonal Mesostructured Chalcogenide Frameworks Formed by Linking [Ge<sub>4</sub>Q<sub>10</sub>]<sup>4-</sup> (Q=S, Se) Clusters with Sb<sup>3+</sup> and Sn<sup>4+</sup>", Rangan, K. K.; Trikalitis, P. N.; Bakas, T.; Kanatzidis, M. G., *Chem. Commun.* **2001**, (9), 809-810.
- 356) "Cubic Aluminum Silicides RE<sub>8</sub>Ru<sub>12</sub>Al<sub>49</sub>Si<sub>9</sub>(Al<sub>x</sub>Si<sub>12-x</sub>) (RE = Pr, Sm) from Liquid Aluminum. Empty (Si,Al)<sub>12</sub> Cuboctahedral Clusters and Assignment of the Al/Si Distribution with Neutron Diffraction", Sieve, B.; Chen, X. Z.; Henning, R.; Brazis, P.; Kannewurf, C. R.; Cowen, J. A.; Schultz, A. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2001**, *123* (29), 7040-7047.
- 357) "Routes to the Quaternary Aluminum Silicides RE<sub>4</sub>Fe<sub>2+x</sub>Al<sub>7-x</sub>Si<sub>8</sub> (RE=Ce, Pr, Nd, Sm); Exploratory Synthesis with Molten Al as a Solvent", Sieve, B.; Sportouch, S.; Chen, X. Z.; Cowen, J. A.; Brazis, P.; Kannewurf, C. R.; Papaefthymiou, V.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (2), 273-283.
- 358) "Th<sub>3</sub>Co<sub>3</sub>Sb<sub>4</sub>: A New Room Temperature Magnet", Sportouch, S.; Kanatzidis, M. G., *J. Solid State Chem.* **2001**, *162* (2), 158-167.
- 359) "Varied Pore Organization in Mesostructured Semiconductors Based on the [SnSe<sub>4</sub>]<sup>4-</sup> Anion", Trikalitis, P. N.; Rangan, K. K.; Bakas, T.; Kanatzidis, M. G., *Nature* **2001**, *410* (6829), 671-675.
- 360) "Laminated TaS<sub>2</sub>/Polymer Nanocomposites Through Encapsulative Precipitation of Exfoliated Layers", Wang, L.; Kanatzidis, M. G., *Chem. Mater.* **2001**, *13* (10), 3717-3727.
- 361) "Flux Synthesis, Structure and Physical Properties of New Pseudo-Binary REAl<sub>3-x</sub>Ge<sub>x</sub> Compounds", Zhuravleva, M. A.; Rangan, K. K.; Lane, M.; Brazis, P.; Kannewurf, C. R.; Kanatzidis, M. G., *J. Alloys Compd.* **2001**, *316* (1-2), 137-145.
- 362) "NaCeP<sub>2</sub>Se<sub>6</sub>, Cu<sub>0.4</sub>Ce<sub>1.2</sub>P<sub>2</sub>Se<sub>6</sub>, Ce<sub>4</sub>(P<sub>2</sub>Se<sub>6</sub>)<sub>3</sub> and the Incommensurately Modulated AgCeP<sub>2</sub>Se<sub>6</sub>: New Selenophosphates Featuring the Ethane-Like [P<sub>2</sub>Se<sub>6</sub>]<sup>4-</sup> Anion", Aitken, J. A.; Evain, M.; Iordanidis, L.; Kanatzidis, M. G., *Inorg. Chem.* **2002**, *41* (2), 180-191.
- 363) "Future Directions in Solid State Chemistry: Report of the NSF-Sponsored Workshop", Cava, R. J.; DiSalvo, F. J.; Brus, L. E.; Dunbar, K. R.; Gorman, C. B.; Haile, S. M.; Interrante, L. V.; Musfeldt, J. L.; Navrotsky, A.; Nuzzo, R. G.; Pickett, W. E.; Wilkinson, A.

P.; Ahn, C.; Allen, J. W.; Burns, P. C.; Ceder, G.; Chidsey, C. E. D.; Clegg, W.; Coronado, E.; Dai, H. J.; Deem, M. W.; Dunn, B. S.; Galli, G.; Jacobson, A. J.; Kanatzidis, M.; Lin, W. B.; Manthiram, A.; Mrksich, M.; Norris, D. J.; Nozik, A. J.; Peng, X. G.; Rawn, C.; Rolison, D.; Singh, D. J.; Toby, B. H.; Tolbert, S.; Wiesner, U. B.; Woodward, P. M.; Yang, P. D., *Prog. Solid State Chem.* **2002**, *30* (1-2), 1-101.

- 364) "Synthesis of Quaternary Selenophosphates Using Molten Salt Fluxes:  $\text{Rb}_8\text{Hg}_4(\text{Se}_2)_2(\text{PSe}_4)_4$ ,  $\text{K}_4\text{In}_2(\text{PSe}_5)_2(\text{P}_2\text{Se}_6)$ ,  $\text{Rb}_4\text{Ti}_2(\text{P}_2\text{Se}_7)(\text{P}_2\text{Se}_9)_2$ ,  $\text{Rb}_4\text{U}_4(\text{Se})_2(\text{Se}_2)_4(\text{PSe}_4)_4$ ", Chondroudis, K.; Kanatzidis, M. G., *Inorg. Synth.* **2002**, *33*, 122-130.
- 365) "Polychalcogenophosphate Flux Synthesis of 1D- $\text{KInP}_2\text{Se}_6$  and 1D and 3D- $\text{NaCrP}_2\text{S}_6$ ", Coste, S.; Kopnin, E.; Evain, M.; Jovic, S.; Brec, R.; Chondroudis, K.; Kanatzidis, M. G., *Solid State Sciences* **2002**, *4* (5), 709-716. Pii s1293-2558(02)01317-1.
- 366) "Determination of the Valence Band Dispersions for  $\text{Bi}_2\text{Se}_3$  Using Angle Resolved Photoemission", Greanya, V. A.; Tonjes, W. C.; Liu, R.; Olson, C. G.; Chung, D. Y.; Kanatzidis, M. G., *J. Appl. Phys.* **2002**, *92* (11), 6658-6661.
- 367) "Angle-Resolved Photoemission Study of the High-Performance Low-Temperature Thermoelectric Material  $\text{CsBi}_4\text{Te}_6$ ", Greanya, V. A.; Tonjes, W. C.; Liu, R.; Olson, C. G.; Chung, D. Y.; Kanatzidis, M. G., *Phys. Rev. B* **2002**, *65* (20), 205123.
- 368) " $\text{CsMBi}_3\text{Te}_6$  and  $\text{CsM}_2\text{Bi}_3\text{Te}_7$  (M=Pb, Sn): New Thermoelectric Compounds with Low-Dimensional Structures", Hsu, K. F.; Chung, D. Y.; Lai, S.; Mrotzek, A.; Kyratsi, T.; Hogan, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2002**, *124* (11), 2410-2411.
- 369) " $\text{CsPb}_3\text{Bi}_3\text{Te}_8$  and  $\text{CsPb}_4\text{Bi}_3\text{Te}_9$ : Low-Dimensional Compounds and the Homologous Series  $\text{CsPb}_m\text{Bi}_3\text{Te}_{5+m}$ ", Hsu, K. F.; Lal, S.; Hogan, T.; Kanatzidis, M. G., *Chem. Commun.* **2002**, (13), 1380-1381.
- 370) "Structure of Nanocrystalline Materials with Intrinsic Disorder from Atomic Pair Distribution Function Analysis: The Intercalation Compound  $\text{Ag}_x\text{MoS}_2$ ", Hwang, S. J.; Petkov, V.; Rangan, K. K.; Shastri, S.; Kanatzidis, M. G., *J. Phys. Chem. B* **2002**, *106* (48), 12453-12458.
- 371) "Controlling Lewis Basicity in Polythioarsenate Fluxes: Stabilization of  $\text{KSnAsS}_5$  and  $\text{K}_2\text{SnAs}_2\text{S}_6$ . Extended Chains and Slabs Based on Pyramidal  $\beta\text{-}[\text{AsS}_4]^{3-}$  and  $[\text{AsS}_3]^{3-}$  Units", Iyer, R. G.; Kanatzidis, M. G., *Inorg. Chem.* **2002**, *41* (14), 3605-3607.
- 372) "Bi/Sb Distribution and its Consequences in Solid Solution Members of the Thermoelectric Materials  $\text{K}_2\text{Bi}_{8-x}\text{Sb}_x\text{Se}_{13}$ ", Kyratsi, T.; Chung, D. Y.; Kanatzidis, M. G., *J. Alloys Compd.* **2002**, *338* (1-2), 36-42.
- 373) "Highly Anisotropic Crystal Growth and Thermoelectric Properties of  $\text{K}_2\text{Bi}_{8-x}\text{Sb}_x\text{Se}_{13}$  Solid Solutions: Band Gap Anomaly At Low x", Kyratsi, T.; Dyck, J. S.; Chen, W.; Chung, D. Y.; Uher, C.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *J. Appl. Phys.* **2002**, *92* (2), 965-975.

- 374) "Electronic Structure of CsBi<sub>4</sub>Te<sub>6</sub>: A New High Performance Thermoelectric at Low Temperatures", Larson, P.; Mahanti, S. D.; Chung, D. Y.; Kanatzidis, M. G., *Phys. Rev. B* **2002**, *65* (4), 045205.
- 375) "Quaternary Intermetallics Grown from Molten Aluminum: The Homologous Series Th<sub>2</sub>(Au<sub>x</sub>Si<sub>1-x</sub>)[AuAl<sub>2</sub>]<sub>n</sub>Si<sub>2</sub> (n = 1, 2, 4)", Latturner, S. E.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Chem. Mater.* **2002**, *14* (4), 1695-1705.
- 376) "Gd<sub>1.33</sub>Pt<sub>3</sub>(Al,Si)<sub>8</sub> and Gd<sub>0.67</sub>Pt<sub>2</sub>(Al,Si)<sub>5</sub>: Two Structures Containing a Disordered Gd/Al Layer Grown In Liquid Aluminum", Latturner, S. E.; Kanatzidis, M. G., *Inorg. Chem.* **2002**, *41* (21), 5479-5486.
- 377) "Design in Solid State Synthesis Based on Phase Homologies: A<sub>1-x</sub>Sn<sub>9-x</sub>Bi<sub>11+x</sub>Se<sub>26</sub> (A=K, Rb, Cs) - A New Member of the Grand Homologous Series A<sub>m</sub>[M<sub>6</sub>Se<sub>8</sub>]<sub>m</sub>[M<sub>5+n</sub>Se<sub>9+n</sub>] with M=Sn and Bi", Mrotzek, A.; Kanatzidis, M. G., *J. Solid State Chem.* **2002**, *167* (2), 299-301.
- 378) "Polytelluride Compounds Containing Distorted Nets of Tellurium", Patschke, R.; Kanatzidis, M. G., *Phys. Chem. Chem. Phys.* **2002**, *4* (14), 3266-3281.
- 379) "Structure of Nanocrystalline Materials Using Atomic Pair Distribution Function Analysis: Study of LiMoS<sub>2</sub>", Petkov, V.; Billinge, S. J. L.; Larson, P.; Mahanti, S. D.; Vogt, T.; Rangan, K. K.; Kanatzidis, M. G., *Phys. Rev. B* **2002**, *65* (9), 092105.
- 380) "Structure of V<sub>2</sub>O<sub>5</sub> · nH<sub>2</sub>O Xerogel Solved by the Atomic Pair Distribution Function Technique", Petkov, V.; Trikalitis, P. N.; Bozin, E. S.; Billinge, S. J. L.; Vogt, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2002**, *124* (34), 10157-10162. Unsp ja026143y.
- 381) "Hexagonal Pore Organization in Mesostructured Metal Tin Sulfides Built with [Sn<sub>2</sub>S<sub>6</sub>]<sup>4-</sup> Cluster", Rangan, K. K.; Trikalitis, P. N.; Canlas, C.; Bakas, T.; Weliky, D. P.; Kanatzidis, M. G., *Nano Lett.* **2002**, *2* (5), 513-517.
- 382) "Gallium Flux Synthesis of Tb<sub>3-x</sub>C<sub>2</sub>Si<sub>8</sub>(B<sub>12</sub>)<sub>3</sub>: A Novel Quaternary Boron-Rich Phase Containing B<sub>12</sub> Icosahedra", Salvador, J. R.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2002**, *41* (5), 844-846.
- 383) "Quaternary Germanides Formed in Molten Aluminum: Tb<sub>2</sub>NiAl<sub>4</sub>Ge<sub>2</sub> and Ce<sub>2</sub>NiAl<sub>6-x</sub>Ge<sub>4-y</sub> (x ~ 0.24, y ~ 1.34)", Sieve, B.; Trikalitis, P. N.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2002**, *628* (7), 1568-1574.
- 384) "Single-Crystal Mesostructured Semiconductors with *la3d* Cubic Symmetry and Ion-Exchange Properties", Trikalitis, P. N.; Rangan, K. K.; Bakas, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2002**, *124* (41), 12255-12260.
- 385) "Platinum Chalcogenido MCM-41 Analogues. High Hexagonal Order in Mesostructured Semiconductors Based on Pt<sup>2+</sup> and [Ge<sub>4</sub>Q<sub>10</sub>]<sup>4-</sup> (Q=S, Se) and [Sn<sub>4</sub>Se<sub>10</sub>]<sup>4-</sup> Adamantane Clusters", Trikalitis, P. N.; Rangan, K. K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2002**, *124* (11), 2604-2613.

- 386) "Surfactant Templated Assembly of Hexagonal Mesostructured Semiconductors Based on  $[\text{Ge}_4\text{Q}_{10}]^{4+}$  (Q=S, Se) and  $\text{Pd}^{2+}$  and  $\text{Pt}^{2+}$  Ions" Trikalitis, P. N.; Rangan, K. K.; Kanatzidis, M. G. in "Self-Assembly Processes in Materials" Moss, S. C., Ed. *Materials Research Society Symposium Proceedings* **2002**, 707, 125-130.
- 387) "Scanning Tunneling Microscopy of Defect States in the Semiconductor  $\text{Bi}_2\text{Se}_3$ ", Urazhdin, S.; Bilc, D.; Tessmer, S. H.; Mahanti, S. D.; Kyratsi, T.; Kanatzidis, M. G., *Phys. Rev. B* **2002**, 66 (16), 161306.
- 388) "X-ray and Neutron Structure Determination and Magnetic Properties of New Quaternary Phases  $\text{RE}_{0.67}\text{Ni}_2\text{Ga}_{5+n-x}\text{Ge}_x$  and  $\text{RE}_{0.67}\text{Ni}_2\text{Ga}_{5+n-x}\text{Si}_x$  (n = 0, 1; RE = Y, Sm, Gd, Tb, Dy, Ho, Er, Tm) Synthesized in Liquid Ga", Zhuravleva, M. A.; Chen, X. Z.; Wang, X.; Schultz, A. J.; Ireland, J.; Kannewurf, C. K.; Kanatzidis, M. G., *Chem. Mater.* **2002**, 14 (7), 3066-3081.
- 389) "Isolation of the New Cubic Phases  $\text{RE}_4\text{FeGa}_{12-x}\text{Ge}_x$  (RE = Sm, Tb; x = 2.5) from Molten Gallium: Single-Crystal Neutron Diffraction Study of the Ga/Ge Distribution", Zhuravleva, M. A.; Wang, X.; Schultz, A. J.; Bakas, T.; Kanatzidis, M. G., *Inorg. Chem.* **2002**, 41 (23), 6056-6061.
- 390) " $^{31}\text{P}$  Solid State NMR Studies Of Metal Selenophosphates Containing  $[\text{P}_2\text{Se}_6]^{4+}$ ,  $[\text{P}_4\text{Se}_{10}]^{4+}$ ,  $[\text{PSe}_4]^{3-}$ ,  $[\text{P}_2\text{Se}_7]^{4+}$ , and  $[\text{P}_2\text{Se}_9]^{4+}$  Ligands", Canlas, C. G.; Kanatzidis, M. G.; Weliky, D. P., *Inorg. Chem.* **2003**, 42 (11), 3399-3405.
- 391) "Investigation of Longitudinal  $^{31}\text{P}$  Relaxation in Metal Selenophosphate Compounds", Canlas, C. G.; Muthukumar, R. B.; Kanatzidis, M. G.; Weliky, D. P., *Solid State Nucl. Magn. Reson.* **2003**, 24 (2-3), 110-122.
- 392) " $\text{NaV}_{1-x}\text{P}_2\text{S}_6$  (x=0.16): A New Compound with Infinite Straight  $1/\infty[\text{V}_{0.837}\text{P}_2\text{S}_6]^-$  Chains that Exfoliate Forming Gels", Coste, S.; Gautier, E.; Evain, M.; Bujoli-Doeuff, M.; Brec, R.; Jobic, S.; Kanatzidis, M. G., *Chem. Mater.* **2003**, 15 (12), 2323-2327.
- 393) " $\text{NaPdPS}_4$  and  $\text{RbPdPS}_4$ : Systems with Straight Infinite  $[\text{PdPS}_4]^-$  Chains Soluble in Polar Solvents and the Structure of Cubic  $\text{RbPdPS}_4\{\text{Rb}_{0.33}(\text{S}_3^{2-})[\text{P}_4\text{S}_6\text{O}]^{6+}\}$ ", Coste, S.; Hanco, J.; Bujoli-Doeuff, M.; Louarn, G.; Evain, M.; Brec, R.; Alonso, B.; Jobic, S.; Kanatzidis, M. G., *J. Solid State Chem.* **2003**, 175 (2), 133-145.
- 394) "The One-Dimensional Polyselenide Compound  $\text{CsGaSe}_3$ ", Do, J.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2003**, 629 (4), 621-624.
- 395) " $^{77}\text{Se}$  and  $^{87}\text{Rb}$  Solid State NMR Study of the Structure of  $\text{Rb}_2[\text{Pd}(\text{Se}_4)_2] \cdot \text{Se}_8$ ", Goldbach, A.; Fayon, F.; Vosegaard, T.; Wachhold, M.; Kanatzidis, M. G.; Massiot, D.; Saboungi, M. L., *Inorg. Chem.* **2003**, 42 (22), 6996-7000.
- 396) " $\text{Eu}_{10}\text{Mn}_6\text{Sb}_{13}$ : A New Ternary Rare-Earth Transition Metal Zintl Phase", Holm, A. P.; Park, S. M.; Condon, C. L.; Olmstead, M. M.; Kim, H.; Klavins, P.; Grandjean, F.; Hermann, R. P.; Long, G. J.; Kanatzidis, M. G.; Kauzlarich, S. M.; Kim, S. J., *Inorg. Chem.* **2003**, 42 (15), 4660-4667.

- 397) "Impressive Structural Diversity and Polymorphism in the Modular Compounds  $ABi_3Q_5$  (A = Rb, Cs; Q = S, Se, Te)", Iordanidis, L.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2003**, *125* (45), 13741-13752.
- 398) "Flux Synthesis of the Noncentrosymmetric Cluster Compounds  $Cs_2SnAs_2Q_9$  (Q=S, Se) Containing Two Different Polychalcoarsenite  $\beta$ - $[AsQ_4]^{3-}$  and  $[AsQ_5]^{3-}$  Ligands", Iyer, R. G.; Do, J.; Kanatzidis, M. G., *Inorg. Chem.* **2003**, *42* (5), 1475-1482.
- 399) "New Bulk Materials for Thermoelectric Applications: Synthetic Strategies Based on Phase Homologies" Kanatzidis, M. G. in "*Chemistry, Physics, and Materials Science of Thermoelectric Materials*", Springer, **2003**, 35-54.
- 400) "KSb<sub>5</sub>S<sub>8</sub>: A Wide Bandgap Phase-Change Material for Ultra High Density Rewritable Information Storage", Kyratsi, T.; Chrissafis, K.; Wachter, J.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *Adv. Mater.* **2003**, *15* (17), 1428-1431.
- 401) "Thermoelectric Properties and Site-Selective Rb<sup>+</sup>/K<sup>+</sup> Distribution in the  $K_{2-x}Rb_xBi_8Se_{13}$  Series", Kyratsi, T.; Chung, D. Y.; Ireland, J. R.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Mater.* **2003**, *15* (15), 3035-3040.
- 402) "Synthesis, Crystallographic Studies, and Characterization of  $K_2Bi_8Se_{13-x}S_x$  Solid Solutions", Kyratsi, T.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2003**, *629* (12-13), 2222-2228.
- 403) "REAu<sub>3</sub>Al<sub>7</sub> (RE = rare earth): new ternary aluminides grown from aluminum flux", Latturner, S. E.; Bilc, D.; Ireland, J. R.; Kannewurf, C. R.; Mahanti, S. D.; Kanatzidis, M. G., *J. Solid State Chem.* **2003**, *170* (1), 48-57.
- 404) "RE<sub>2</sub>MA<sub>6</sub>Si<sub>4</sub> (RE=Gd, Tb, Dy; M=Au, Pt): Layered Quaternary Intermetallics Featuring CaAl<sub>2</sub>Si<sub>2</sub>-type and YNiAl<sub>4</sub>Ge<sub>2</sub>-type Slabs Grown from Aluminum Flux", Latturner, S. E.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2003**, *42* (24), 7959-7966.
- 405) "REAu<sub>4</sub>Al<sub>8</sub>Si: The End Member of a New Homologous Series of Intermetallics Featuring Thick AuAl<sub>2</sub> Layers", Latturner, S. E.; Kanatzidis, M. G., *Chem. Commun.* **2003**, (18), 2340-2341.
- 406) " $\alpha$ - and  $\beta$ -A<sub>2</sub>Hg<sub>3</sub>M<sub>2</sub>S<sub>8</sub> (A=K, Rb; M=Ge, Sn): Polar Quaternary Chalcogenides with Strong Non-Linear Optical Response", Liao, J. H.; Marking, G. M.; Hsu, K. F.; Matsushita, Y.; Ewbank, M. D.; Borwick, R.; Cunningham, P.; Rosker, M. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2003**, *125* (31), 9484-9493.
- 407) "Improvement in the Thermoelectric Properties of Pressure-tuned  $\beta$ -K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub>", Meng, J. F.; Shekar, N. V. C.; Chung, D. Y.; Kanatzidis, M.; Badding, J. V., *J. Appl. Phys.* **2003**, *94* (7), 4485-4488.
- 408) "Tropochemical Cell-Twinning in the Quaternary Bismuth Selenides  $K_xSn_{6-2x}Bi_{2+x}Se_9$  and  $KSn_5Bi_5Se_{13}$ ", Mrotzek, A.; Kanatzidis, M. G., *Inorg. Chem.* **2003**, *42* (22), 7200-7206.

- 409) ""Design" in Solid-State Chemistry Based on Phase Homologies. The Concept of Structural Evolution and the New Megaseries  $A_m[M_{1+l}Se_{2+l}]_{2m}[M_{2+l+n}Se_{2+3+l+n}]$ ", Mrotzek, A.; Kanatzidis, M. G., *Acc. Chem. Res.* **2003**, *36* (2), 111-119.
- 410) " $K_{10}M_4Sn_4S_{17}$  (M = Mn, Fe, Co, Zn): Soluble Quaternary Sulfides with the Discrete  $[M_4Sn_4S_{17}]^{10-}$  Supertetrahedral Clusters", Palchik, O.; Iyer, R. G.; Liao, J. H.; Kanatzidis, M. G., *Inorg. Chem.* **2003**, *42* (17), 5052-5054.
- 411) "Ga-Ga Bonding and Tunnel Framework in the New Zintl Phase  $Ba_3Ga_4Sb_5$ ", Park, S. M.; Kim, S. J.; Kanatzidis, M. G., *J. Solid State Chem.* **2003**, *175* (2), 310-315.
- 412) "Structure of Restacked and Pillared  $WS_2$ : An x-Ray Absorption Study", Prouzet, E.; Heising, J.; Kanatzidis, M. G., *Chem. Mater.* **2003**, *15* (2), 412-418.
- 413) "Stabilization of  $\beta$ - $SiB_3$  from Liquid Ga: A Boron-Rich Binary Semiconductor Resistant To High-Temperature Air Oxidation", Salvador, J. R.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2003**, *42* (17), 1929-1932.
- 414) "Zero Thermal Expansion in  $YbGaGe$  Due To An Electronic Valence Transition (vol 425, pg 702, 2003)", Salvador, J. R.; Guo, F.; Hogan, T.; Kanatzidis, M. G., *Nature* **2003**, *426* (6966), 584-584. "Surfactant Templated Assembly Of Cubic Mesostructured Semiconductors Based on  $[Sn_2Se_6]^{4-}$  and  $Pt^{2+}$  in Single-Crystal Form" Trikalitis, P. N.; Kanatzidis, M. G. in "Solid-State Chemistry of Inorganic Materials IV" AlarioFranco, M. A.; Greenblatt, M.; Rohrer, G.; Whittingham, M. S., Eds. *Materials Research Society Symposium Proceedings* **2003**, *755*, 215-220.
- 415) "Structure of Redox Intercalated  $(NH_4)_{0.51}V_2O_5 \cdot mH_2O$  Xerogel Using the Pair Distribution Function Technique", Trikalitis, P. N.; Petkov, V.; Kanatzidis, M. G., *Chem. Mater.* **2003**, *15* (17), 3337-3342.
- 416) "Single Crystal X-ray Structure Investigation and Electronic Structure Studies of La-Deficient Nickel Stannide  $La_{4.87}Ni_{12}Sn_{24}$  Grown from Sn Flux", Zhuravleva, M. A.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2003**, *629* (2), 327-334.
- 417) " $RE_3Ga_9Ge$  (RE=Y, Ce, Sm, Gd and Yb): Compounds with an Open Three-Dimensional Polygallide Framework Synthesized from Liquid Gallium", Zhuravleva, M. A.; Kanatzidis, M. G., *J. Solid State Chem.* **2003**, *173* (2), 280-292.
- 418) "Molten Gallium as a Non-Reactive Solvent: Synthesis of the Silicides  $RE_2Ni_{3+x}Si_{5-x}$  (RE = Sm, Gd and Tb)", Zhuravleva, M. A.; Kanatzidis, M. G., *Z. Naturforsch., B: Chem. Sci.* **2003**, *58* (7), 649-657.
- 419) " $REMGa_3Ge$  and  $RE_3Ni_3Ga_8Ge_3$  (M = Ni, Co; RE = Rare-Earth Element): New Intermetallics Synthesized in Liquid Gallium. X-ray, Electron, and Neutron Structure Determination and Magnetism", Zhuravleva, M. A.; Pcioneck, R. J.; Wang, X.; Schultz, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2003**, *42* (20), 6412-6424.

- 420) "Interwoven Pair of Open Frameworks in the Thiosphosphate  $K_6Yb_3(PS_4)_5$ ", Aitken, J. A.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2004**, *126* (38), 11780-11781.
- 421) "Resonant States in the Electronic Structure of High Performance Thermoelectrics  $AgPb_mSbTe_{2+m}$ . The Role of Ag-Sb Microrstructures", Bilc, D.; Mahanti, S. D.; Quarez, E.; Hsu, K. F.; Pcionek, R.; Kanatzidis, M. G., *Phys. Rev. Lett.* **2004**, *93* (14), 146403.
- 422) "Electronic Structure of  $(AgSb)_xPb_{n-2x}Te_n$ " Bilc, D. I.; Mahanti, S. D.; Kanatzidis, M. G. in "Thermoelectric Materials 2003-Research and Applications" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, *793*, 289-294.
- 423) "Effect of K/Bi Ordering on the Electronic Structure of  $K_2Bi_8Se_{13}$ " Bile, D. I.; Larson, P.; Mahanti, S. D.; Kanatzidis, M. G. in "Thermoelectric Materials 2003-Research and Applications" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, *793*, 161-166.
- 424) "Beyond Crystallography: The Study of Disorder, Nanocrystallinity and Crystallographically Challenged Materials with Pair Distribution Functions", Billinge, S. J. L.; Kanatzidis, M. G., *Chem. Commun.* **2004**, (7), 749-760.
- 425) "Crystal/Glass Phase Change in  $KSb_5S_8$  Studied through Thermal Analysis Techniques", Chrissafis, K.; Kyratsi, T.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *Chem. Mater.* **2004**, *16* (10), 1932-1937.
- 426) "A New Thermoelectric Material:  $CsBi_4Te_6$ ", Chung, D. Y.; Hogan, T. P.; Rocci-Lane, M.; Brazis, P.; Ireland, J. R.; Kannewurf, C. R.; Bastea, M.; Uher, C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2004**, *126* (20), 6414-6428.
- 427) "Anisotropy in Thermoelectric Properties of  $CsBi_4Te_6$ " Chung, D. Y.; Mahanti, S. D.; Chen, W.; Uher, C.; Kanatzidis, M. G. in "Thermoelectric Materials 2003-Research and Applications" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, *793*, 141-148.
- 428) "APSe<sub>6</sub> (A = K, Rb, and Cs): Polymeric Selenophosphates With Reversible Phase-Change Properties", Chung, I.; Do, J.; Canlas, C. G.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2004**, *43* (9), 2762-2764.
- 429) " $K_6Cd_4Sn_3Se_{13}$ : A Polar Open-Framework Compound based on the Partially Destroyed Supertetrahedral  $[Cd_4Sn_4Se_{17}]^{10-}$  Cluster", Ding, N.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Commun.* **2004**, (10), 1170-1171.
- 430) "The Noncentrosymmetric Chain Compounds,  $A_3M_2AsSe_{11}$  (A = K, Rb, Cs; M = Nb, Ta)", Do, J.; Kanatzidis, M. G., *J. Alloys Compd.* **2004**, *381* (1-2), 41-49.
- 431) "Thermoelectric Properties of the Cubic  $AgPb_{10}SbTe_{12}$ " Hsu, K. F.; Loo, S.; Chen, W.; Uher, C.; Hogan, T.; Kanatzidis, M. G. in "Thermoelectric Materials 2003-Research and

*Applications*", Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, 793, 155-160.

- 432) "Cubic  $\text{AgPb}_m\text{SbTe}_{2+m}$ : Bulk Thermoelectric Materials with High Figure of Merit", Hsu, K. F.; Loo, S.; Guo, F.; Chen, W.; Dyck, J. S.; Uher, C.; Hogan, T.; Polychroniadis, E. K.; Kanatzidis, M. G., *Science* **2004**, 303 (5659), 818-821.
- 433) "Quaternary Selenostannates  $\text{Na}_{2-x}\text{Ga}_{2-x}\text{Sn}_{1+x}\text{Se}_6$  and  $\text{AGaSnSe}_4$  (A=K, Rb, and Cs) through Rapid Cooling of Melts. Kinetics Versus Thermodynamics in the Polymorphism of  $\text{AGaSnSe}_4$ ", Hwang, S. J.; Iyer, R. G.; Kanatzidis, M. G., *J. Solid State Chem.* **2004**, 177 (10), 3640-3649.
- 434) "Cooling of Melts: Kinetic Stabilization and Polymorphic Transitions in the  $\text{KInSnSe}_4$  System", Hwang, S. J.; Iyer, R. G.; Trikalitis, P. N.; Ogden, A. G.; Kanatzidis, M. G., *Inorg. Chem.* **2004**, 43 (7), 2237-2239.
- 435) "Noncentrosymmetric Cubic Thio- and Selenogermanates:  $\text{A}_{0.5}\text{M}_{1.75}\text{GeQ}_4$  (A=Ag, Cu, Na; M=Pb, Eu; Q=S, Se)", Iyer, R. G.; Aitken, J. A.; Kanatzidis, M. G., *Solid State Sciences* **2004**, 6 (5), 451-459.
- 436) " $[\text{Mn}_2(\text{AsS}_4)_4]^{8-}$  and  $[\text{Cd}_2(\text{AsS}_4)_2(\text{AsS}_5)_2]^{8-}$ : Discrete Clusters with High Negative Charge from Alkali Polythioarsenate Fluxes", Iyer, R. G.; Kanatzidis, M. G., *Inorg. Chem.* **2004**, 43 (12), 3656-3662.
- 437) "Tobin J. Marks on the Occasion of His 60th Birthday", Kanatzidis, M. G., *Inorg. Chim. Acta* **2004**, 357 (13), 3811-3812.
- 438) "Semiconductor Physics - Quick-Set Thin Films", Kanatzidis, M. G., *Nature* **2004**, 428 (6980), 269-271.
- 439) "Synthesis and Thermoelectric Properties of  $\text{AgBi}_3\text{S}_5$ " Kim, J. H.; Bilc, D.; Loo, S.; Short, J.; Mahanti, S. D.; Hogan, T.; Kanatzidis, M. G. in "*Thermoelectric Materials 2003-Research and Applications*" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, 793, 201-206.
- 440) "Thermoelectric Properties of  $\beta\text{-KBi}_{8-x}\text{Sb}_x\text{Se}_{13}$  Solid Solutions a Promising Series for High Temperature Applications" Klratsi, T.; Chung, D. Y.; Dyck, J. S.; Uher, C.; Hatzikraniotis, E.; Paraskevopoulos, K. A.; Kanatzidis, M. G. in "*Proceedings of 2nd European Conference on Thermoelectrics*" Poland, Kraków, *European Thermoelectric Society* Poland, Kraków, **2004**.
- 441) "Synthesis, Crystal Structure and Thermoelectric Properties of  $\beta\text{-K}_2\text{Bi}_8\text{Se}_{13}$  Solid Solutions" Kyratsi, T.; Chung, D. Y.; Dyck, J. S.; Uher, C.; Lal, S.; Loo, S.; Hogan, T.; Ireland, J.; Kannewurf, C. R.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "*Thermoelectric Materials 2003-Research and Applications*" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, 793, 359-364.



- 442) "Lattice Thermal Conductivity of  $K_2(Bi_{1-z}Sb_z)_8Se_{13}$  Solid Solutions", Kyratsi, T.; Hatzikraniotis, E.; Paraskevopoulous, M.; Dyck, J. S.; Shin, H. K.; Uher, C.; Kanatzidis, M. G., *J. Appl. Phys.* **2004**, *95* (8), 4140-4146.
- 443) "Formation of Multinary Intermetallics from Reduction of Perovskites by Aluminum Flux:  $M_3Au_{6+x}Al_2Ti$  ( $M = Ca, Sr, Yb$ ), a Stuffed Variant of the  $BaHg_{11}$  Type", Latturmer, S. E.; Kanatzidis, M. G., *Inorg. Chem.* **2004**, *43* (1), 2-4.
- 444) "High Temperature Measurement System Design for Thermoelectric Materials in Power Generation Application" Loo, S.; Short, J.; Hsu, K. F.; Kanatzidis, M.; Hogan, T. in "Thermoelectric Materials 2003-Research and Applications" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, *793*, 375-383.
- 445) "High Temperature Power Factor Measurement System for Thermoelectric Materials" Loo, S. Y.; Hsu, K. F.; Kanatzidis, M. G.; Hogan, T. P. in "Low Temperature Electronics and Low Temperature Cofired Ceramic Based Electronic Devices", Claeys, C. L.; WongNg, W.; Nair, K. M., Eds. **2004**, *2003*, 247-256.
- 446) "Valence Instabilities, Phase Transitions, and Abrupt Lattice Expansion at 5 K in the  $YbGaGe$  System", Margadonna, S.; Prassides, K.; Fitch, A. N.; Salvador, J. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2004**, *126* (14), 4498-4499.
- 447) " $K_{10}M_4M'_{4}S_{17}$  ( $M=Mn, Fe, Co, Zn$ ;  $M' = Sn, Ge$ ) and  $Cs_{10}Cd_4Sn_4S_{17}$ : Compounds with a Discrete Supertetrahedral Cluster", Palchik, O.; Iyer, R. G.; Canlas, C. G.; Weliky, D. P.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2004**, *630* (13-14), 2237-2247.
- 448) " $Eu_7Ga_6Sb_8$ : A Zintl Phase with Ga-Ga Bonds and Polymeric Gallium Antimonide Chains", Park, S. M.; Kim, S. J.; Kanatzidis, M. G., *J. Solid State Chem.* **2004**, *177* (8), 2867-2874.
- 449) "Mesolamellar Thiogermanates  $[C_nH_{2n+1}NH_3]_4Ge_4S_{10}$ ", Rangan, K. K.; Kanatzidis, M. G., *Inorg. Chim. Acta* **2004**, *357* (13), 4036-4044.
- 450) " $Yb_8Ge_3Sb_5$ , a Metallic Mixed-Valent Zintl Phase Containing the Polymeric  $1/\infty[Ge_3^{4-}]$  Anions", Salvador, J. R.; Bilec, D.; Mahanti, S. D.; Hogan, T.; Guo, F.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2004**, *126* (14), 4474-4475.
- 451) "Stabilization of New Forms of the Intermetallic Phases  $\beta$ - $RENiGe_2$  ( $RE = Dy, Ho, Er, Tm, Yb, Lu$ ) in Liquid Indium", Salvador, J. R.; Gour, J. R.; Bilec, D.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2004**, *43* (4), 1403-1410.
- 452) "The Valence State of Uranium in  $K_6Cu_{12}U_2S_{15}$ ", Schilder, H.; Speldrich, M.; Lueken, H.; Sutorik, A. C.; Kanatzidis, M. G., *J. Alloys Compd.* **2004**, *374* (1-2), 249-252.
- 453) "Hall Effect Measurements on New Thermoelectric Materials" Short, J.; Loo, S.; Lal, S.; Hsu, K. F.; Quarez, E.; Kanatzidis, M. G.; Hogan, T. P. in "Thermoelectric Materials 2003-Research and Applications" Nolas, G. S.; Yang, J.; Hogan, T. P.; Johnson, D. C., Eds. *Materials Research Society Symposium Proceedings* **2004**, *793*, 323-332.

- 454) "Mesostructured Selenides with Cubic MCM-48 Type Symmetry: Large Framework Elasticity and Uncommon Resiliency to Strong Acids", Trikalitis, P. N.; Ding, N.; Malliakas, C.; Billinge, S. J. L.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2004**, *126* (47), 15326-15327.
- 455) "Surface Effects in Layered Semiconductors Bi<sub>2</sub>Se<sub>3</sub> and Bi<sub>2</sub>Te<sub>3</sub>", Urazhdin, S.; Bilc, D.; Mahanti, S. D.; Tessmer, S. H.; Kyratsi, T.; Kanatzidis, M. G., *Phys. Rev. B* **2004**, *69* (8), 085313.
- 456) "V<sub>2</sub>Al<sub>5</sub>Ge<sub>5</sub>: First Ternary Intermetallic in the V-Al-Ge System Accessible in Liquid Aluminium", Wu, X. U.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G., *Chem. Commun.* **2004**, (13), 1506-1507.
- 457) "Intermetallics as Zintl Phases: Yb<sub>2</sub>Ga<sub>4</sub>Ge<sub>6</sub> and RE<sub>3</sub>Ga<sub>4</sub>Ge<sub>6</sub> (RE=Yb, Eu): Structural Response of a [Ga<sub>4</sub>Ge<sub>6</sub>]<sup>4-</sup> Framework to Reduction by Two Electrons", Zhuravleva, M. A.; Salvador, J.; Bilc, D.; Mahanti, S. D.; Ireland, J.; Kannewurf, C. R.; Kanatzidis, M. G., *Chem. Euro. J.* **2004**, *10* (13), 3197-3208.
- 458) "Ab Initio Studies of Electronic Structure of Defects on the Te Sites in PbTe" Ahmad, S.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G. in "*Semiconductor Defect Engineering-Materials, Synthetic Structures and Devices*" Ashok, S.; Chevallier, J.; Sopori, B. L.; Tabe, M.; Kiesel, P., Eds. *Materials Research Society Symposium Proceedings* **2005**, *864*, 455-460.
- 459) "Nanostructuring and its Influence on the Thermoelectric Properties of the AgSbTe<sub>2</sub>-SnTe Quaternary System", Androulakis, I.; Pcionek, R.; Quarez, E.; Palchik, O.; Kong, H.; Uher, C.; Dangelo, J. J.; Hogan, T.; Tang, X.; Tritt, T.; Kanatzidis, M., *Proc. MRS* **2005**, *886*, 0886-F05-08.
- 460) "Electronic Structure of K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub>", Bilc, D.; Mahanti, S. D.; Kyratsi, T.; Kanatzidis, M. G.; Larson, P., *Phys. Rev. B* **2005**, *71*, 085116.
- 461) "Investigation of Low Resistance Contacts to Pb-Sb-Ag-Te (LAST) Materials for Module Fabrication", D'Angelo, J.; Short, J. L.; Downey, A. D.; Pajor, M. A.; Hogan, T. P.; Chung, D.-Y.; Kanatzidis, M. G.; Timm, E.; Schock, H., *Proc. MRS* **2005**, *886*, 0886-F08-10.
- 462) "Application of Transmission Line Theory for Modeling of a Thermoelectric Module in Multiple Configurations for AC Electrical Measurements", Downey, A. D.; Timm, E.; Poudeu, P. F. P.; Kanatzidis, M. G.; Shock, H.; Hogan, T. P., *Proc. MRS* **2005**, *886*, 0886-F10-07.
- 463) "On the Lamellar Compounds CuBiP<sub>2</sub>Se<sub>6</sub>, AgBiP<sub>2</sub>Se<sub>6</sub> and AgBiP<sub>2</sub>S<sub>6</sub>. Antiferroelectric Phase Transitions due to Cooperative Cu<sup>+</sup> and Bi<sup>3+</sup> Ion Motion", Gave, M. A.; Bilc, D.; Mahanti, S. D.; Breshears, J. D.; Kanatzidis, M. G., *Inorg. Chem.* **2005**, *44* (15), 5293-5303.
- 464) "Substitutions in the Homologous Family CsPb<sub>m</sub>Bi<sub>3</sub>Te<sub>5+m</sub> and Preliminary Thermoelectric Results", Guéguen, A.; Quarez, E.; Kanatzidis, M. G., *Proc. MRS* **2005**, *886*, 0886-F08-06.

- 465) "On The Optical Properties of Thermoelectric Alkali Metal Chalcogenide Compounds", Hatzikraniotis, W.; Kyratsi, T.; Zorba, T.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *Proc. MRS* **2005**, 886, 0886-F08-01.
- 466) "Electronic Structure of  $\text{AgPb}_m\text{SbTe}_{m+2}$  Compounds – Implications on Thermoelectric Properties", Hoang, K.; Mahanti, S. D.; Androulakis, J.; Kanatzidis, M. G., *Proc. MRS* **2005**, 886, 0886-F05-06.
- 467) "Progress on the Fabrication and Characterization of High Efficiency Thermoelectric Generators", Hogan, T. P.; Downey, A. D.; Short, J.; D'Angelo, J. J.; Quarez, E.; Androulakis, J.; Poudeu, P. F. P.; Kanatzidis, M. G.; Timm, E.; Sarbo, K.; Schock, H., *Proc. MRS* **2005**, 886, 0886-F12-04.
- 468) "Structure and Properties of the Semiconductors  $\text{Tl}_2\text{SnAs}_2\text{Q}_6$  (Q = S, Se)" Iyer, R. G.; Bilc, D.; Mahanti, S. D.; Kanatzidis, M. G. in "*Solid-State Chemistry of Inorganic Materials V*" Li, J.; Brese, N. E.; Kanatzidis, M. G.; Jansen, M., Eds. *Materials Research Society Symposium Proceedings* **2005**, 848, 83-88.
- 469) "Structural Evolution and Phase Homologies for "Design" and Prediction of Solid-State Compounds", Kanatzidis, M. G., *Acc. Chem. Res.* **2005**, 38 (4), 359-368.
- 470) "The Metal Flux: A Preparative Tool for the Exploration of Intermetallic Compounds", Kanatzidis, M. G.; Pöttgen, R.; Jeitschko, W., *Angew. Chem. Int. Ed.* **2005**, 44 (43), 6996-7023.
- 471) "Crystal Growth, Thermoelectric Properties and Electronic Structure of  $\text{AgBi}_3\text{S}_5$  and  $\text{AgSb}_x\text{Bi}_{3-x}\text{S}_5$  (x=0.3)", Kim, J. H.; Chung, D. Y.; Bilc, D.; Loo, S.; Short, J.; Mahanti, S. D.; Hogan, T.; Kanatzidis, M. G., *Chem. Mater.* **2005**, 17 (14), 3606-3614.
- 472) "Thermoelectric Properties of  $\text{K}_2\text{Bi}_8\text{Se}_{13-x}\text{S}_x$  Solid Solutions", Kyratsi, T.; Lal, S.; Hogan, T.; Kanatzidis, M. G., *Proc. MRS* **2005**, 886, 0886-F08-02.
- 473) "Nanoscale Clusters in the High Performance Thermoelectric  $\text{AgPb}_m\text{SbTe}_{m+2}$ ", Lin, H.; Bozin, E. S.; Billinge, S. J. L.; Quarez, E.; Kanatzidis, M. G., *Phys. Rev. B* **2005**, 72 (17), 174113.
- 474) "Square Nets of Tellurium: Rare-Earth Dependent Variation in the Charge-Density Wave of  $\text{RETe}_3$  (RE = Rare-Earth Element)", Malliakas, C.; Billinge, S. J. L.; Kim, H. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2005**, 127 (18), 6510-6511.
- 475) " $\{\text{Sn}[\text{Zn}_4\text{Sn}_4\text{S}_{17}]^{6-}\}$ : A Robust Open Framework Based on Metal-linked Supertetrahedral  $[\text{Zn}_4\text{Sn}_4\text{S}_{17}]^{10-}$  Clusters Possessing Ion-Exchange Properties", Manos, M. J.; Iyer, R. G.; Quarez, E.; Liao, J. H.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2005**, 44 (23), 3552-3555.
- 476) "Temperature-Induced Abrupt Volume Inflation in the Mixed-Valence Ternary Zintl Phase  $\text{Yb}_8\text{Ge}_3\text{Sb}_5$ ", Margadonna, S.; Prassides, K.; Chondroudi, M.; Salvador, J. R.; Kanatzidis, M. G., *Chem. Commun.* **2005**, (46), 5754-5756.

- 477) "Exploratory Synthesis in Molten Salts: Role of Flux Basicity in the Stabilization of the Complex Thiogermanates  $Cs_4Pb_4Ge_5S_{16}$ ,  $K_2PbGe_2S_6$  and  $K_4Sn_3Ge_3S_{14}$ ", Palchik, O.; Marking, G. M.; Kanatzidis, M. G., *Inorg. Chem.* **2005**, *44* (12), 4151-4153.
- 478) " $Sr_2MnSb_2$ : A New Ternary Transition Metal Zintl Phase", Park, S. M.; Kim, S. J.; Kanatzidis, M. G., *Inorg. Chem.* **2005**, *44* (14), 4979-4982.
- 479) "Three-dimensional Structure of Nanocomposites from Atomic Pair Distribution Function Analysis: Study of Polyaniline and  $(Polyaniline)_{0.5}V_2O_5 \cdot 1.0H_2O$ ", Petkov, V.; Parvanov, V.; Trikalitis, P.; Malliakas, C.; Vogt, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2005**, *127* (24), 8805-8812.
- 480) "Effects of Antimony on the Thermoelectric Properties of the Cubic  $Pb_{9.6}Sb_yTe_{10-x}Se_x$  Materials", Poudeu, P. F. P.; D'Angelo, J.; Downey, A.; Pcionek, R.; Sootsman, J.; Zhou, Z.; Palchik, O.; Hogan, T. P.; Uher, C.; Kanatzidis, M. G., *Proc. MRS* **2005**, *886*, 0886-F05-09.
- 481) "Design in Solid State Chemistry Based on Phase Homologies.  $Sb_4Te_3$  and  $Sb_8Te_9$  as New Members of the Series  $(Sb_2Te_3)_m \cdot (Sb_2)_n$ ", Poudeu, P. F. P.; Kanatzidis, M. G., *Chem. Commun.* **2005**, (21), 2672-2674.
- 482) "Nanostructuring, Compositional Fluctuations, and Atomic Ordering in the Thermoelectric Materials  $AgPb_mSbTe_{2+m}$ . The Myth of Solid Solutions", Quarez, E.; Hsu, K. F.; Pcionek, R.; Frangis, N.; Polychroniadis, E. K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2005**, *127* (25), 9177-9190.
- 483) "Intermetallic Compounds with Near Zintl Phase Behavior:  $RE_2Zn_3Ge_6$  (RE = La, Ce, Pr, Nd) Grown from Liquid Indium", Salvador, J. R.; Bilec, D.; Gour, J. R.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2005**, *44* (24), 8670-8679.
- 484) " $RE_5Co_4Si_{14}$  (RE = Ho, Er, Tm, Yb): Silicides Grown from Ga Flux Showing Exceptional Resistance to Chemical and Thermal Attack", Salvador, J. R.; Malliakas, C.; Gour, J. R.; Kanatzidis, M. G., *Chem. Mater.* **2005**, *17* (7), 1636-1645.
- 485) "Characterization of Thermoelectric Power Generation Modules Made from New Materials", Short, J. L.; D'Angelo, J.; Downey, A. D.; Pajor, M. A.; Timm, E.; Schock, H.; Kanatzidis, M. G.; Hogan, T. P., *Proc. MRS* **2005**, *886*, 0886-F08-09.
- 486) "Phase Segregation and Thermoelectric Properties of  $AgPb_mSbTe_{m+2}$  (m=2,4,6, and 8)", Sootsman, J.; Pcionek, R.; Kong, H.; Uher, C.; Kanatzidis, M. G., *Proc. MRS* **2005**, *886*, 0886-F08-05.
- 487) "Periodic Hexagonal Mesosstructured Chalcogenides based on Platinum and  $[SnSe_4]^{4-}$  and  $[SnTe_4]^{4-}$  Precursors. Solvent Dependence of Nano-Pore and Wall Organization", Trikalitis, P. N.; Bakas, T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2005**, *127* (11), 3910-3920.
- 488) " $REAuAl_4Ge_2$  and  $REAuAl_4(Au_xGe_{1-x})_2$  (RE=rare earth element): Quaternary Intermetallics Grown in Liquid Aluminum", Wu, X.; Kanatzidis, M. G., *J. Solid State Chem.* **2005**, *178* (11), 3233-3242.

- 489) "Determining Metal Ion Distributions using Resonant Scattering at Very High-Energy K-Edges: Bi/Pb in  $\text{Pb}_5\text{Bi}_6\text{Se}_{14}$ ", Zhang, Y. G.; Wilkinson, A. P.; Lee, P. L.; Shastri, S. D.; Shu, D. M.; Chung, D. Y.; Kanatzidis, M. G., *J. Appl. Crystallogr.* **2005**, *38*, 433-441.
- 490) " $\text{Tb}_4\text{FeGe}_8$  Grown in Liquid Gallium: Trans–Cis Chains from the Distortion of a Planar Ge Square Net", Zhuravleva, M. A.; Bilc, D.; Pcioneck, R. J.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2005**, *44* (7), 2177-2188.
- 491) "Ab Initio Studies of the Electronic Structure of Defects in PbTe", Ahmad, S.; Mahanti, S. D.; Hoang, K.; Kanatzidis, M. G., *Phys. Rev. B* **2006**, *74* (15), 155205.
- 492) "Ab Initio Studies of the Electronic Structure of Defects in PbTe" Ahmad, S.; Mahanti, S. D.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 161-166.
- 493) "Nanostructuring and High Thermoelectric Efficiency in p-Type  $\text{Ag}(\text{Pb}_{1-y}\text{Sn}_y)_m\text{SbTe}_{2+m}$ ", Androulakis, J.; Hsu, K. F.; Pcioneck, R.; Kong, H.; Uher, C.; Dangelo, J. J.; Downey, A.; Hogan, T.; Kanatzidis, M. G., *Adv. Mater.* **2006**, *18* (9), 1170-1173.
- 494) "Coexistence of Large Thermopower and Degenerate Doping in the Nanostructured Material  $\text{Ag}_{0.85}\text{SnSb}_{1.15}\text{Te}_3$ ", Androulakis, J.; Pcioneck, R.; Quarez, E.; Do, J. H.; Kong, H. J.; Palchik, O.; Uher, C.; D'Angelo, J. J.; Short, J.; Hogan, T.; Kanatzidis, M. G., *Chem. Mater.* **2006**, *18* (20), 4719-4721.
- 495) "Nanostructuring and its Influence on the Thermoelectric Properties of the  $\text{AgSbTe}_2$ - $\text{SnTe}$  Quaternary System" Androulakis, J.; Pcioneck, R.; Quarez, E.; Palchik, O.; Kong, H.; Uher, C.; Dangelo, J. J.; Hogan, T.; Tang, X.; Tritt, T.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 187-194.
- 496) "Hexagonal Mesoporous Germanium", Armatas, G. S.; Kanatzidis, M. G., *Science* **2006**, *313* (5788), 817-820.
- 497) "Mesoporous Germanium with Cubic Pore Symmetry", Armatas, G. S.; Kanatzidis, M. G., *Nature* **2006**, *441* (7097), 1122-1125.
- 498) "Electronic Transport Properties of PbTe and  $\text{AgPb}_m\text{SbTe}_{2+m}$  Systems", Bilc, D. I.; Mahanti, S. D.; Kanatzidis, M. G., *Phys. Rev. B* **2006**, *74* (12), 125202.
- 499) " $[\text{P}_6\text{Se}_{12}]^{4-}$ : A Phosphorus-Rich Selenophosphate With Low-Valent P Centers", Chung, I.; Karst, A. L.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2006**, *45* (7), 2785-2787.
- 500) "Acid-Induced Conversions in Open-Framework Semiconductors: from  $[\text{Cd}_4\text{Sn}_3\text{Se}_{13}]^{6-}$  to  $[\text{Cd}_{15}\text{Sn}_{12}\text{Se}_{46}]^{14-}$ , a Remarkable Disassembly/Reassembly Process", Ding, N.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2006**, *45* (9), 1397-1401.

- 501) "Cubic Gyroid Frameworks in Mesostructured Metal Selenides Created from Tetrahedral  $Zn^{2+}$ ,  $Cd^{2+}$ , and  $In^{3+}$  ions and the  $[SbSe_4]^{3-}$  Precursor", Ding, N.; Takabayashi, Y.; Solari, P. L.; Prassides, K.; Pcionek, R. J.; Kanatzidis, M. G., *Chem. Mater.* **2006**, *18* (19), 4690-4699.
- 502) "Application of Transmission Line Theory for Modeling of a Thermoelectric Module in Multiple Configurations for AC Electrical Measurements" Downey, A. D.; Timm, E.; Poudeu, P. F. P.; Kanatzidis, M. G.; Shock, H.; Hogan, T. P. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 425-430.
- 503) "Substitutions in the Homologous Family  $CsPb_mBi_3Te_{5+m}$  and Preliminary Thermoelectric Results" Gueguen, A.; Quarez, E.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 299-304.
- 504) "FTIR Reflectivity Spectra of Thermoelectric  $K_2Sb_8Se_{13}$  Crystals" Hatzikraniotis, E.; Hassapis, T.; Kyratsi, T.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "*2006 25th International Conference on Thermoelectrics*" 6-10 Aug. 2006; **2006**, 573-578.
- 505) "On the Optical Properties of Thermoelectric Alkali Metal Chalcogenide Compounds" Hatzikraniotis, E.; Kyratsi, T.; Zorba, T.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 269-274.
- 506) "Electronic Structure of  $AgPb_mSbTe_{m+2}$  Compounds: Implications on Thermoelectric Properties" Hoang, K.; Mahanti, S. D.; Androulakis, J.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 181-185.
- 507) "Progress On The Fabrication and Characterization of High Efficiency Thermoelectric Generators" Hogan, T. P.; Downey, A. D.; Short, J.; D'Angelo, J.; Quarez, E.; Androulakis, J.; Poudeu, P. F. P.; Kanatzidis, M. G.; Timm, E.; Sarbo, K.; Schock, H. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 487-492.
- 508) "Chemical Routes to Nanocrystalline Thermoelectrically Relevant  $AgPb_mSbTe_{m+2}$  Materials", Karkamkar, A. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2006**, *128* (18), 6002-6003.
- 509) "Local Atomic Structure and Discommensurations in the Charge Density Wave of  $CeTe_3$ ", Kim, H.; Malliakas, C.; Tomic, A.; Tessmer, S.; Kanatzidis, M.; Billinge, S., *Phys. Rev. Lett.* **2006**, *96* (22), 226401.
- 510) "A New Chalcogenide Homologous Series  $A_2[M_{5+n}Se_{9+n}]$  ( $A = Rb, Cs; M = Bi, Ag, Cd$ )", Kim, J. H.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Commun.* **2006**, (15), 1628-1630.

- 511) "Structure Inhomogeneities, Shallow Defects, and Charge Transport in the Series of Thermoelectric Materials  $K_2Bi_{8-x}Sb_xSe_{13}$ ", Kyratsi, T.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Malliakas, C. D.; Dyck, J. S.; Uher, C.; Kanatzidis, M. G., *J. Appl. Phys.* **2006**, *100* (12), 123704.
- 512) "n-to-p Transition on  $K_2Bi_{8-x}Sb_xSe_{13}$  Series" Kyratsi, T.; Hatzikraniotis, E.; Tsiappos, A.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "*ICT'06: XXV International Conference on Thermoelectrics, Proceedings*" *IEEE* **2006**, 590-593.
- 513) "Thermoelectric Properties of  $K_2Bi_8Se_{13-x}S_x$  Solid Solutions" Kyratsi, T.; Lal, S.; Hogan, T.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*", Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 275-280.
- 514) "Electronic Structure of the Ternary Zintl-Phase Compounds  $Zr_3Ni_3Sb_4$ ,  $Hf_3Ni_3Sb_4$ , and  $Zr_3Pt_3Sb_4$  and their Similarity to Half-Heusler Compounds such as  $ZrNiSn$ ", Larson, P.; Mahanti, S. D.; Salvador, J.; Kanatzidis, M. G., *Phys. Rev. B* **2006**, *74* (3), 035111.
- 515) "Inorganic Single Wall Nanotubes of  $SbPS_{4-x}Se_x$  ( $0 \leq x \leq 3$ ) with Tunable Band Gap", Malliakas, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2006**, *128* (20), 6538-6539.
- 516) "Divergence in the Behavior of the Charge Density Wave in  $RETe_3$  (RE = Rare-Earth Element) with Temperature and RE Element", Malliakas, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2006**, *128* (39), 12612-12613.
- 517) "Unique Pore Selectivity for  $Cs^+$  and Exceptionally High  $NH_4^+$  Exchange Capacity of the Chalcogenide Material  $K_6Sn[Zn_4Sn_4S_{17}]$ ", Manos, M. J.; Chrissafis, K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2006**, *128* (27), 8875-8883. Ja061342t.
- 518) "Recent Developments in Bulk Thermoelectric Materials", Nolas, G. S.; Poon, J.; Kanatzidis, M., *MRS Bull.* **2006**, *31* (3), 199-205.
- 519) "Effects of Antimony on the Thermoelectric Properties of the Cubic  $Pb_{9.6}Sb_yTe_{10-x}Se_x$  Materials" Poudeu, P. F. P.; D'Angelo, J.; Downey, A.; Pcionek, R.; Sootsman, J.; Zhou, Z. H.; Palchik, O.; Hogan, T. P.; Uher, C.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 195-200.
- 520) "Nanostructures versus Solid Solutions: Low Lattice Thermal Conductivity and Enhanced Figure of Merit in  $Pb_{9.6}Sb_{0.2}Te_{10-x}Se_x$  Bulk Materials", Poudeu, P. F. P.; D'Angelo, J.; Kong, H. J.; Downey, A.; Short, J. L.; Pcionek, R.; Hogan, T. P.; Uher, C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2006**, *128* (44), 14347-14355.
- 521) "High Thermoelectric Figure of Merit and Nanostructuring in Bulk p-type  $Na_{1-x}Pb_mSb_yTe_{m+2}$ ", Poudeu, P. F. R.; D'Angelo, J.; Downey, A. D.; Short, J. L.; Hogan, T. P.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2006**, *45* (23), 3835-3839.

- 522) "Indium Flux Synthesis of  $\text{RE}_4\text{Ni}_2\text{InGe}_4$  (RE = Dy, Ho, Er, and Tm): An Ordered Quaternary Variation on the Binary Phase  $\text{Mg}_5\text{Si}_6$ ", Salvador, J. R.; Kanatzidis, M. G., *Inorg. Chem.* **2006**, *45* (18), 7091-7099.
- 523) "Characterization of Thermoelectric Power Generation Modules Made from New Materials" Short, J. L.; D'Angelo, J.; Downey, A. D.; Pajor, M. A.; Timm, E.; Schock, H.; Kanatzidis, M. G.; Hogan, T. P. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 309-315.
- 524) "Phase Segregation and Thermoelectric Properties of  $\text{AgPb}_m\text{SbTe}_{m+2}$  (m=2, 4, 6, and 8)" Sootsman, J.; Pcionek, R.; Kong, H. J.; Uher, C.; Kanatzidis, M. G. in "*Materials and Technologies for Direct Thermal-to-Electric Energy Conversion*" Yang, J.; Hogan, T. P.; Funahashi, R.; Nolas, G. S., Eds. *Materials Research Society Symposium Proceedings* **2006**, *886*, 293-298.
- 525) "Strong Reduction of Thermal Conductivity in Nanostructured PbTe Prepared by Matrix Encapsulation", Sootsman, J. R.; Pcionek, R. J.; Kong, H. J.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **2006**, *18* (21), 4993-4995.
- 526) "Mesostructured Cobalt and Nickel Molybdenum Sulfides", Trikalitis, P. N.; Kerr, T. A.; Kanatzidis, M. G., *Microporous Mesoporous Mater.* **2006**, *88* (1-3), 187-190.
- 527) "Thermoelectric Properties of Pressed Pellets and Pressureless Sintering in the  $\text{K}_2\text{Bi}_8\text{Se}_{13-x}\text{S}_x$  System" Tsiappos, A.; Kyratsi, T.; Kanatzidis, M. G. in "*2006 25th International Conference on Thermoelectrics*" 6-10 Aug. 2006; **2006**, 516-519.
- 528) "Structurally Complex Cobalt Intermetallics Grown from Liquid Aluminum:  $\text{Co}_{19}\text{Al}_{45}\text{Si}_{10-x}$  (x = 0.13) and  $\text{Co}_5\text{Al}_{14}\text{Si}_2$ ", Wu, X.; Lattner, S.; Kanatzidis, M. G., *Inorg. Chem.* **2006**, *45* (14), 5358-5366.
- 529) "Spinodal Decomposition and Nucleation and Growth as a Means to Bulk Nanostructured Thermoelectrics: Enhanced Performance in  $\text{Pb}_{1-x}\text{Sn}_x\text{Te-PbS}$ ", Androulakis, J.; Lin, C.-H.; Kong, H.-J.; Uher, C.; Wu, C.-I.; Hogan, T.; Cook, B. A.; Caillat, T.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2007**, *129* (31), 9780-9788.
- 530) "Porous Semiconducting Gels and Aerogels from Chalcogenide Clusters", Bag, S.; Trikalitis, P. N.; Chupas, P. J.; Armatas, G. S.; Kanatzidis, M. G., *Science* **2007**, *317* (5837), 490-493.
- 531) " $\text{Eu}_3(\text{AsS}_4)_2$  and  $\text{A}_x\text{Eu}_{3-y}\text{As}_{5-z}\text{S}_{10}$  (A = Li, Na): Compounds with Simple and Complex Thioarsenate Building Blocks", Bera, T. K.; Iyer, R. G.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2007**, *46* (21), 8466-8468.
- 532) "Mixed Valency in  $\text{Yb}_7\text{Co}_4\text{InGe}_{12}$ : A Novel Intermetallic Compound Stabilized in Liquid Indium", Chondroudi, M.; Balasubramanian, M.; Welp, U.; Kwok, W.-K.; Kanatzidis, M. G., *Chem. Mater.* **2007**, *19* (19), 4769-4775.



- 533) "Low Valent Phosphorus in the Molecular Anions  $[P_5Se_{12}]^{5-}$  and  $\beta$ - $[P_6Se_{12}]^{4-}$ : Phase Change Behavior and Near Infrared Second Harmonic Generation", Chung, I.; Jang, J. I.; Gave, M. A.; Weliky, D. P.; Kanatzidis, M. G., *Chem. Commun.* **2007**, (47), 4998-5000.
- 534) "Helical Polymer  $1/\infty[P_2Se_6^{2-}]$ : Strong Second Harmonic Generation Response and Phase-Change Properties of Its K And Rb Salts", Chung, I.; Malliakas, C. D.; Jang, J. I.; Canlas, C. G.; Weliky, D. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2007**, *129* (48), 14996-15006.
- 535) "Permeable Layers with Large Windows in  $[(CH_3CH_2CH_2)_2NH_2]_5In_5Sb_6S_{19} \cdot 1.45 H_2O$ : High Ion-Exchange Capacity, Size Discrimination, and Selectivity for Cs Ions", Ding, N.; Kanatzidis, M. G., *Chem. Mater.* **2007**, *19* (16), 3867-3869.
- 536) " $Cs_4P_2Se_{10}$ : A New Compound Discovered with the Application of Solid State and High Temperature NMR", Gave, M. A.; Canlas, C. G.; Chung, I.; Iyer, R. G.; Kanatzidis, M. G.; Weliky, D. P., *J. Solid State Chem.* **2007**, *180* (10), 2877-2884.
- 537) "Wide Compositional and Structural Diversity in the System Tl/Bi/P/Q (Q = S, Se) and Observation of Vicinal P-Tl J Coupling in the Solid State", Gave, M. A.; Malliakas, C. D.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2007**, *46* (9), 3632-3644.
- 538) "New Potassium Bismuth Thiophosphates Including the Modulated  $K_{1.5}Bi_{2.5}(PS_4)_3$ ", Gave, M. A.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2007**, *46* (26), 11063-11074.
- 539) "Atomic Ordering and Gap Formation in Ag-Sb-Based Ternary Chalcogenides", Hoang, K.; Mahanti, S. D.; Salvador, J. R.; Kanatzidis, M. G., *Phys. Rev. Lett.* **2007**, *99* (15), 156403/1-156403/4.
- 540) "Nanostructured Thermoelectric Materials and High-Efficiency Power-Generation Modules", Hogan, T. P.; Downey, A.; Short, J.; D'Angelo, J.; Wu, C. I.; Quarez, E.; Androulakis, J.; Poudeu, P. F. P.; Sootsman, J. R.; Chung, D. Y.; Kanatzidis, M. G.; Mahanti, S. D.; Timm, E. J.; Schock, H.; Ren, F.; Johnson, J.; Case, E. D., *J. Electron. Mater.* **2007**, *36* (7), 704-710.
- 541) "Beyond Silica: Nonoxidic Mesostructured Materials", Kanatzidis, M. G., *Adv. Mater.* **2007**, *19* (9), 1165-1181.
- 542) "Charge Density Waves in the Square Nets of Tellurium of  $AMRETe_4$  (A = K, Na; M = Cu, Ag; RE = La, Ce)", Malliakas, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2007**, *129* (35), 10675-10677.
- 543) "Heavy-Metal-Ion Capture, Ion-Exchange, and Exceptional Acid Stability of the Open-Framework Chalcogenide  $(NH_4)_4In_{12}Se_{20}$ ", Manos, M. J.; Malliakas, C. D.; Kanatzidis, M. G., *Chem. Eur. J.* **2007**, *13* (1), 51-58.
- 544) "Quantitative Size-Dependent Structure and Strain Determination of CdSe Nanoparticles using PDF Analysis", Masadeh, A. S.; Bozin, E. S.; Farrow, C. L.; Paglia, G.; Juhas, P.; Billinge, S. J. L.; Karkamkar, A.; Kanatzidis, M. G., *Phys. Rev. B* **2007**, *76* (11), 115413/1-115413/11.

- 545) "REAu<sub>2</sub>In<sub>4</sub> (RE = La, Ce, Pr, Nd): Polyindides from Liquid Indium", Salvador, J. R.; Hoang, K.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2007**, *46* (17), 6933-6941.
- 546) "Local Structure and Influence of Bonding on the Phase-Change Behavior of the Chalcogenide Compounds K<sub>1-x</sub>Rb<sub>x</sub>Sb<sub>5</sub>S<sub>8</sub>", Wachter, J. B.; Chrissafis, K.; Petkov, V.; Malliakas, C. D.; Bilc, D.; Kyratsi, T.; Paraskevopoulos, K. M.; Mahanti, S. D.; Torbrugge, T.; Eckert, H.; Kanatzidis, M. G., *J. Solid State Chem.* **2007**, *180* (2), 420-431.
- 547) "GdCo<sub>1-x</sub>Ga<sub>3</sub>Ge: Charge Density Wave in a Ga Square Net", Zhuravleva, M. A.; Evain, M.; Petricek, V.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2007**, *129* (11), 3082-3083.
- 548) "Optimization of High Thermoelectric Figure-of-Merit in p-Type Ag<sub>1-x</sub>(Pb<sub>1-y</sub>Sn<sub>y</sub>)<sub>m</sub>Sb<sub>1-z</sub>Te<sub>m+2</sub>" Ahn, K.; Kanatzidis, M. G. in "Thermoelectric Power Generation" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 135-140.
- 549) "Nanocrystals of the Quaternary Thermoelectric Materials: AgPb<sub>m</sub>SbTe<sub>m+2</sub> (m=1-18): Phase-Segregated or Solid Solutions?", Arachchige, I. U.; Wu, J. S.; Dravid, V. P.; Kanatzidis, M. G., *Adv. Mater.* **2008**, *20* (19), 3638-3642.
- 550) "Mesoporous Compound Semiconductors from the Reaction of Metal Ions with Deltahedral [Ge<sub>9</sub>]<sup>4+</sup> Clusters", Armatas, G. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2008**, *130* (34), 11430-11436.
- 551) "High Surface Area Mesoporous Germanium from Oxidative Polymerization of the Deltahedral [Ge<sub>9</sub>]<sup>4+</sup> Cluster: Electronic Structure Modulation with Donor and Acceptor Molecules", Armatas, G. S.; Kanatzidis, M. G., *Adv. Mater.* **2008**, *20* (3), 546-550.
- 552) "Aerogels from Metal Chalcogenides and their Emerging Unique Properties", Bag, S.; Arachchige, I. U.; Kanatzidis, M. G., *J. Mater. Chem.* **2008**, *18* (31), 3628-3632.
- 553) "Importance of Solution Equilibria in the Directed Assembly of Metal Chalcogenide Mesostructures", Bag, S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2008**, *130* (26), 8366-8376.
- 554) "<sup>1/∞</sup>[ZrPSe<sub>6</sub>]: A Soluble Photoluminescent Inorganic Polymer and Strong Second Harmonic Generation Response of Its Alkali Salts", Banerjee, S.; Malliakas, C. D.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2008**, *130* (37), 12270-12272.
- 555) "AEuAsS<sub>3</sub> (A = Li, K, Rb, and Cs): New As<sup>3+</sup> Species from an Arsenic-Rich Polysulfide Flux", Bera, T. K.; Kanatzidis, M. G., *Inorg. Chem.* **2008**, *47* (16), 7068-7070.
- 556) "Soluble Direct-Band-Gap Semiconductors LiAsS<sub>2</sub> and NaAsS<sub>2</sub>: Large Electronic Structure Effects from Weak As·S Interactions and Strong Nonlinear Optical Response", Bera, T. K.; Song, J. H.; Freeman, A. J.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2008**, *47* (41), 7828-7832.
- 557) "Unconventional Superconductivity in Ba<sub>0.6</sub>K<sub>0.4</sub>Fe<sub>2</sub>As<sub>2</sub> from Inelastic Neutron Scattering", Christianson, A. D.; Goremychkin, E. A.; Osborn, R.; Rosenkranz, S.; Lumsden, M. D.;

Malliakas, C. D.; Todorov, I. S.; Claus, H.; Chung, D. Y.; Kanatzidis, M. G.; Bewley, R. I.; Guidi, T., *Nature* **2008**, *456* (7224), 930-932.

- 558) "Electrical Contact Fabrication and Measurements of Metals and Alloys to Thermoelectric Materials" D'Angelo, J. J.; Timm, E. J.; Ren, F.; Hall, B. D.; Case, E.; Schock, H.; Kanatzidis, M.; Chung, D. Y.; Hogan, T. P. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 449-455.
- 559) "Improved Resolution and Detection of P-31-T1 J-Couplings at 21 T in P-31 Magic Angle Spinning NMR Spectra of Inorganic Compounds Containing TI/Bi/P/S", Gave, M. A.; Johnson, K. M.; Kanatzidis, M. G.; Weliky, D. P., *Solid State Nucl. Magn. Reson.* **2008**, *33* (1-2), 12-15.
- 560) "Thermoelectric Properties of Nanostructured  $(\text{Pb}_{1-m}\text{Sn}_m\text{Te})_{1-x}(\text{PbS})_x$  with Pb and Sb Precipitates" Girard, S. N.; Sootsman, J. R.; Lin, C. H.; Androulakis, J.; Kanatzidis, M. G. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 101-106.
- 561) "Distortion and Charge Density Wave in the Ga Square Net Coupled to the Site Occupancy Wave in  $\text{YCo}_{0.88}\text{Ga}_3\text{Ge}$ ", Gray, D. L.; Francisco, M. C.; Kanatzidis, M. G., *Inorg. Chem.* **2008**, *47* (16), 7243-7248.
- 562) "Thermoelectric Properties of the Nanostructured  $\text{NaPb}_{18-x}\text{Sn}_x\text{MTe}_{20}$  (M=Sb, Bi) Materials" Gueguen, A.; Poudeu, P. F. P.; Pcionek, R.; Kong, H.; Uher, C.; Kanatzidis, M. G. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 349-354.
- 563) "Substitution of Bi for Sb and its Role in the Thermoelectric Properties and Nanostructuring in  $\text{Ag}_{1-x}\text{Pb}_{18}\text{MTe}_{20}$  (M=Bi, Sb) ( $x=0, 0.14, 0.3$ )", Han, M. K.; Hoang, K.; Kong, H. J.; Pcionek, R.; Uher, C.; Paraskevopoulos, K. M.; Mahanti, S. D.; Kanatzidis, M. G., *Chem. Mater.* **2008**, *20* (10), 3512-3520.
- 564) "Investigation of Thermoelectric Materials: Substitution Effect of Bi on the  $\text{Ag}_{1-x}\text{Pb}_{18}\text{MTe}_{20}$  (M=Sb, Bi) ( $x=0, 0.14, 0.3$ )" Han, M. K.; Kong, H. J.; Uher, C.; Kanatzidis, M. G. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 95-100.
- 565) "Effect of Magnetic Impurities on the Vortex Lattice Properties in  $\text{NbSe}_2$  Single Crystals", Iavarone, M.; Di Capua, R.; Karapetrov, G.; Koshelev, A. E.; Rosenmann, D.; Claus, H.; Malliakas, C. D.; Kanatzidis, M. G.; Nishizaki, T.; Kobayashi, N., *Phys. Rev. B* **2008**, *78* (17), 174518.
- 566) "Amorphous Infinite Coordination Polymer Microparticles: A New Class of Selective Hydrogen Storage Materials", Jeon, Y. M.; Armatas, G. S.; Heo, J.; Kanatzidis, M. G.; Mirkin, C. A., *Adv. Mater.* **2008**, *20* (11), 2105-2110.

- 567) "Crystal/Glass Phase Change in  $K_{1-x}Rb_xSb_5S_8$  ( $x = 0.25, 0.50, 0.75$ ) Studied Through Thermal Analysis Techniques", Kaidatzis, A.; Wachter, J. B.; Chrissafis, K.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *J. Non-Cryst. Solids* **2008**, *354* (30), 3643-3648.
- 568) "Report from the 3rd Workshop on Future Directions of Solid-State Chemistry: The Status of Solid-State Chemistry and its Impact in the Physical Sciences", Kanatzidis, M. G.; Poeppelmeier, K. R., *Prog. Solid State Chem.* **2008**, *36* (1-2), 1-133.
- 569) " $RE(AuAl_2)_nAl_2(Au_xSi_{1-x})_2$ : A New Homologous Series of Quaternary Intermetallics Grown from Aluminum Flux", Lattner, S. E.; Kanatzidis, M. G., *Inorg. Chem.* **2008**, *47* (6), 2089-2097.
- 570) "Effect of Secondary Substituent on the Physical Properties, Crystal Structures, and Nanoparticles Morphologies of (Porphyrin)  $Sn(OH)_2$ : Diversity Enabled Via Synthetic Manipulations", Lee, S. J.; Jensen, R. A.; Malliakas, C. D.; Kanatzidis, M. G.; Hupp, J. T.; Nguyen, S. T., *J. Mater. Chem.* **2008**, *18* (31), 3640-3642.
- 571) "Amphiphilic Porphyrin Nanocrystals: Morphology Tuning and Hierarchical Assembly", Lee, S. J.; Malliakas, C. D.; Kanatzidis, M. G.; Hupp, J. T.; Nguyen, S. T., *Adv. Mater.* **2008**, *20* (18), 3543-3549.
- 572) "Coexistence and Coupling of Two Distinct Charge Density Waves in  $Sm_2Te_5$ ", Malliakas, C. D.; Iavarone, M.; Fedor, J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2008**, *130* (11), 3310-3312.
- 573) "Layered Metal Sulfides: Exceptionally Selective Agents for Radioactive Strontium Removal", Manos, M. J.; Ding, N.; Kanatzidis, M. G., *Proc. Natl. Acad. Sci. U.S.A.* **2008**, *105* (10), 3696-3699.
- 574) " $[Zn(H_2O)_4][Zn_2Sn_3Se_9(MeNH_2)]$ : A Robust Open Framework Chalcogenide with a Large Nonlinear Optical Response", Manos, M. J.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *Chem. Commun.* **2008**, (8), 972-974.
- 575) "The High Temperature Elastic Moduli of Polycrystalline PbTe Measured by Resonant Ultrasound Spectroscopy", Ren, F.; Case, E. D.; Sootsman, J. R.; Kanatzidis, M. G.; Kong, H. J.; Uher, C.; Lara-Curzio, E.; Trejo, R. M., *Acta Mater.* **2008**, *56* (20), 5954-5963.
- 576) "Mechanical Characterization of PbTe-Based Thermoelectric Materials" Ren, F.; Hall, B. D.; Ni, J. E.; Case, E. D.; Sootsman, J.; Kanatzidis, M. G.; Lara-Curzio, E.; Trejo, R. M.; Timm, E. J. in "Thermoelectric Power Generation" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 121-126.
- 577) "Al Flux Synthesis of the Oxidation-Resistant Quaternary Phase  $REFe_4Al_9Si_6$  (RE = Tb, Er)", Sieve, B.; Gray, D. L.; Henning, R.; Bakas, T.; Schultz, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2008**, *20* (19), 6107-6115.
- 578) "Transport Behavior and Thermal Conductivity Reduction in the Composite System PbTe-Pb-Sb" Sootsman, J.; Kong, H.; Uher, C.; Downey, A.; D'Angelo, J. J.; Wu, C. I.; Hogan, T.;

- Caillat, T.; Kanatzidis, M. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 327-332.
- 579) "Large Enhancements in the Thermoelectric Power Factor of Bulk PbTe at High Temperature by Synergistic Nanostructuring", Sootsman, J. R.; Kong, H.; Uher, C.; D'Angelo, J. J.; Wu, C. I.; Hogan, T. P.; Caillat, T.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2008**, *47* (45), 8618-8622.
- 580) "Investigation of Cubic PbS/AgSbS<sub>2</sub> System for Thermoelectric Applications" Todorov, I.; Chung, D. Y.; Kanatzidis, M. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 107-112.
- 581) "Zintl Phase as Thermoelectric Materials: Synthesis, Structure and Properties of Yb<sub>5</sub>Al<sub>2</sub>Sb<sub>6</sub>" Todorov, I.; Chung, D. Y.; Kanatzidis, M. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 199-204.
- 582) "Mechanical Alloying Synthesis of K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub> - Type Solid Solutions" Toumpas, N.; Kyratsi, T.; Hatzikraniotis, E.; Tsiappos, A.; Pavlidou, E.; Paraskevopoulos, K. M.; Chung, D. Y.; Kanatzidis, M. G. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 83-88.
- 583) "Straightforward Route to the Adamantane Clusters [Sn<sub>4</sub>Q<sub>10</sub>]<sup>4+</sup> (Q = S, Se, Te) and Use in the Assembly of Open-Framework Chalcogenides (Me<sub>4</sub>N)<sub>2</sub>M[Sn<sub>4</sub>Se<sub>10</sub>] (M = Mn-II, Fe-II, Co-II, Zn-II) Including the First Telluride Member (Me<sub>4</sub>N)<sub>2</sub>Mn[Ge<sub>4</sub>Te<sub>10</sub>]", Tsamourtzi, K.; Song, J. H.; Bakas, T.; Freeman, A. J.; Trikalitis, P. N.; Kanatzidis, M. G., *Inorg. Chem.* **2008**, *47* (24), 11920-11929.
- 584) "Study on the Fabrication and Characterization of LAST and LASTT Based Thermoelectric Generators" Wu, C.; Timm, E. J.; Ren, F.; Hall, B. D.; Ni, J.; Downey, A.; D'Angelo, J.; Short, J.; Schock, H.; Case, E.; Sootsman, J.; Han, M.; Kanatzidis, M.; Chung, D.; Hogan, T. P. in "*Thermoelectric Power Generation*" Hogan, T. P.; Yang, J.; Funahashi, R.; Tritt, T. M., Eds. *Materials Research Society Symposium Proceedings* **2008**, *1044*, 441-447.
- 585) "Synthesis, Magnetism and Electronic Structure of YbNi<sub>2-x</sub>Fe<sub>x</sub>Al<sub>8</sub> (x=0.91) Isolated from Al Flux", Wu, X.; Francisco, M.; Rak, Z.; Bakas, T.; Mahanti, S. D.; Kanatzidis, M. G., *J. Solid State Chem.* **2008**, *181* (12), 3269-3277.
- 586) "First-Principles Study of the Electronic, Optical, and Lattice Vibrational Properties of AgSbTe<sub>2</sub>", Ye, L. H.; Hoang, K.; Freeman, A. J.; Mahanti, S. D.; He, J.; Tritt, T. M.; Kanatzidis, M. G., *Phys. Rev. B* **2008**, *77* (24), 245203.
- 587) "Polygallide RE<sub>2</sub>MGa<sub>9</sub>Ge<sub>2</sub> (RE = Ce, Sm; M = Ni, Co) Phases Grown in Molten Gallium", Zhuravleva, M. A.; Kanatzidis, M. G., *Inorg. Chem.* **2008**, *47* (20), 9471-9477.

- 588) "The Effect on Thermoelectric Properties of Cd Substitution in PbTe" Ahn, K.; Han, M. K.; Vermeulen, D.; Moses, S.; Uher, C.; Kanatzidis, M. G. in "*Materials and Devices for Thermal-to-Electric Energy Conversion*" Yang, J.; Nolas, G. S.; Koumoto, K.; Grin, Y., Eds. *Materials Research Society Symposium Proceedings* **2009**, 1166, 177-182.
- 589) "Improvement in the Thermoelectric Figure of Merit by La/Ag Cosubstitution in PbTe", Ahn, K.; Li, C. P.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **2009**, 21 (7), 1361-1367.
- 590) "Magnetic Behavior and Coulomb-Lattice-Gas Ordering of Mn<sup>2+</sup> and Sn<sup>4+</sup> Ions in K<sub>2</sub>MnSnS<sub>4</sub> (vol B 55, 11056, 1997)", Albertelli, G. D.; Cowen, J. A.; Hoff, C. N.; Kaplan, T. A.; Mahanti, S. D.; Liao, J. H.; Kanatzidis, M. G., *Phys. Rev. B* **2009**, 79 (5), 059902.
- 591) "Anomalous Band Gap Evolution from Band Inversion in Pb<sub>1-x</sub>Sn<sub>x</sub>Te Nanocrystals", Arachchige, I. U.; Kanatzidis, M. G., *Nano Lett.* **2009**, 9 (4), 1583-1587.
- 592) "Mesoporous Germanium-Rich Chalcogenido Frameworks with Highly Polarizable Surfaces and Relevance to Gas Separation", Armatas, G. S.; Kanatzidis, M. G., *Nat. Mater.* **2009**, 8 (3), 217-222.
- 593) "Spongy Chalcogels of Non-Platinum Metals Act as Effective Hydrodesulphurization Catalysts", Bag, S.; Gaudette, A. F.; Bussell, M. E.; Kanatzidis, M. G., *Nat. Chem.* **2009**, 1 (3), 217-224.
- 594) "Strong Second Harmonic Generation from the Tantalum Thioarsenates A<sub>3</sub>Ta<sub>2</sub>AsS<sub>11</sub> (A = K and Rb)", Bera, T. K.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, 131 (1), 75-77.
- 595) "Flexible Polar Nanowires of Cs<sub>5</sub>BiP<sub>4</sub>Se<sub>12</sub> from Weak Interactions between Coordination Complexes: Strong Nonlinear Optical Second Harmonic Generation", Chung, I.; Song, J. H.; Jang, J. I.; Freeman, A. J.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, 131 (7), 2647-2656.
- 596) "The Tellurophosphate K<sub>4</sub>P<sub>8</sub>Te<sub>4</sub>: Phase-Change Properties, Exfoliation, Photoluminescence in Solution and Nanospheres", Chung, I.; Song, J. H.; Kim, M. G.; Malliakas, C. D.; Karst, A. L.; Freeman, A. J.; Weliky, D. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, 131 (44), 16303-16312.
- 597) "Analysis of Nanostructuring in High Figure-of-Merit Ag<sub>1-x</sub>Pb<sub>m</sub>SbTe<sub>2+m</sub> Thermoelectric Materials", Cook, B. A.; Kramer, M. J.; Haringa, J. L.; Han, M. K.; Chung, D. Y.; Kanatzidis, M. G., *Adv. Funct. Mater.* **2009**, 19 (8), 1254-1259.
- 598) "Selective Bifunctional Modification of a Non-catenated Metal-Organic Framework Material via "Click" Chemistry", Gadzikwa, T.; Farha, O. K.; Malliakas, C. D.; Kanatzidis, M. G.; Hupp, J. T.; Nguyen, S. T., *J. Am. Chem. Soc.* **2009**, 131 (38), 13613-13615.
- 599) "Investigation of Solid-State Immiscibility and Thermoelectric Properties of the System PbTe-PbS" Girard, S. N.; He, J. Q.; Dravid, V. P.; Kanatzidis, M. G. in "*Materials and*

*Devices for Thermal-to-Electric Energy Conversion"* Yang, J.; Nolas, G. S.; Koumoto, K.; Grin, Y., Eds. *Materials Research Society Symposium Proceedings* **2009**, 1166, 59-64.

- 600) "Thermoelectric Properties and Nanostructuring in the p-Type Materials  $\text{NaPb}_{18-x}\text{Sn}_x\text{MTe}_{20}$  (M = Sb, Bi)", Gueguen, A.; Poudeu, P. F. P.; Li, C. P.; Moses, S.; Uher, C.; He, J. Q.; Dravid, V.; Paraskevopoulos, K. A.; Kanatzidis, M. G., *Chem. Mater.* **2009**, 21 (8), 1683-1694.
- 601) "Influence of Magnetism on Phonons in  $\text{CaFe}_2\text{As}_2$  as Seen Via Inelastic x-Ray Scattering", Hahn, S. E.; Lee, Y.; Ni, N.; Canfield, P. C.; Goldman, A. I.; McQueeney, R. J.; Harmon, B. N.; Alatas, A.; Leu, B. M.; Alp, E. E.; Chung, D. Y.; Todorov, I. S.; Kanatzidis, M. G., *Phys. Rev. B* **2009**, 79 (22), 220511.
- 602) "Characterization of PbTe-Based Thermoelectric Materials by Scanning/Transmission Electron Microscopy (S/TEM)", He, J. Q.; Girard, S.; Sootsman, J. R.; Kanatzidis, M. G.; Dravid, V. P., *Microsc. Microanal.* **2009**, 15, 1400-1401.
- 603) "Role of Self-Organization, Nanostructuring, and Lattice Strain on Phonon Transport in  $\text{NaPb}_{18-x}\text{Sn}_x\text{BiTe}_{20}$  Thermoelectric Materials", He, J. Q.; Gueguen, A.; Sootsman, J. R.; Zheng, J. C.; Wu, L. J.; Zhu, Y. M.; Kanatzidis, M. G.; Dravid, V. P., *J. Am. Chem. Soc.* **2009**, 131 (49), 17828-17835.
- 604) "Role of K/Bi Disorder in the Electronic Structure of  $\beta\text{-K}_2\text{Bi}_8\text{Se}_{13}$ ", Hoang, K.; Tomic, A.; Mahanti, S. D.; Kyratsi, T.; Chung, D. Y.; Tessmer, S. H.; Kanatzidis, M. G., *Phys. Rev. B* **2009**, 80 (12), 125112.
- 605) "Troger's-Base-Derived Infinite Co-ordination Polymer Microparticles", Jeon, Y. M.; Armatas, G. S.; Kim, D.; Kanatzidis, M. G.; Mirkin, C. A., *Small* **2009**, 5 (1), 46-50.
- 606) "Low-Temperature Solution-Processed Amorphous Indium Tin Oxide Field-Effect Transistors", Kim, H. S.; Kim, M. G.; Ha, Y. Q.; Kanatzidis, M. G.; Marks, T. J.; Facchetti, A., *J. Am. Chem. Soc.* **2009**, 131 (31), 10826-10827.
- 607) "Synthetic Conditions and their Doping Effect on  $\beta\text{-K}_2\text{Bi}_8\text{Se}_{13}$ ", Kyratsi, T.; Kika, I.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Chrissafis, K.; Kanatzidis, M. G., *J. Alloys Compd.* **2009**, 474 (1-2), 351-357.
- 608) " $\text{R}_3\text{Au}_{6+x}\text{Al}_{26}\text{T}$  (R = Ca, Sr, Eu, Yb; T = Early Transition Metal): a Large Family of Compounds with a Stuffed  $\text{BaHg}_{11}$  Structure Type Grown from Aluminum Flux", Lattner, S. E.; Bilec, D.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, 48 (4), 1346-1355.
- 609) "Electronic Inhomogeneity and Ag:Sb Imbalance of  $\text{Ag}_{1-y}\text{Pb}_{18}\text{Sb}_{1+z}\text{Te}_{20}$  High-Performance Thermoelectrics Elucidated by  $^{125}\text{Te}$  and  $^{207}\text{Pb}$  NMR", Levin, E. M.; Cook, B. A.; Ahn, K.; Kanatzidis, M. G.; Schmidt-Rohr, K., *Phys. Rev. B* **2009**, 80 (11), 115211.
- 610) "Phase Separation and Nanostructuring in the Thermoelectric Material  $\text{PbTe}_{1-x}\text{S}_x$  Studied Using the Atomic Pair Distribution Function Technique", Lin, H.; Bozin, E. S.; Billinge, S. J.

- L.; Androulakis, J.; Malliakas, C. D.; Lin, C. H.; Kanatzidis, M. G., *Phys. Rev. B* **2009**, *80* (4), 045204.
- 611) "A Double Charge Density Wave in the Single Tellurium Square Net in  $\text{Cu}_{0.63}\text{EuTe}_2$ ", Malliakas, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, *131* (20), 6896-6897.
- 612) "Use of Hydrazine in the Hydrothermal Synthesis of Chalcogenides: the Neutral Framework Material  $[\text{Mn}_2\text{SnS}_4(\text{N}_2\text{H}_4)_2]$ ", Manos, M. J.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, *48* (11), 4658-4660.
- 613) "Highly Efficient and Rapid  $\text{Cs}^+$  Uptake by the Layered Metal Sulfide  $\text{K}_{2x}\text{Mn}_x\text{Sn}_{3-x}\text{S}_6$  (KMS-1)", Manos, M. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, *131* (18), 6599-6607.
- 614) "Sequestration of Heavy Metals from Water with Layered Metal Sulfides", Manos, M. J.; Kanatzidis, M. G., *Chem. Eur. J.* **2009**, *15* (19), 4779-4784.
- 615) " $\text{H}_{2x}\text{Mn}_x\text{Sn}_{3-x}\text{S}_6$  ( $x = 0.11-0.25$ ): A Novel Reusable Sorbent for Highly Specific Mercury Capture Under Extreme pH Conditions", Manos, M. J.; Petkov, V. G.; Kanatzidis, M. G., *Adv. Funct. Mater.* **2009**, *19* (7), 1087-1092.
- 616) "Three-Dimensional Frameworks of Cubic  $(\text{NH}_4)_5\text{Ga}_4\text{SbS}_{10}$ ,  $(\text{NH}_4)_4\text{Ga}_4\text{SbS}_9(\text{OH})\cdot\text{H}_2\text{O}$ , and  $(\text{NH}_4)_3\text{Ga}_4\text{SbS}_9(\text{OH}_2)\cdot 2\text{H}_2\text{O}$ ", Mertz, J. L.; Ding, N.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, *48* (23), 10898-10900.
- 617) "Temperature-Dependent Elastic Moduli of Lead Telluride-Based Thermoelectric Materials", Ren, F.; Case, E. D.; Ni, J. E.; Timm, E. J.; Lara-Curzio, E.; Trejo, R. M.; Lin, C. H.; Kanatzidis, M. G., *Philos. Mag.* **2009**, *89* (2), 143-167.
- 618) "Hydrated Alkali Metal and Ammonium Salts of the  $[\text{P}_2\text{Se}_6]^{4-}$  Anion", Rothenberger, A.; Malliakas, C. D.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2009**, *635* (9-10), 1374-1379.
- 619) "Soft-Hard Acid-Base Interactions: Probing Coordination Preferences of Sulfur and Selenium in Mixed Chalcophosphates in the Family  $\text{APbPS}_{4-x}\text{Se}_x$  ( $A = \text{K, Rb, Cs}; x=0-4$ )", Rothenberger, A.; Morris, C.; Wang, H. H.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, *48* (18), 9036-9040.
- 620) "First-Principles Prediction of an Enhanced Optical Second-Harmonic Susceptibility of Low-Dimensional Alkali-Metal Chalcogenides", Song, J. H.; Freeman, A. J.; Bera, T. K.; Chung, I.; Kanatzidis, M. G., *Phys. Rev. B* **2009**, *79* (24), 245203.
- 621) "New and Old Concepts in Thermoelectric Materials", Sootsman, J. R.; Chung, D. Y.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2009**, *48* (46), 8616-8639.
- 622) "High Thermoelectric Figure of Merit and Improved Mechanical Properties in Melt Quenched  $\text{PbTe-Ge}$  and  $\text{PbTeGe}_{1-x}\text{Si}_x$  Eutectic and Hypereutectic Composites", Sootsman, J. R.; He, J. Q.; Dravid, V. P.; Li, C. P.; Uher, C.; Kanatzidis, M. G., *J. Appl. Phys.* **2009**, *105* (8), 083718.



- 623) "Understanding Electrical Transport and the Large Power Factor Enhancements in Co-Nanostructured PbTe" Sootsman, J. R.; Jovicic, V.; Jaworski, C. M.; Heremans, J. P.; He, J. Q.; Dravid, V. P.; Kanatzidis, M. G. in "*Materials and Devices for Thermal-to-Electric Energy Conversion*" Yang, J.; Nolas, G. S.; Koumoto, K.; Grin, Y., Eds. *Materials Research Society Symposium Proceedings* **2009**, 1166, 77-82.
- 624) "CaFe<sub>4</sub>As<sub>3</sub>: A Metallic Iron Arsenide with Anisotropic Magnetic and Charge Transport Properties (vol 131, pg 5405, 2009)", Todorov, I.; Chung, D. Y.; Malliakas, C. D.; Li, Q.; Bakas, T.; Douvalis, A.; Trimarchi, G.; Gray, K.; Mitchell, J. F.; Freeman, A. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, 131 (48), 17719-17719.
- 625) "Synthesis, Structure and Charge Transport Properties of Yb<sub>5</sub>A<sub>12</sub>Sb<sub>6</sub>: A Zintl Phase with Incomplete Electron Transfer", Todorov, I.; Chung, D. Y.; Ye, L. H.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, 48 (11), 4768-4776.
- 626) "Scanning Tunneling Microscopy Study of the CeTe<sub>3</sub> Charge Density Wave", Tomic, A.; Rak, Z.; Veazey, J. P.; Malliakas, C. D.; Mahanti, S. D.; Kanatzidis, M. G.; Tessmer, S. H., *Phys. Rev. B* **2009**, 79 (8), 085422.
- 627) "Chalcogenide Chemistry in Ionic Liquids: Nonlinear Optical Wave-Mixing Properties of the Double-Cubane Compound [Sb<sub>7</sub>S<sub>8</sub>Br<sub>2</sub>](AlCl<sub>4</sub>)<sub>3</sub>", Zhang, Q.; Chung, I.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2009**, 131 (29), 9896-9897.
- 628) "Activation of Tellurium with Zintl Ions: 1/∞{[Ge<sub>5</sub>Te<sub>10</sub>]<sup>4-</sup>}, An Inorganic Polymer with Germanium in Three Different Oxidation States", Zhang, Q. C.; Armatas, G.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, 48 (18), 8665-8667.
- 629) "A Polar and Chiral Indium Telluride Featuring Supertetrahedral T<sub>2</sub> Clusters and Nonlinear Optical Second Harmonic Generation", Zhang, Q. C.; Chung, I.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *Chem. Mater.* **2009**, 21 (1), 12-14.
- 630) "[Ga(en)<sub>3</sub>]<sub>2</sub>(Ge<sub>2</sub>Te<sub>15</sub>)<sub>n</sub>: A Polymeric Semiconducting Polytelluride with Boat-Shaped Te<sub>8</sub><sup>4-</sup> Rings and Cross Shaped Te<sub>5</sub><sup>6-</sup> Units", Zhang, Q. C.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2009**, 48 (23), 10910-10912.
- 631) "Exploring Resonance Levels and Nanostructuring in the PbTe-CdTe System and Enhancement of the Thermoelectric Figure of Merit", Ahn, K.; Han, M. K.; He, J. Q.; Androulakis, J.; Ballikaya, S.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, 132 (14), 5227-5235.
- 632) "Thermoelectric Properties of the Compounds APb<sub>m</sub>LaTe<sub>m+2</sub>", Ahn, K.; Li, C. P.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **2010**, 22 (3), 876-882.
- 633) "Thermoelectric Enhancement in PbTe with K or Na Codoping from Tuning the Interaction of the Light- and Heavy-Hole Valence Bands", Androulakis, J.; Todorov, I.; Chung, D. Y.; Ballikaya, S.; Wang, G. Y.; Uher, C.; Kanatzidis, M., *Phys. Rev. B* **2010**, 82 (11), 115209.

- 634) "Size Dependence in Hexagonal Mesoporous Germanium: Pore Wall Thickness versus Energy Gap and Photoluminescence", Armatas, G. S.; Kanatzidis, M. G., *Nano Lett.* **2010**, *10* (9), 3330-3336.
- 635) "Nanocasting of Ordered Mesoporous Co<sub>3</sub>O<sub>4</sub>-Based Polyoxometalate Composite Frameworks", Armatas, G. S.; Katsoulidis, A. P.; Petrakis, D. E.; Pomonis, P. J.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (20), 5739-5746.
- 636) "Chalcogels: Porous Metal-Chalcogenide Networks from Main-Group Metal Ions. Effect of Surface Polarizability on Selectivity in Gas Separation", Bag, S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (42), 14951-14959.
- 637) "Room Temperature Light Emission from the Low-Dimensional Semiconductors AZrPS<sub>6</sub> (A = K, Rb, Cs)", Banerjee, S.; Szarko, J. M.; Yuhas, B. D.; Malliakas, C. D.; Chen, L. X.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (15), 5348-5350.
- 638) "Soluble Semiconductors AAsSe<sub>2</sub> (A = Li, Na) with a Direct-Band-Gap and Strong Second Harmonic Generation: A Combined Experimental and Theoretical Study", Bera, T. K.; Jang, J. I.; Song, J. H.; Malliakas, C. D.; Freeman, A. J.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (10), 3484-3495.
- 639) "Synthesis in Ionic Liquids: [Bi<sub>2</sub>Te<sub>2</sub>Br](AlCl<sub>4</sub>), a Direct Gap Semiconductor with a Cationic Framework", Biswas, K.; Zhang, Q. C.; Chung, I.; Song, J. H.; Androulakis, J.; Freeman, A. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (42), 14760-14762.
- 640) "Entropically Stabilized Local Dipole Formation in Lead Chalcogenides", Bozin, E. S.; Malliakas, C. D.; Souvatzis, P.; Proffen, T.; Spaldin, N. A.; Kanatzidis, M. G.; Billinge, S. J. L., *Science* **2010**, *330* (6011), 1660-1663.
- 641) "[P<sub>3</sub>Se<sub>7</sub>]<sup>3-</sup>: A Phosphorus-Rich Square-Ring Selenophosphate", Chung, I.; Holmes, D.; Weliky, D. P.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (7), 3092-3094.
- 642) "Strongly Nonlinear Optical Glass Fibers from Noncentrosymmetric Phase-Change Chalcogenide Materials", Chung, I.; Jang, J. I.; Malliakas, C. D.; Ketterson, J. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (1), 384-389.
- 643) "Innovative Highly Selective Removal of Cesium and Strontium Utilizing a Newly Developed Class of Inorganic Ion Specific Media" Denton, M. S.; Kanatzidis, M. G.; Asme in "Proceedings of the 12th International Conference on Environmental Remediation and Radioactive Waste Management 2009" **2010**, *2*, 249-262.
- 644) "Metal Inorganic Frameworks: Dynamic Flexible Architecture with Extended Pore Order Built from [Se<sub>3</sub>]<sup>2-</sup> Linkers and [Re<sub>6</sub>Se<sub>6</sub>Br<sub>8</sub>]<sup>2-</sup> Clusters", Ding, N.; Armatas, G. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (19), 6728-6734.
- 645) "Selective Incarceration of Caesium Ions by Venus Flytrap Action of a Flexible Framework Sulfide", Ding, N.; Kanatzidis, M. G., *Nat. Chem.* **2010**, *2* (3), 187-191.

- 646) "Control over Catenation in Metal-Organic Frameworks via Rational Design of the Organic Building Block", Farha, O. K.; Malliakas, C. D.; Kanatzidis, M. G.; Hupp, J. T., *J. Am. Chem. Soc.* **2010**, *132* (3), 950-952.
- 647) "De Novo Synthesis of a Metal-Organic Framework Material Featuring Ultrahigh Surface Area and Gas Storage Capacities", Farha, O. K.; Yazaydin, A. O.; Eryazici, I.; Malliakas, C. D.; Hauser, B. G.; Kanatzidis, M. G.; Nguyen, S. T.; Snurr, R. Q.; Hupp, J. T., *Nat. Chem.* **2010**, *2* (11), 944-948.
- 648) "Development and Loss of Ferromagnetism Controlled by the Interplay of Ge Concentration and Mn Vacancies in Structurally Modulated  $Y_4Mn_{1-x}Ga_{12-y}Ge_y$ ", Francisco, M. C.; Malliakas, C. D.; Piccoli, P. M. B.; Gutmann, M. J.; Schultz, A. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2010**, *132* (26), 8998-9006.
- 649) "In Situ Nanostructure Generation and Evolution within a Bulk Thermoelectric Material to Reduce Lattice Thermal Conductivity", Girard, S. N.; He, J. Q.; Li, C. P.; Moses, S.; Wang, G. Y.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *Nano Lett.* **2010**, *10* (8), 2825-2831.
- 650) "Microstructure-Lattice Thermal Conductivity Correlation in Nanostructured  $PbTe_{0.7}S_{0.3}$  Thermoelectric Materials", He, J. Q.; Girard, S. N.; Kanatzidis, M. G.; Dravid, V. P., *Adv. Funct. Mater.* **2010**, *20* (5), 764-772.
- 651) "On the Origin of Increased Phonon Scattering in Nanostructured PbTe Based Thermoelectric Materials", He, J. Q.; Sootsman, J. R.; Girard, S. N.; Zheng, J. C.; Wen, J. G.; Zhu, Y. M.; Kanatzidis, M. G.; Dravid, V. P., *J. Am. Chem. Soc.* **2010**, *132* (25), 8669-8675.
- 652) "Publisher's Note: Impurity clustering and impurity-induced bands in PbTe-, SnTe-, and GeTe-based bulk thermoelectrics (vol 81, 115106, 2010)", Hoang, K.; Mahanti, S. D.; Kanatzidis, M. G., *Phys. Rev. B* **2010**, *81* (11), 119904.
- 653) "Impurity Clustering and Impurity-Induced Bands in PbTe-, SnTe- and GeTe- Based Bulk Thermoelectrics", Hoang, K.; Mahanti, S. D.; Kanatzidis, M. G., *Phys. Rev. B* **2010**, *81* (11), 115106.
- 654) "Nanostructured Thermoelectrics: The New Paradigm?", Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (3), 648-659.
- 655) "Ordering Phenomena in Complex Chalcogenides - the Showcase of  $A_2In_{12}Q_{19}$  (A = K, Tl, NH<sub>4</sub>; Q = Se, Te) and Pseudobinary  $In_2Q_3$ ", Kienle, L.; Schlosser, M.; Manos, M. J.; Malliakas, C. D.; Duppel, V.; Reiner, C.; Deiseroth, H. J.; Kanatzidis, M. G.; Kelm, K.; Simon, A., *Eur. J. Inorg. Chem.* **2010**, (3), 367-378.
- 656) "High-Performance Solution-Processed Amorphous Zinc-Indium-Tin Oxide Thin-Film Transistors", Kim, M. G.; Kim, H. S.; Ha, Y. G.; He, J. Q.; Kanatzidis, M. G.; Facchetti, A.; Marks, T. J., *J. Am. Chem. Soc.* **2010**, *132* (30), 10352-10364.

- 657) "Structural Phase Transitions and Thermoelectric Properties of  $\text{AgPb}_{18}\text{SbTe}_{20}$  Under Compression", Kumar, R. S.; Balasubramanian, M.; Jacobsen, M.; Bommannavar, A.; Kanatzidis, M.; Yoneda, S.; Cornelius, A. L., *J. Electron. Mater.* **2010**, *39* (9), 1828-1831.
- 658) "Understanding Nanostructures in Thermoelectric Materials: An Electron Microscopy Study of  $\text{AgPb}_{18}\text{SbSe}_{20}$  Crystals", Lioutas, C. B.; Frangis, N.; Todorov, I.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (19), 5630-5635.
- 659) "Incommensurate Spin-Density Wave and Magnetic Lock-In Transition in  $\text{CaFe}_4\text{As}_3$ ", Manuel, P.; Chapon, L. C.; Todorov, I. S.; Chung, D. Y.; Castellan, J. P.; Rosenkranz, S.; Osborn, R.; Toledano, P.; Kanatzidis, M. G., *Phys. Rev. B* **2010**, *81* (18), 184402.
- 660) "Arsenic-Containing Chalcophosphate Molecular Anions", Morris, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (19), 9049-9054.
- 661) "An Interpenetrated Framework Material with Hysteretic  $\text{CO}_2$  Uptake", Mulfort, K. L.; Farha, O. K.; Malliakas, C. D.; Kanatzidis, M. G.; Hupp, J. T., *Chem. Eur. J.* **2010**, *16* (1), 276-281.
- 662) " $(\text{Ag}_2\text{TeS}_3)_2 \cdot \text{A}_2\text{S}_6$  (A=Rb, Cs): Layers of Silver Thiotellurite Intergrown with Alkali-Metal Polysulfides", Nguyen, S. L.; Jang, J. I.; Ketterson, J. B.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (20), 9098-9100.
- 663) "Room Temperature Young's Modulus, Shear Modulus, Poisson's Ratio and Hardness of  $\text{PbTe-PbS}$  Thermoelectric Materials", Ni, J. E.; Case, E. D.; Khabir, K. N.; Stewart, R. C.; Wu, C. I.; Hogan, T. P.; Timm, E. J.; Girard, S. N.; Kanatzidis, M. G., *Mater. Sci. Eng. B* **2010**, *170* (1-3), 58-66.
- 664) "Imine-Linked Microporous Polymer Organic Frameworks", Pandey, P.; Katsoulidis, A. P.; Eryazici, I.; Wu, Y. Y.; Kanatzidis, M. G.; Nguyen, S. T., *Chem. Mater.* **2010**, *22* (17), 4974-4979.
- 665) "High Figure of Merit in Nanostructured n-Type  $\text{KPb}_m\text{SbTe}_{m+2}$  Thermoelectric Materials", Poudeu, P. F. P.; Gueguen, A.; Wu, C. I.; Hogan, T.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (3), 1046-1053.
- 666) "Synthesis of Alkali Metal Indium Thiophosphates Containing the Discrete Anions  $[\text{In}(\text{PS}_4)(\text{PS}_5)_2]^{6-}$  and  $[\text{In}(\text{PS}_4)_2(\text{PS}_5)]^{6-}$ ", Rothenberger, A.; Morris, C.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (12), 5598-5602.
- 667) "Aluminosilicate Relatives: Chalcogenoaluminogermanates  $\text{Rb}_3(\text{AlQ}_2)_3(\text{GeQ}_2)_7$  (Q = S, Se)", Rothenberger, A.; Shafaei-Fallah, M.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (21), 9749-9751.
- 668) "Structural Diversity by Mixing Chalcogen Atoms in the Chalcophosphate System  $\text{K/In/P/Q}$  (Q = S, Se)", Rothenberger, A.; Wang, H. H.; Chung, D.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (3), 1144-1151.

- 669) "The New Binary Intermetallic YbGe<sub>2.83</sub>", Sebastian, C. P.; Kanatzidis, M. G., *J. Solid State Chem.* **2010**, *183* (9), 2077-2081.
- 670) "Ferromagnetic Ordering in ThSi<sub>2</sub> type CeAu<sub>0.28</sub>Ge<sub>1.72</sub>", Sebastian, C. P.; Kanatzidis, M. G., *J. Solid State Chem.* **2010**, *183* (4), 878-882.
- 671) "Indium Flux-Growth of Eu<sub>2</sub>AuGe<sub>3</sub>: A New Germanide with an AlB<sub>2</sub> Superstructure", Sebastian, C. P.; Malliakas, C. D.; Chondroudi, M.; Schellenberg, I.; Rayaprol, S.; Hoffmann, R. D.; Pottgen, R.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (20), 9574-9580.
- 672) "New Intermetallics YbAu<sub>2</sub>In<sub>4</sub> and Yb<sub>2</sub>Au<sub>3</sub>In<sub>5</sub>", Sebastian, C. P.; Salvador, J.; Martin, J. B.; Kanatzidis, M. G., *Inorg. Chem.* **2010**, *49* (22), 10468-10474.
- 673) "Microstructure and Thermoelectric Properties of Mechanically Robust PbTe-Si Eutectic Composites", Sootsman, J. R.; He, J. Q.; Dravid, V. P.; Ballikaya, S.; Vermeulen, D.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (3), 869-875.
- 674) "Selective Substitution of Cr in CaFe<sub>4</sub>As<sub>3</sub> and Its Effect on the Spin Density Wave", Todorov, I.; Chung, D. Y.; Claus, H.; Gray, K. E.; Li, Q. A.; Schleuter, J.; Bakas, T.; Douvalis, A. P.; Gutmann, M.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (17), 4996-5002.
- 675) "Topotactic Redox Chemistry of NaFeAs in Water and Air and Superconducting Behavior with Stoichiometry Change", Todorov, I.; Chung, D. Y.; Claus, H.; Malliakas, C. D.; Douvalis, A. P.; Bakas, T.; He, J. Q.; Dravid, V. P.; Kanatzidis, M. G., *Chem. Mater.* **2010**, *22* (13), 3916-3925.
- 676) "Nanostructured Thermoelectrics: Big Efficiency Gains from Small Features", Vineis, C. J.; Shakouri, A.; Majumdar, A.; Kanatzidis, M. G., *Adv. Mater.* **2010**, *22* (36), 3970-3980.
- 677) "High-Temperature Charge and Thermal Transport Properties of the n-Type Thermoelectric Material PbSe", Androulakis, J.; Chung, D. Y.; Su, X. L.; Zhang, L.; Uher, C.; Hasapis, T. C.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *Phys. Rev. B* **2011**, *84* (15), 155207.
- 678) "High-Temperature Thermoelectric Properties of n-type PbSe Doped with Ga, In, and Pb", Androulakis, J.; Lee, Y.; Todorov, I.; Chung, D. Y.; Kanatzidis, M., *Phys. Rev. B* **2011**, *83* (19), 195209.
- 679) "Dimensional Reduction: A Design Tool for New Radiation Detection Materials", Androulakis, J.; Peter, S. C.; Li, H.; Malliakas, C. D.; Peters, J. A.; Liu, Z. F.; Wessels, B. W.; Song, J. H.; Jin, H.; Freeman, A. J.; Kanatzidis, M. G., *Adv. Mater.* **2011**, *23* (36), 4163-4167.
- 680) "Thermoelectrics from Abundant Chemical Elements: High-Performance Nanostructured PbSe-PbS", Androulakis, J.; Todorov, I.; He, J. Q.; Chung, D. Y.; Dravid, V.; Kanatzidis, M., *J. Am. Chem. Soc.* **2011**, *133* (28), 10920-10927.

- 681) "Amorphous and Crystalline GeTe Nanocrystals", Arachchige, I. U.; Soriano, R.; Malliakas, C. D.; Ivanov, S. A.; Kanatzidis, M. C., *Adv. Funct. Mater.* **2011**, *21* (14), 2737-2743.
- 682) "Germanium-Based Porous Semiconductors from Molecular Zintl Anions" Armatas, G. S.; Kanatzidis, M. G. in "*Zintl Ions: Principles and Recent Developments*", Fassler, T. F., Ed. *Structure and Bonding* **2011**, *140*, 133-154.
- 683) "Magnetoelastic Coupling in the Phase Diagram of  $Ba_{1-x}K_xFe_2As_2$  as Seen via Neutron Diffraction", Avci, S.; Chmaissem, O.; Goremychkin, E. A.; Rosenkranz, S.; Castellán, J. P.; Chung, D. Y.; Todorov, I. S.; Schlueter, J. A.; Claus, H.; Kanatzidis, M. G.; Daoud-Aladine, A.; Khalyavin, D.; Osborn, R., *Phys. Rev. B* **2011**, *83* (17), 172503.
- 684) "High Thermoelectric Figure of Merit in Nanostructured p-Type PbTe-MTe (M=Ca, Ba) ", Biswas, K.; He, J. Q.; Wang, G. Y.; Lo, S. H.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *Energy Environ. Sci.* **2011**, *4* (11), 4675-4684.
- 685) "Strained Endotaxial Nanostructures with High Thermoelectric Figure of Merit", Biswas, K.; He, J. Q.; Zhang, Q. C.; Wang, G. Y.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *Nat. Chem.* **2011**, *3* (2), 160-166.
- 686) "Effect of Fermi Surface Nesting on Resonant Spin Excitations in  $Ba_{1-x}K_xFe_2As_2$ ", Castellán, J. P.; Rosenkranz, S.; Goremychkin, E. A.; Chung, D. Y.; Todorov, I. S.; Kanatzidis, M. G.; Eremin, I.; Knolle, J.; Chubukov, A. V.; Maiti, S.; Norman, M. R.; Weber, F.; Claus, H.; Guidi, T.; Bewley, R. I.; Osborn, R., *Phys. Rev. Lett.* **2011**, *107* (17), 177003.
- 687) "Yb<sub>3</sub>AuGe<sub>2</sub>In<sub>3</sub>: An Ordered Variant of the YbAuIn Structure Exhibiting Mixed-Valent Yb Behavior", Chondroudi, M.; Peter, S. C.; Malliakas, C. D.; Balasubramanian, M.; Li, Q. A.; Kanatzidis, M. G., *Inorg. Chem.* **2011**, *50* (4), 1184-1193.
- 688) "Rb<sub>4</sub>Sn<sub>5</sub>P<sub>4</sub>Se<sub>20</sub>: A Semimetallic Selenophosphate", Chung, I.; Biswas, K.; Song, J. H.; Androulakis, J.; Chondroudis, K.; Paraskevopoulos, K. M.; Freeman, A. J.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2011**, *50* (38), 8834-8838.
- 689) "Stabilization of Sn<sup>2+</sup> in K<sub>10</sub>Sn<sub>3</sub>(P<sub>2</sub>Se<sub>6</sub>)<sub>4</sub> and Cs<sub>2</sub>SnP<sub>2</sub>Se<sub>6</sub> Derived from a Basic Flux", Chung, I.; Kanatzidis, M. G., *Inorg. Chem.* **2011**, *50* (2), 412-414.
- 690) "Strongly Nonlinear Optical Chalcogenide Thin Films of APSe<sub>6</sub> (A=K, Rb) from Spin-Coating", Chung, I.; Kim, M. G.; Jang, J. I.; He, J. Q.; Ketterson, J. B.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2011**, *50* (46), 10867-10870.
- 691) "Electrical, Thermal, and Mechanical Characterization of Novel Segmented-Leg Thermoelectric Modules", D'Angelo, J.; Case, E. D.; Matchanov, N.; Wu, C. I.; Hogan, T. P.; Barnard, J.; Cauchy, C.; Hendricks, T.; Kanatzidis, M. G., *J. Electron. Mater.* **2011**, *40* (10), 2051-2062.
- 692) "High Performance Na-doped PbTe-PbS Thermoelectric Materials: Electronic Density of States Modification and Shape-Controlled Nanostructures", Girard, S. N.; He, J. Q.; Zhou, X.

- Y.; Shoemaker, D.; Jaworski, C. M.; Uher, C.; Dravid, V. P.; Heremans, J. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (41), 16588-16597.
- 693) "Anomalous Electronic Transport in Dual-Nanostructured Lead Telluride", He, J. Q.; Sootsman, J. R.; Xu, L. Q.; Girard, S. N.; Zheng, J. C.; Kanatzidis, M. G.; Dravid, V. P., *J. Am. Chem. Soc.* **2011**, *133* (23), 8786-8789.
- 694) "Candidates for Topological Insulators: Pb-Based Chalcogenide Series", Jin, H. S.; Song, J. H.; Freeman, A. J.; Kanatzidis, M. G., *Phys. Rev. B* **2011**, *83* (4), 041202.
- 695) "Nanostructures Boost the Thermoelectric Performance of PbS", Johnsen, S.; He, J. Q.; Androulakis, J.; Dravid, V. P.; Todorov, I.; Chung, D. Y.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (10), 3460-3470.
- 696) "Thallium Chalcogenides for x-Ray and gamma-Ray Detection", Johnsen, S.; Liu, Z. F.; Peters, J. A.; Song, J. H.; Nguyen, S.; Malliakas, C. D.; Jin, H.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (26), 10030-10033.
- 697) "Thallium Chalcogenide-Based Wide-Band-Gap Semiconductors: TlGaSe<sub>2</sub> for Radiation Detectors", Johnsen, S.; Liu, Z. F.; Peters, J. A.; Song, J. H.; Peter, S. C.; Malliakas, C. D.; Cho, N. K.; Jin, H. S.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Chem. Mater.* **2011**, *23* (12), 3120-3128.
- 698) "Tl<sub>2</sub>Hg<sub>3</sub>Q<sub>4</sub> (Q = S, Se, and Te): High-Density, Wide-Band-Gap Semiconductors", Johnsen, S.; Peter, S. C.; Nguyen, S. L.; Song, J. H.; Jin, H.; Freeman, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2011**, *23* (19), 4375-4383.
- 699) "Phloroglucinol Based Microporous Polymeric Organic Frameworks with -OH Functional Groups and High CO<sub>2</sub> Capture Capacity", Katsoulidis, A. P.; Kanatzidis, M. G., *Chem. Mater.* **2011**, *23* (7), 1818-1824.
- 700) "Low-Temperature Fabrication of High-Performance Metal Oxide Thin-Film Electronics via Combustion Processing", Kim, M. G.; Kanatzidis, M. G.; Facchetti, A.; Marks, T. J., *Nat. Mater.* **2011**, *10* (5), 382-388.
- 701) "Thallos Chalcogenide (Tl<sub>6</sub>I<sub>4</sub>Se) for Radiation Detection at x-Ray and gamma-Ray Energies", Liu, Z. F.; Peters, J. A.; Wessels, B. W.; Johnsen, S.; Kanatzidis, M. G., *Nucl. Inst. Meth. Phys. Res. A* **2011**, *659* (1), 333-335.
- 702) "Tl-Based Wide Gap Semiconductor Materials For x-Ray and gamma Ray Detection" Liu, Z. F.; Peters, J. A.; Zang, C.; Cho, N. K.; Wessels, B. W.; Johnsen, S.; Peter, S.; Androulakis, J.; Kanatzidis, M. G.; Song, J. H.; Jin, H.; Freeman, A. J. in "Chemical, Biological, Radiological, Nuclear, and Explosives" Fountain, A. W.; Gardner, P. J., Eds. *Proceedings of SPIE* **2011**, 8018.
- 703) "Preparation of Exfoliated Bi<sub>2</sub>Te<sub>3</sub> Thin Films" Luo, J. J.; Late, D.; Wu, I.; Biswas, K.; Kanatzidis, M.; Grayson, M. in "15th International Conference on Narrow Gap Systems"

Khodaparast, G. A.; Santos, M. B.; Stanton, C. J., Eds. *AIP Conference Proceedings* **2011**, *1416*, 135-138.

- 704) "Compression and Aggregation-Resistant Particles of Crumpled Soft Sheets", Luo, J. Y.; Jang, H. D.; Sun, T.; Xiao, L.; He, Z.; Katsoulidis, A. P.; Kanatzidis, M. G.; Gibson, J. M.; Huang, J. X., *ACS Nano* **2011**, *5* (11), 8943-8949.
- 705) "Structure and Properties of Rhombohedral CePd<sub>3</sub>Ge<sub>8</sub>: A Variant of the Cubic Parent Compound with BaHg<sub>11</sub> Structure Type", Macaluso, R. T.; Francisco, M.; Young, D. P.; Stadler, S.; Mitchell, J. F.; Geiser, U.; Hong, H. Y.; Kanatzidis, M. G., *J. Solid State Chem.* **2011**, *184* (12), 3185-3189.
- 706) "A Highly Porous Interpenetrated Metal-Organic Framework from the Use of a Novel Nanosized Organic Linker", Manos, M. J.; Markoulides, M. S.; Malliakas, C. D.; Papaefstathiou, G. S.; Chronakis, N.; Kanatzidis, M. G.; Trikalitis, P. N.; Tasiopoulos, A. J., *Inorg. Chem.* **2011**, *50* (22), 11297-11299.
- 707) "Germanium Selenophosphates: The Incommensurately Modulated  $1/\infty[\text{Ge}_{4-x}\text{P}_x\text{Se}_{12}]^{4-}$  and the Molecular  $[\text{Ge}_2\text{P}_2\text{Se}_{14}]^{6-}$ ", Morris, C. D.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2011**, *50* (20), 10241-10248.
- 708) "Selective Surfaces: High-Surface-Area Zinc Tin Sulfide Chalcogels", Oh, Y.; Bag, S.; Malliakas, C. D.; Kanatzidis, M. G., *Chem. Mater.* **2011**, *23* (9), 2447-2456.
- 709) "A 'Click-Based' Porous Organic Polymer from Tetrahedral Building Blocks", Pandey, P.; Farha, O. K.; Spokoyny, A. M.; Mirkin, C. A.; Kanatzidis, M. G.; Hupp, J. T.; Nguyen, S. T., *J. Mater. Chem.* **2011**, *21* (6), 1700-1703.
- 710) "Electronic Structure and Transport Properties of Doped PbSe", Peng, H. W.; Song, J. H.; Kanatzidis, M. G.; Freeman, A. J., *Phys. Rev. B* **2011**, *84* (12), 125207.
- 711) "Anomalous Thermal Expansion in the Square-Net Compounds RE<sub>4</sub>TGe<sub>8</sub> (RE = Yb, Gd; T = Cr-Ni, Ag)", Peter, S. C.; Chondroudi, M.; Malliakas, C. D.; Balasubramanian, M.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (35), 13840-13843.
- 712) "Crystal Structure and Properties of Yb<sub>5</sub>Ni<sub>4</sub>Ge<sub>10</sub>", Peter, S. C.; Rayaprol, S.; Francisco, M. C.; Kanatzidis, M. G., *Eur. J. Inorg. Chem.* **2011**, (26), 3963-3968.
- 713) "Technetium Dichloride: A New Binary Halide Containing Metal-Metal Multiple Bonds", Poineau, F.; Malliakas, C. D.; Weck, P. F.; Scott, B. L.; Johnstone, E. V.; Forster, P. M.; Kim, E.; Kanatzidis, M. G.; Czerwinski, K. R.; Sattelberger, A. P., *J. Am. Chem. Soc.* **2011**, *133* (23), 8814-8817.
- 714) "Ion-Exchangeable Cobalt Polysulfide Chalcogel", Shafaei-Fallah, M.; He, J. Q.; Rothenberger, A.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (5), 1200-1202.



- 715) "Extraordinary Selectivity of  $\text{CoMo}_3\text{S}_{13}$  Chalcogel for  $\text{C}_2\text{H}_6$  and  $\text{CO}_2$  Adsorption", Shafaei-Fallah, M.; Rothenberger, A.; Katsoulidis, A. P.; He, J. Q.; Malliakas, C. D.; Kanatzidis, M. G., *Adv. Mater.* **2011**, *23* (42), 4857-4860.
- 716) "Electron-Beam Activated Thermal Sputtering of Thermoelectric Materials", Wu, J. S.; He, J. Q.; Han, M. K.; Sootsman, J. R.; Girard, S.; Arachchige, I. U.; Kanatzidis, M. G.; Dravid, V. P., *J. Appl. Phys.* **2011**, *110* (4), 044325.
- 717) "Enhanced Electrocatalytic Reduction of  $\text{CO}_2$  with Ternary  $\text{Ni-Fe}_4\text{S}_4$  and  $\text{Co-Fe}_4\text{S}_4$ -Based Biomimetic Chalcogels", Yuhas, B. D.; Prasittichai, C.; Hupp, J. T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (40), 15854-15857.
- 718) "Biomimetic Multifunctional Porous Chalcogels as Solar Fuel Catalysts", Yuhas, B. D.; Smeigh, A. L.; Samuel, A. P. S.; Shim, Y.; Bag, S.; Douvalis, A. P.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (19), 7252-7255.
- 719) "High Performance Thermoelectrics from Earth-Abundant Materials: Enhanced Figure of Merit in  $\text{PbS}$  by Second Phase Nanostructures", Zhao, L. D.; Lo, S. H.; He, J. Q.; Li, H.; Biswas, K.; Androulakis, J.; Wu, C. I.; Hogan, T. P.; Chung, D. Y.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2011**, *133* (50), 20476-20487.
- 720) "Quantitative Nanostructure Characterization using Atomic Pair Distribution Functions Obtained from Laboratory Electron Microscopes", Abeykoon, M.; Malliakas, C. D.; Juhas, P.; Bozin, E. S.; Kanatzidis, M. G.; Billinge, S. J. L., *Z. Kristallogr.* **2012**, *227* (5), 248-256.
- 721) "Detection of Orbital Fluctuations Above the Structural Transition Temperature in the Iron Pnictides and Chalcogenides", Arham, H. Z.; Hunt, C. R.; Park, W. K.; Gillett, J.; Das, S. D.; Sebastian, S. E.; Xu, Z. J.; Wen, J. S.; Lin, Z. W.; Li, Q.; Gu, G.; Thaler, A.; Ran, S.; Bud'ko, S. L.; Canfield, P. C.; Chung, D. Y.; Kanatzidis, M. G.; Greene, L. H., *Phys. Rev. B* **2012**, *85* (21), 214515.
- 722) "Phase Diagram of  $\text{Ba}_{1-x}\text{K}_x\text{Fe}_2\text{As}_2$ ", Avci, S.; Chmaissem, O.; Chung, D. Y.; Rosenkranz, S.; Goremychkin, E. A.; Castellán, J. P.; Todorov, I. S.; Schlueter, J. A.; Claus, H.; Daoud-Aladine, A.; Khalyavin, D. D.; Kanatzidis, M. G.; Osborn, R., *Phys. Rev. B* **2012**, *85* (18), 184507.
- 723) "New Layered Tin(II) Thiophosphates  $\text{ASnPS}_4$  ( $A = \text{K, Rb, Cs}$ ): Synthesis, Structure, Glass Formation, and the Modulated  $\text{CsSnPS}_4$ ", Banerjee, S.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2012**, *51* (21), 11562-11573.
- 724) "Chalcogenides and Chalcogenidometalates: From Basic Research to Applications", Bensch, W.; Kanatzidis, M., *Z. Anorg. Allg. Chem.* **2012**, *638* (15), 2384-2385.
- 725) " $\text{Na}_2\text{EuAs}_2\text{S}_5$ ,  $\text{NaEuAsS}_4$ , and  $\text{Na}_4\text{Eu}(\text{AsS}_4)_2$ : Controlling the Valency of Arsenic in Polysulfide Fluxes", Bera, T. K.; Kanatzidis, M. G., *Inorg. Chem.* **2012**, *51* (7), 4293-4299.

- 726) "Corrigendum: High-Performance Bulk Thermoelectrics with All-Scale Hierarchical Architectures (vol 489, pg 414, 2012)", Biswas, K.; He, J. Q.; Blum, I. D.; Chun, I.; Hogan, T. P.; Seidman, D. N.; Dravid, V. P.; Kanatzidis, M. G., *Nature* **2012**, 490 (7421), 570.
- 727) "High-Performance Bulk Thermoelectrics with All-Scale Hierarchical Architectures", Biswas, K.; He, J. Q.; Blum, I. D.; Wu, C. I.; Hogan, T. P.; Seidman, D. N.; Dravid, V. P.; Kanatzidis, M. G., *Nature* **2012**, 489 (7416), 414-418.
- 728) "Tellurium-Free Thermoelectric: The Anisotropic n-Type Semiconductor Bi<sub>2</sub>S<sub>3</sub>", Biswas, K.; Zhao, L. D.; Kanatzidis, M. G., *Adv. Eng. Mater.* **2012**, 2 (6), 634-638.
- 729) "Dopant Distributions in PbTe-Based Thermoelectric Materials", Blum, I. D.; Isheim, D.; Seidman, D. N.; He, J. Q.; Androulakis, J.; Biswas, K.; Dravid, V. P.; Kanatzidis, M. G., *J. Electron. Mater.* **2012**, 41 (6), 1583-1588.
- 730) "Photoluminescent Properties of Semiconducting Tl<sub>6</sub>I<sub>4</sub>Se", Cho, N. K.; Peters, J. A.; Liu, Z.; Wessels, B. W.; Johnsen, S.; Kanatzidis, M. G.; Song, J. H.; Jin, H.; Freeman, A., *Semicond. Sci. Technol.* **2012**, 27 (1), 015016.
- 731) "Sb and Se Substitution in CsBi<sub>4</sub>Te<sub>6</sub>: The Semiconductors CsM<sub>4</sub>Q<sub>6</sub> (M = Bi, Sb; Q = Te, Se), Cs<sub>2</sub>Bi<sub>10</sub>Q<sub>15</sub>, and CsBi<sub>5</sub>Q<sub>8</sub>", Chung, D. Y.; Uher, C.; Kanatzidis, M. G., *Chem. Mater.* **2012**, 24 (10), 1854-1863.
- 732) "All-Solid-State Dye-Sensitized Solar Cells with High Efficiency", Chung, I.; Lee, B.; He, J. Q.; Chang, R. P. H.; Kanatzidis, M. G., *Nature* **2012**, 485 (7399), 486-494.
- 733) "CsSnI<sub>3</sub>: Semiconductor or Metal? High Electrical Conductivity and Strong Near-Infrared Photoluminescence from a Single Material. High Hole Mobility and Phase-Transitions", Chung, I.; Song, J. H.; Im, J.; Androulakis, J.; Malliakas, C. D.; Li, H.; Freeman, A. J.; Kenney, J. T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, 134 (20), 8579-8587.
- 734) "Na<sub>2</sub>Ge<sub>2</sub>Se<sub>5</sub>: A Highly Nonlinear Optical Material", Chung, I.; Song, J. H.; Jang, J. I.; Freeman, A. J.; Kanatzidis, M. G., *J. Solid State Chem.* **2012**, 195, 161-165.
- 735) "Phase-Change Materials Exhibiting Tristability: Interconverting Forms of Crystalline  $\alpha$ -,  $\beta$ -, and Glassy K<sub>2</sub>ZnSn<sub>3</sub>S<sub>8</sub>", Fard, Z. H.; Kanatzidis, M. G., *Inorg. Chem.* **2012**, 51 (15), 7963-7965.
- 736) "Structures and Phase Transitions of CePd<sub>3+x</sub>Ga<sub>8-x</sub>: New Variants of the BaHg<sub>11</sub> Structure Type", Francisco, M. C.; Malliakas, C. D.; Macaluso, R. T.; Prestigiacomo, J.; Haldolaarachchige, N.; Adams, P. W.; Young, D. P.; Jia, Y.; Claus, H.; Gray, K. E.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, 134 (31), 12998-13009.
- 737) "PbTe-PbSnS<sub>2</sub> Thermoelectric Composites: Low Lattice Thermal Conductivity from Large Microstructures", Girard, S. N.; Chasapis, T. C.; He, J. Q.; Zhou, X. Y.; Hatzikraniotis, E.; Uher, C.; Paraskevopoulos, K. M.; Dravid, V. P.; Kanatzidis, M. G., *Energy Environ. Sci.* **2012**, 5 (9), 8716-8725.

- 738) "Lead-Free Thermoelectrics: High Figure of Merit in p-Type  $\text{AgSn}_m\text{SbTe}_{m+2}$ ", Han, M. K.; Androulakis, J.; Kim, S. J.; Kanatzidis, M. G., *Adv. Eng. Mater.* **2012**, 2 (1), 157-161.
- 739) "Increase in the Figure of Merit by Cd-Substitution in  $\text{Sn}_{1-x}\text{Pb}_x\text{Te}$  and Effect of Pb/Sn Ratio on Thermoelectric Properties", Han, M. K.; Zhou, X. Y.; Uher, C.; Kim, S. J.; Kanatzidis, M. G., *Adv. Eng. Mater.* **2012**, 2 (10), 1218-1225.
- 740) "Structural Dynamics of Two-Dimensional Charge-Density Waves in  $\text{CeTe}_3$  Investigated By Ultrafast Electron Crystallography", Han, T. R. T.; Tao, Z. S.; Mahanti, S. D.; Chang, K.; Ruan, C. Y.; Malliakas, C. D.; Kanatzidis, M. G., *Phys. Rev. B* **2012**, 86 (7), 075145.
- 741) "Frequency Dependent Electron Damping in n-Type PbSe" Hasapis, T. C.; Androulakis, J.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Kanatzidis, M. G. in "9th European Conference on Thermoelectrics" Paraskevopoulos, K. M.; Hatzikraniotis, E., Eds. *AIP Conference Proceedings* **2012**, 1449, 155-158.
- 742) "On the Study of PbTe-Based Nanocomposite Thermoelectric Materials", Hasapis, T. C.; Girard, S. N.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *J. Nano. Res.* **2012**, 17, 165-174.
- 743) "Seeing Is Believing: Weak Phonon Scattering from Nanostructures in Alkali Metal-Doped Lead Telluride", He, J. Q.; Androulakis, J.; Kanatzidis, M. G.; Dravid, V. P., *Nano Lett.* **2012**, 12 (1), 343-347.
- 744) "Morphology Control of Nanostructures: Na-Doped PbTe-PbS System", He, J. Q.; Blum, I. D.; Wang, H. Q.; Girard, S. N.; Doak, J.; Zhao, L. D.; Zheng, J. C.; Casillas, G.; Wolverton, C.; Jose-Yacaman, M.; Seidman, D. N.; Kanatzidis, M. G.; Dravid, V. P., *Nano Lett.* **2012**, 12 (11), 5979-5984.
- 745) "Strong Phonon Scattering by Layer Structured  $\text{PbSn}_2$  in PbTe Based Thermoelectric Materials", He, J. Q.; Girard, S. N.; Zheng, J. C.; Zhao, L. D.; Kanatzidis, M. G.; Dravid, V. P., *Adv. Mater.* **2012**, 24 (32), 4440-4444.
- 746) "Exploratory Combustion Synthesis: Amorphous Indium Yttrium Oxide for Thin-Film Transistors", Hennek, J. W.; Kim, M. G.; Kanatzidis, M. G.; Facchetti, A.; Marks, T. J., *J. Am. Chem. Soc.* **2012**, 134 (23), 9593-9596.
- 747) "Formation of Native Defects in the  $\gamma$ -Ray Detector Material  $\text{Cs}_2\text{Hg}_6\text{S}_7$ ", Im, J.; Jin, H.; Li, H.; Peters, J. A.; Liu, Z. F.; Wessels, B. W.; Kanatzidis, M. G.; Freeman, A. J., *Appl. Phys. Lett.* **2012**, 101 (20), 202103.
- 748) "Lattice Dynamics Reveals a Local Symmetry Breaking in the Emergent Dipole Phase of PbTe", Jensen, K. M. O.; Bozin, E. S.; Malliakas, C. D.; Stone, M. B.; Lumsden, M. D.; Kanatzidis, M. G.; Shapiro, S. M.; Billinge, S. J. L., *Phys. Rev. B* **2012**, 86 (8), 085313.
- 749) "Functional Monolithic Polymeric Organic Framework Aerogel as Reducing and Hosting Media for Ag nanoparticles and Application in Capturing of Iodine Vapors", Katsoulidis, A. P.; He, J. Q.; Kanatzidis, M. G., *Chem. Mater.* **2012**, 24 (10), 1937-1943.

- 750) "Mesoporous Hydrophobic Polymeric Organic Frameworks with Bound Surfactants. Selective Adsorption of C<sub>2</sub>H<sub>6</sub> versus CH<sub>4</sub>", Katsoulidis, A. P.; Kanatzidis, M. G., *Chem. Mater.* **2012**, *24* (3), 471-479.
- 751) "Delayed Ignition of Autocatalytic Combustion Precursors: Low-Temperature Nanomaterial Binder Approach to Electronically Functional Oxide Films", Kim, M. G.; Hennek, J. W.; Kim, H. S.; Kanatzidis, M. G.; Facchetti, A.; Marks, T. J., *J. Am. Chem. Soc.* **2012**, *134* (28), 11583-11593.
- 752) "CsHgInS<sub>3</sub>: a New Quaternary Semiconductor for gamma-Ray Detection", Li, H.; Malliakas, C. D.; Liu, Z. F.; Peters, J. A.; Jin, H.; Morris, C. D.; Zhao, L. D.; Wessels, B. W.; Freeman, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2012**, *24* (22), 4434-4441.
- 753) "Crystal Growth and Characterization of the x-Ray and gamma-Ray Detector Material Cs<sub>2</sub>Hg<sub>6</sub>S<sub>7</sub>", Li, H.; Peters, J. A.; Liu, Z. F.; Sebastian, M.; Malliakas, C. D.; Androulakis, J.; Zhao, L. D.; Chung, I.; Nguyen, S. L.; Johnsen, S.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2012**, *12* (6), 3250-3256.
- 754) "Characterization of Thallium-Based Ternary Semiconductor Compounds for Radiation Detection" Liu, Z. F.; Peters, J. A.; Nguyen, S.; Sebastian, M.; Wessels, B. W.; Wang, S. C.; Jin, H.; Im, J.; Freeman, A. J.; Kanatzidis, M. G. in "*Hard X-Ray, Gamma-Ray, and Neutron Detector Physics XIV*" James, R. B.; Burger, A.; Franks, L. A.; Fiederle, M., Eds. *Proceedings of SPIE* **2012**, 8507.
- 755) "Phonon Scattering and Thermal Conductivity in p-Type Nanostructured PbTe-BaTe Bulk Thermoelectric Materials", Lo, S. H.; He, J. Q.; Biswas, K.; Kanatzidis, M. G.; Dravid, V. P., *Adv. Funct. Mater.* **2012**, *22* (24), 5175-5184.
- 756) "Mercury and Antimony Chalcogenide Semiconductors as New Candidates for Radiation Detection Applications at Room Temperature" Malliakas, C. D.; Wibowo, A. C.; Liu, Z.; Peters, J. A.; Sebastian, M.; Jin, H.; Chung, D. Y.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G. in "*Hard X-Ray, Gamma-Ray, and Neutron Detector Physics XIV*" James, R. B.; Burger, A.; Franks, L. A.; Fiederle, M., Eds. *Proceedings of SPIE* **2012**, 8507.
- 757) "Oxidation State of Uranium in A<sub>6</sub>Cu<sub>12</sub>U<sub>2</sub>S<sub>15</sub> (A = K, Rb, Cs) Compounds", Malliakas, C. D.; Yao, J. Y.; Wells, D. M.; Jin, G. B.; Skanthakumar, S.; Choi, E. S.; Balasubramanian, M.; Soderholm, L.; Ellis, D. E.; Kanatzidis, M. G.; Ibers, J. A., *Inorg. Chem.* **2012**, *51* (11), 6153-6163.
- 758) "Layered Metal Sulfides Capture Uranium from Seawater", Manos, M. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (39), 16441-16446.
- 759) "Molecular Germanium Selenophosphate Salts: Phase-Change Properties and Strong Second Harmonic Generation", Morris, C. D.; Chung, I.; Park, S.; Harrison, C. M.; Clark, D. J.; Jang, J. I.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (51), 20733-20744.
- 760) "Elastic Modulus, Biaxial Fracture Strength, Electrical and Thermal Transport Properties of Thermally Fatigued Hot Pressed LAST and LASTT Thermoelectric Materials", Morrison, A.

- Q.; Case, E. D.; Ren, F.; Baumann, A. J.; Kleinow, D. C.; Ni, J. E.; Hogan, T. P.; D'Angelo, J.; Matchanov, N. A.; Hendricks, T. J.; Karri, N. K.; Cauchy, C.; Barnard, J.; Kanatzidis, M. G., *Mater. Chem. Phys.* **2012**, *134* (2-3), 973-987.
- 761) "Bloating in  $(\text{Pb}_{0.95}\text{Sn}_{0.05}\text{Te})_{0.92}(\text{PbS})_{0.08}$ -0.055% $\text{PbI}_2$  Thermoelectric Specimens as a Result of Processing Conditions", Ni, J. E.; Case, E. D.; Stewart, R.; Wu, C. I.; Hogan, T. P.; Kanatzidis, M. G., *J. Electron. Mater.* **2012**, *41* (6), 1153-1158.
- 762) "Polysulfide Chalcogels with Ion-Exchange Properties and Highly Efficient Mercury Vapor Sorption", Oh, Y.; Morris, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (35), 14604-14608.
- 763) "Enhancement of Thermoelectric Figure of Merit by the Insertion of MgTe Nanostructures in p-Type PbTe Doped with  $\text{Na}_2\text{Te}$ ", Ohta, M.; Biswas, K.; Lo, S. H.; He, J. Q.; Chung, D. Y.; Dravid, V. P.; Kanatzidis, M. G., *Adv. Eng. Mater.* **2012**, *2* (9), 1117-1123.
- 764) "Synthesis, Characterization and Performance of Polyaniline-Polyoxometalates ( $\text{XM}_{12}$ , X = P, Si and M = Mo, W) Composites as Electrocatalysts of Bromates", Papagianni, G. G.; Stergiou, D. V.; Armatas, G. S.; Kanatzidis, M. G.; Prodromidis, M. I., *Sens. Actuators B Chem.* **2012**, *173*, 346-353.
- 765) " $\text{ThSi}_2$  Type Ytterbium Disilicide and its Analogues  $\text{YbT}_x\text{Si}_{2-x}$  (T = Cr, Fe, Co)", Peter, S. C.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2012**, *638* (2), 287-293.
- 766) "The Polygallides:  $\text{Yb}_3\text{Ga}_7\text{Ge}_3$  and  $\text{YbGa}_4\text{Ge}_2$ ", Peter, S. C.; Malliakas, C. D.; Nakotte, H.; Kothapilli, K.; Rayaprol, S.; Schultz, A. J.; Kanatzidis, M. G., *J. Solid State Chem.* **2012**, *187*, 200-207.
- 767) "Metallic  $\text{Yb}_2\text{AuGe}_3$ : An Ordered Superstructure in the  $\text{AlB}_2$ -Type Family with Mixed-Valent Yb and a High-Temperature Phase Transition", Peter, S. C.; Sarkar, S.; Kanatzidis, M. G., *Inorg. Chem.* **2012**, *51* (20), 10793-10799.
- 768) "Investigation of Defect Levels in  $\text{Cs}_2\text{Hg}_6\text{S}_7$  Single Crystals by Photoconductivity and Photoluminescence Spectroscopies", Peters, J. A.; Cho, N. K.; Liu, Z. F.; Wessels, B. W.; Li, H.; Androulakis, J.; Kanatzidis, M. G., *J. Appl. Phys.* **2012**, *112* (6), 063702.
- 769) "Selective Surfaces: Quaternary Co(Ni)MoS-Based Chalcogels with Divalent ( $\text{Pb}^{2+}$ ,  $\text{Cd}^{2+}$ ,  $\text{Pd}^{2+}$ ) and Trivalent ( $\text{Cr}^{3+}$ ,  $\text{Bi}^{3+}$ ) Metals for Gas Separation", Polychronopoulou, K.; Malliakas, C. D.; He, J. Q.; Kanatzidis, M. G., *Chem. Mater.* **2012**, *24* (17), 3380-3392.
- 770) "Tetraalkylammonium Uranyl Isothiocyanates", Rowland, C. E.; Kanatzidis, M. G.; Soderholm, L., *Inorg. Chem.* **2012**, *51* (21), 11798-11804.
- 771) " $(\text{NH}_4)\text{AgMoS}_4$ : Synthesis, Structure and Catalytic Activity", Shafaei-Fallah, M.; Malliakas, C. D.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2012**, *638* (15), 2594-2597.

- 772) "Phase Relations in  $K_xFe_{2-y}Se_2$  and the Structure of Superconducting  $K_xFe_2Se_2$  via High-Resolution Synchrotron Diffraction", Shoemaker, D. P.; Chung, D. Y.; Claus, H.; Francisco, M. C.; Avci, S.; Llobet, A.; Kanatzidis, M. G., *Phys. Rev. B* **2012**, *86* (18), 184511.
- 773) "Understanding Fluxes as Media for Directed Synthesis: In Situ Local Structure of Molten Potassium Polysulfides", Shoemaker, D. P.; Chung, D. Y.; Mitchell, J. F.; Bray, T. H.; Soderholm, L.; Chupas, P. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (22), 9456-9463.
- 774) "Cubic Form of  $Pb_{2-x}Sn_xS_2$  Stabilized through Size Reduction to the Nanoscale", Soriano, R. B.; Malliakas, C. D.; Wu, J. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (6), 3228-3233.
- 775) "Synthesis and Structural Characterization of  $Na_xSi_{136}$  ( $0 < x \leq 24$ ) Single Crystals and Low-Temperature Transport of Polycrystalline Specimens", Stefanoski, S.; Malliakas, C. D.; Kanatzidis, M. G.; Nolas, G. S., *Inorg. Chem.* **2012**, *51* (16), 8686-8692.
- 776) "Thermoelectric Properties of Pulsed Electric Current Sintered Samples of  $AgPb_mSbSe_{17}$  ( $m=16$  or  $17$ )", Wu, C. I.; Todorov, I.; Kanatzidis, M. G.; Timm, E.; Case, E. D.; Schock, H.; Hogan, T. P., *J. Electron. Mater.* **2012**, *41* (6), 1579-1582.
- 777) "'Clean Reaction' Strategy to Approach a Stable, Green Heptatwistacene Containing a Single Terminal Pyrene Unit", Xiao, J.; Malliakas, C. D.; Liu, Y.; Zhou, F.; Li, G.; Su, H.; Kanatzidis, M. G.; Wudl, F.; Zhang, Q., *Chem. Asian J.* **2012**, *7* (4), 672-675.
- 778) "Photocatalytic Hydrogen Evolution from FeMoS-Based Biomimetic Chalcogels", Yuhas, B. D.; Smeigh, A. L.; Douvalis, A. P.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (25), 10353-10356.
- 779) "Raising the Thermoelectric Performance of p-Type PbS with Endotaxial Nanostructuring and Valence-Band Offset Engineering Using CdS and ZnS", Zhao, L. D.; He, J. Q.; Hao, S. Q.; Wu, C. I.; Hogan, T. P.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (39), 16327-16336.
- 780) "Thermoelectrics with Earth Abundant Elements: High Performance p-Type PbS Nanostructured with SrS and CaS", Zhao, L. D.; He, J. Q.; Wu, C. I.; Hogan, T. P.; Zhou, X. Y.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2012**, *134* (18), 7902-7912.
- 781) "Enhanced Thermoelectric Properties of p-Type Nanostructured PbTe-MTe ( $M = Cd, Hg$ ) Materials", Ahn, K.; Biswas, K.; He, J.; Chung, I.; Dravid, V.; Kanatzidis, M. G., *Energy Environ. Sci.* **2013**, *6* (5), 1529-1537.
- 782) "Structural, Magnetic, and Superconducting Properties of  $Ba_{1-x}Na_xFe_2As_2$ ", Avci, S.; Allred, J. M.; Chmaissem, O.; Chung, D. Y.; Rosenkranz, S.; Schlueter, J. A.; Claus, H.; Daoud-Aladine, A.; Khalyavin, D. D.; Manuel, P.; Llobet, A.; Suchomel, M. R.; Kanatzidis, M. G.; Osborn, R., *Phys. Rev. B* **2013**, *88* (9), 094510.

- 783) "Synthesis, Properties, and Complex Crystal Structure of  $\text{Th}_2\text{Se}_5$ ", Bellott, B. J.; Malliakas, C. D.; Koscielski, L. A.; Kanatzidis, M. G.; Ibers, J. A., *Inorg. Chem.* **2013**, *52* (2), 944-949.
- 784) "Crystalline and Glassy Phases in the Cs/Bi/As/S System", Bera, T. K.; Iyer, R. G.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (19), 11370-11376.
- 785) "Semiconducting  $[(\text{Bi}_4\text{Te}_4\text{Br}_2)(\text{Al}_2\text{Cl}_{6-x}\text{Br}_x)]\text{Cl}_2$  and  $[\text{Bi}_2\text{Se}_2\text{Br}](\text{AlCl}_4)$ : Cationic Chalcogenide Frameworks from Lewis Acidic Ionic Liquids", Biswas, K.; Chung, I.; Song, J. H.; Malliakas, C. D.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (10), 5657-5659.
- 786) "Heat Capacity Jump at  $T_c$  and Pressure Derivatives of Superconducting Transition Temperature in the  $\text{Ba}_{1-x}\text{K}_x\text{Fe}_2\text{As}_2$  ( $0.2 \leq x \leq 1.0$ ) Series", Bud'ko, S. L.; Sturza, M.; Chung, D. Y.; Kanatzidis, M. G.; Canfield, P. C., *Phys. Rev. B* **2013**, *87* (10), 100509.
- 787) "Quaternary Aluminum Silicides Grown in Al Flux:  $\text{RE}_5\text{Mn}_4\text{Al}_{23-x}\text{Si}_x$  (RE = Ho, Er, Yb) and  $\text{Er}_{44}\text{Mn}_{55}(\text{AlSi})_{237}$ ", Calta, N. P.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (17), 9931-9940.
- 788) "Controlling Metallurgical Phase Separation Reactions of the  $\text{Ge}_{0.87}\text{Pb}_{0.13}\text{Te}$  Alloy for High Thermoelectric Performance", Gelbstein, Y.; Davidow, J.; Girard, S. N.; Chung, D. Y.; Kanatzidis, M., *Adv. Eng. Mater.* **2013**, *3* (6), 815-820.
- 789) "Analysis of Phase Separation in High Performance  $\text{PbTePbS}$  Thermoelectric Materials", Girard, S. N.; Schmidt-Rohr, K.; Chasapis, T. C.; Hatzikraniotis, E.; Njagic, B.; Levin, E. M.; Rawal, A.; Paraskevopoulos, K. M.; Kanatzidis, M. G., *Adv. Funct. Mater.* **2013**, *23* (6), 747-757.
- 790) "Superconductivity and Strong Intrinsic Defects in  $\text{LaPd}_{1-x}\text{Bi}_2$ ", Han, F.; Malliakas, C. D.; Stoumpos, C. C.; Sturza, M.; Claus, H.; Chung, D. Y.; Kanatzidis, M. G., *Phys. Rev. B* **2013**, *88* (14), 144511.
- 791) "High Performance Bulk Thermoelectrics via a Panoscopic Approach", He, J. Q.; Kanatzidis, M. G.; Dravid, V. P., *Mater. Today* **2013**, *16* (5), 166-176.
- 792) "Role of Sodium Doping in Lead Chalcogenide Thermoelectrics", He, J. Q.; Zhao, L. D.; Zheng, J. C.; Doak, J. W.; Wu, H. J.; Wang, H. Q.; Lee, Y.; Wolverton, C.; Kanatzidis, M. G.; Dravid, V. P., *J. Am. Chem. Soc.* **2013**, *135* (12), 4624-4627.
- 793) "Understanding the Role of Aqueous Solution Speciation and Its Application to the Directed Syntheses of Complex Oxidic Zr Chlorides and Sulfates", Hu, Y. J.; Knope, K. E.; Skanthakumar, S.; Kanatzidis, M. G.; Mitchell, J. F.; Soderholm, L., *J. Am. Chem. Soc.* **2013**, *135* (38), 14240-14248.
- 794) "Broadband Studies of the Strong Mid-Infrared Nonlinear Optical Responses of  $\text{KPSe}_6$ ", Jang, J. I.; Haynes, A. S.; Saouma, F. O.; Otieno, C. O.; Kanatzidis, M. G., *Optical Materials Express* **2013**, *3* (9), 1302-1312.

- 795) "K<sub>4</sub>GeP<sub>4</sub>Se<sub>12</sub>: A Case for Phase-Change Nonlinear Optical Chalcogenide", Jang, J. I.; Park, S.; Harrison, C. M.; Clark, D. J.; Morris, C. D.; Chung, I.; Kanatzidis, M. G., *Opt. Lett.* **2013**, *38* (8), 1316-1318.
- 796) "Valence-Band Structure of Highly Efficient p-Type Thermoelectric PbTe-PbS Alloys", Jaworski, C. M.; Nielsen, M. D.; Wang, H.; Girard, S. N.; Cai, W.; Porter, W. D.; Kanatzidis, M. G.; Heremans, J. P., *Phys. Rev. B* **2013**, *87* (4), 045203.
- 797) "Copolymerization of Terephthalaldehyde with Pyrrole, Indole and Carbazole Gives Microporous POFs Functionalized with Unpaired Electrons", Katsoulidis, A. P.; Dyar, S. M.; Carmieli, R.; Malliakas, C. D.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Mater. Chem. A* **2013**, *1* (35), 10465-10473.
- 798) "NMR Probe of Metallic States in Nanoscale Topological Insulators", Koumoulis, D.; Chasapis, T. C.; Taylor, R. E.; Lake, M. P.; King, D.; Jarenwattananon, N. N.; Fiete, G. A.; Kanatzidis, M. G.; Bouchard, L. S., *Phys. Rev. Lett.* **2013**, *110* (2), 026602.
- 799) "New Metal Chalcogenides Ba<sub>4</sub>CuGa<sub>5</sub>Q<sub>12</sub> (Q = S, Se) Displaying Strong Infrared Nonlinear Optical Response", Kuo, S. M.; Chang, Y. M.; Chung, I.; Jang, J. I.; Her, B. H.; Yang, S. H.; Ketterson, J. B.; Kanatzidis, M. G.; Hsu, K. F., *Chem. Mater.* **2013**, *25* (12), 2427-2433.
- 800) "High-Performance Tellurium-Free Thermoelectrics: All-Scale Hierarchical Structuring of p-Type PbSe-MSe Systems (M = Ca, Sr, Ba)", Lee, Y.; Lo, S. H.; Androulakis, J.; Wu, C. I.; Zhao, L. D.; Chung, D. Y.; Hogan, T. P.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (13), 5152-5160.
- 801) "Electronic Inhomogeneity in n- and p-Type PbTe Detected by <sup>125</sup>Te NMR", Levin, E. M.; Heremans, J. P.; Kanatzidis, M. G.; Schmidt-Rohr, K., *Phys. Rev. B* **2013**, *88* (11), 115211.
- 802) "CsCdInQ<sub>3</sub> (Q = Se, Te): New Photoconductive Compounds As Potential Materials for Hard Radiation Detection", Li, H.; Malliakas, C. D.; Peters, J. A.; Liu, Z. F.; Im, J.; Jin, H.; Morris, C. D.; Zhao, L. D.; Wessels, B. W.; Freeman, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2013**, *25* (10), 2089-2099.
- 803) "Transient Photocurrent Measurements in Alkali Chalcogenide Ternary Compound Semiconductors", Liu, Z.; Peters, J. A.; Li, H.; Kanatzidis, M. G.; Wessels, B. W., *Semicond. Sci. Technol.* **2013**, *28* (1), 015022.
- 804) "Heavy Metal Ternary Halides for Room-Temperature x-Ray and gamma-Ray Detection" Liu, Z. F.; Peters, J. A.; Stoumpos, C. C.; Sebastian, M.; Wessels, B. W.; Im, J.; Freeman, A. J.; Kanatzidis, M. G. in "Hard X-Ray, Gamma-Ray, and Neutron Detector Physics XV" Fiederle, M.; Burger, A.; Franks, L.; James, R. B., Eds. *Proceedings of SPIE* **2013**, 8852.
- 805) "Superconductivity in the Narrow-Gap Semiconductor CsBi<sub>4</sub>Te<sub>6</sub>", Malliakas, C. D.; Chung, D. Y.; Claus, H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (39), 14540-14543.
- 806) "Nb-Nb Interactions Define the Charge Density Wave Structure of 2H-NbSe<sub>2</sub>", Malliakas, C. D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (5), 1719-1722.



- 807) " $\beta$ -Technetium Dichloride: Solid-State Modulated Structure, Electronic Structure, and Physical Properties", Malliakas, C. D.; Poineau, F.; Johnstone, E. V.; Weck, P. F.; Kim, E.; Scott, B. L.; Forster, P. M.; Kanatzidis, M. G.; Czerwinski, K. R.; Sattelberger, A. P., *J. Am. Chem. Soc.* **2013**, *135* (42), 15955-15962.
- 808) "Influence of Cr doping on the magnetic structure of the FeAs-Strips Compound  $\text{CaFe}_4\text{As}_3$ : A Single-Crystal Neutron Diffraction Study", Manuel, P.; Chapon, L. C.; Trimarchi, G.; Todorov, I. S.; Chung, D. Y.; Ouladdiaf, B.; Gutmann, M. J.; Freeman, A. J.; Kanatzidis, M. G., *Phys. Rev. B* **2013**, *88* (10), 104414.
- 809) "Selective Removal of  $\text{Cs}^+$ ,  $\text{Sr}^{2+}$ , and  $\text{Ni}^{2+}$  by  $\text{K}_{2x}\text{Mg}_x\text{Sn}_{3-x}\text{S}_6$  ( $x=0.5-1$ ) (KMS-2) Relevant to Nuclear Waste Remediation", Mertz, J. L.; Fard, Z. H.; Malliakas, C. D.; Manos, M. J.; Kanatzidis, M. G., *Chem. Mater.* **2013**, *25* (10), 2116-2127.
- 810) " $\text{Cs}_2\text{M}^{\text{II}}\text{M}^{\text{IV}}\text{Q}_8$  (Q=S, Se, Te): An Extensive Family of Layered Semiconductors with Diverse Band Gaps", Morris, C. D.; Li, H.; Jin, H.; Malliakas, C. D.; Peters, J. A.; Trikalitis, P. N.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Chem. Mater.* **2013**, *25* (16), 3344-3356.
- 811) "Lattice-Matched Transition Metal Disulfide Intergrowths: The Metallic Conductors  $\text{Ag}_2\text{Te}(\text{MS}_2)_3$  (M = V, Nb)", Nguyen, S. L.; Malliakas, C. D.; Francisco, M. C.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (11), 6520-6532.
- 812) "Photoconductivity in  $\text{Tl}_6\text{SI}_4$ : A Novel Semiconductor for Hard Radiation Detection", Nguyen, S. L.; Malliakas, C. D.; Peters, J. A.; Liu, Z. F.; Im, J.; Zhao, L. D.; Sebastian, M.; Jin, H.; Li, H.; Johnsen, S.; Wessels, B. W.; Freeman, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2013**, *25* (14), 2868-2877.
- 813) "The Thermal Expansion Coefficient as a Key Design Parameter for Thermoelectric Materials and Its Relationship to Processing-Dependent Bloating", Ni, J. E.; Case, E. D.; Schmidt, R. D.; Wu, C. I.; Hogan, T. P.; Trejo, R. M.; Kirkham, M. J.; Lara-Curzio, E.; Kanatzidis, M. G., *J. Mater. Sci.* **2013**, *48* (18), 6233-6244.
- 814) "Fracture Mode, Microstructure and Temperature-Dependent Elastic Moduli for Thermoelectric Composites of  $\text{PbTe-PbS}$  with  $\text{SiC}$  Nanoparticle Additions", Ni, J. E.; Case, E. D.; Schmidt, R. D.; Wu, C. I.; Hogan, T. P.; Trejo, R. M.; Lara-Curzio, E.; Kanatzidis, M. G., *Philos. Mag.* **2013**, *93* (35), 4412-4439.
- 815) "Liquid Exfoliation of Layered Materials", Nicolosi, V.; Chhowalla, M.; Kanatzidis, M. G.; Strano, M. S.; Coleman, J. N., *Science* **2013**, *340* (6139), 1226419.
- 816) "Structure and Unusual Magnetic Properties of  $\text{YbMn}_{0.17}\text{Si}_{1.88}$ ", Peter, S. C.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (9), 4909-4915.
- 817) "Chalcogen-Based Aerogels as Sorbents for Radionuclide Remediation", Riley, B. J.; Chun, J.; Um, W.; Lepry, W. C.; Matyas, J.; Olszta, M. J.; Li, X. H.; Polychronopoulou, K.; Kanatzidis, M. G., *Environ. Sci. Tech.* **2013**, *47* (13), 7540-7547.

- 818) "Interplay of Topological surface and Bulk Electronic States in Bi<sub>2</sub>Se<sub>3</sub>", Romanowich, M.; Lee, M. S.; Chung, D. Y.; Mahanti, S. D.; Kanatzidis, M. G.; Tessmer, S. H., *Phys. Rev. B* **2013**, *87* (8), 085310.
- 819) "High-Temperature Elastic Moduli of Thermoelectric SnTe<sub>1±x-y</sub> SiC Nanoparticulate Composites", Schmidt, R. D.; Case, E. D.; Ni, J. E.; Trejo, R. M.; Lara-Curzio, E.; Korkosz, R. J.; Kanatzidis, M. G., *J. Mater. Sci.* **2013**, *48* (23), 8244-8258.
- 820) "Tunable Biomimetic Chalcogenides with Fe<sub>4</sub>S<sub>4</sub> Cores and [Sn<sub>n</sub>S<sub>2n+2</sub>]<sup>4+</sup> (n=1, 2, 4) Building Blocks for Solar Fuel Catalysis", Shim, Y.; Yuhas, B. D.; Dyar, S. M.; Smeigh, A. L.; Douvalis, A. P.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (6), 2330-2337.
- 821) "Chemical Ordering Rather than Random Alloying in SbAs", Shoemaker, D. P.; Chasapis, T. C.; Do, D.; Francisco, M. C.; Chung, D. Y.; Mahanti, S. D.; Llobet, A.; Kanatzidis, M. G., *Phys. Rev. B* **2013**, *87* (9), 094201.
- 822) "Effect of an Internal Electric Field on the Redox Energies of A<sub>n</sub>TiO<sub>4</sub> (A = Na or Li, L<sub>n</sub> = Y or Rare-Earth)", Song, S. H.; Ahn, K.; Kanatzidis, M. G.; Alonso, J. A.; Cheng, J. G.; Goodenough, J. B., *Chem. Mater.* **2013**, *25* (19), 3852-3857.
- 823) "Nanoscale Stabilization of New Phases in the PbTe-Sb<sub>2</sub>Te<sub>3</sub> System: Pb<sub>m</sub>Sb<sub>2n</sub>Te<sub>m+3n</sub> Nanocrystals", Soriano, R. B.; Arachchige, I. U.; Malliakas, C. D.; Wu, J. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (2), 768-774.
- 824) "Semiconducting Tin and Lead Iodide Perovskites with Organic Cations: Phase Transitions, High Mobilities, and Near-Infrared Photoluminescent Properties", Stoumpos, C. C.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (15), 9019-9038.
- 825) "Crystal Growth of the Perovskite Semiconductor CsPbBr<sub>3</sub>: A New Material for High-Energy Radiation Detection", Stoumpos, C. C.; Malliakas, C. D.; Peters, J. A.; Liu, Z. F.; Sebastian, M.; Im, J.; Chasapis, T. C.; Wibowo, A. C.; Chung, D. Y.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2013**, *13* (7), 2722-2727.
- 826) "NaBa<sub>2</sub>Cu<sub>3</sub>S<sub>5</sub>: A Doped p-Type Degenerate Semiconductor", Sturza, M.; Han, F.; Shoemaker, D. P.; Malliakas, C. D.; Chung, D. Y.; Jin, H.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (12), 7210-7217.
- 827) "Thallium Mercury Chalcobromides, TlHg<sub>6</sub>Q<sub>4</sub>Br<sub>5</sub> (Q = S, Se)", Wibowo, A. C.; Malliakas, C. D.; Chung, D. Y.; Im, J.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (20), 11875-11880.
- 828) "Mercury Bismuth Chalcogenides, Hg<sub>3</sub>Q<sub>2</sub>Bi<sub>2</sub>Cl<sub>8</sub> (Q = S, Se, Te): Syntheses, Crystal Structures, Band Structures, and Optical Properties", Wibowo, A. C.; Malliakas, C. D.; Chung, D. Y.; Im, J.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (6), 2973-2979.

- 829) "Photoconductivity in the Chalcogenide Semiconductor, SbSeI: a New Candidate for Hard Radiation Detection", Wibowo, A. C.; Malliakas, C. D.; Liu, Z. F.; Peters, J. A.; Sebastian, M.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Inorg. Chem.* **2013**, *52* (12), 7045-7050.
- 830) "High Thermoelectric Performance via Hierarchical Compositionally Alloyed Nanostructures", Zhao, L. D.; Hao, S. Q.; Lo, S. H.; Wu, C. I.; Zhou, X. Y.; Lee, Y.; Li, H.; Biswas, K.; Hogan, T. P.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2013**, *135* (19), 7364-7370.
- 831) "All-Scale Hierarchical Thermoelectrics: MgTe in PbTe Facilitates Valence Band Convergence and Suppresses Bipolar Thermal Transport for High Performance", Zhao, L. D.; Wu, H. J.; Hao, S. Q.; Wu, C. I.; Zhou, X. Y.; Biswas, K.; He, J. Q.; Hogan, T. P.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Energy Environ. Sci.* **2013**, *6* (11), 3346-3355.
- 832) "LiPbSb<sub>3</sub>S<sub>6</sub>: A Semiconducting Sulfosalt with Very Low Thermal Conductivity", Agha, E. C.; Malliakas, C. D.; Im, J.; Jin, H. S.; Zhao, L. D.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2014**, *53* (2), 673-675.
- 833) "Coincident Structural and Magnetic Order in BaFe<sub>2</sub>(As<sub>1-x</sub>P<sub>x</sub>)<sub>2</sub> Revealed by High-Resolution Neutron Diffraction", Allred, J. M.; Taddei, K. M.; Bugaris, D. E.; Avci, S.; Chung, D. Y.; Claus, H.; dela Cruz, C.; Kanatzidis, M. G.; Rosenkranz, S.; Osborn, R.; Chmaissem, O., *Phys. Rev. B* **2014**, *90* (10), 104513.
- 834) "Magnetically Driven Suppression of Nematic Order in an Iron-Based Superconductor", Avci, S.; Chmaissem, O.; Allred, J. M.; Rosenkranz, S.; Eremin, I.; Chubukov, A. V.; Bugaris, D. E.; Chung, D. Y.; Kanatzidis, M. G.; Castellán, J. P.; Schlueter, J. A.; Claus, H.; Khalyavin, D. D.; Manuel, P.; Daoud-Aladine, A.; Osborn, R., *Nat. Commun.* **2014**, *5*, 3845.
- 835) "Crystal Growth and Characterization of the Narrow-Band-Gap Semiconductors OsPn<sub>2</sub> (Pn = P, As, Sb)", Bugaris, D. E.; Malliakas, C. D.; Shoemaker, D. P.; Do, D. T.; Chung, D. Y.; Mahanti, S. D.; Kanatzidis, M. G., *Inorg. Chem.* **2014**, *53* (18), 9959-9968.
- 836) "Four High-Temperature Ferromagnets in the Hf-Fe-Sn System", Calta, N. P.; Francisco, M. C.; Malliakas, C. D.; Schlueter, J. A.; Kanatzidis, M. G., *Chem. Mater.* **2014**, *26* (23), 6827-6837.
- 837) "Remnant PbI<sub>2</sub>, An Unforeseen Necessity in High-Efficiency Hybrid Perovskite-Based Solar Cells?", Cao, D. H.; Stoumpos, C. C.; Malliakas, C. D.; Katz, M. J.; Farha, O. K.; Hupp, J. T.; Kanatzidis, M. G., *APL Mater.* **2014**, *2* (9), 091101.
- 838) "Metal Chalcogenides: A Rich Source of Nonlinear Optical Materials", Chung, I.; Kanatzidis, M. G., *Chem. Mater.* **2014**, *26* (1), 849-869.
- 839) "The New Phase TI<sub>4</sub>Sb<sub>6</sub>Se<sub>10</sub> Sn<sub>5</sub>Sb<sub>2</sub>Se<sub>14</sub>: A Naturally Formed Semiconducting Heterostructure with Two-Dimensional Conductance", Fang, L.; Iyer, R. G.; Tan, G. J.;

- West, D. J.; Zhang, S. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (31), 11079-11084.
- 840) "Dirac Fermions and Superconductivity in the Homologous Structures ( $\text{Ag}_x\text{Pb}_{1-x}\text{Se}$ )<sub>5</sub>( $\text{Bi}_2\text{Se}_3$ )<sub>3m</sub>, ( $m = 1, 2$ )", Fang, L.; Stoumpos, C. C.; Jia, Y.; Glatz, A.; Chung, D. Y.; Claus, H.; Welp, U.; Kwok, W. K.; Kanatzidis, M. G., *Phys. Rev. B* **2014**, *90* (2), 020504.
- 841) "Lead-Free Solid-State Organic-Inorganic Halide Perovskite Solar Cells", Hao, F.; Stoumpos, C. C.; Cao, D. H.; Chang, R. P. H.; Kanatzidis, M. G., *Nature Photonics* **2014**, *8* (6), 489-494.
- 842) "Anomalous Band Gap Behavior in Mixed Sn and Pb Perovskites Enables Broadening of Absorption Spectrum in Solar Cells", Hao, F.; Stoumpos, C. C.; Chang, R. P. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (22), 8094-8099.
- 843) "Controllable Perovskite Crystallization at a Gas-Solid Interface for Hole Conductor-Free Solar Cells with Steady Power Conversion Efficiency over 10%", Hao, F.; Stoumpos, C. C.; Liu, Z.; Chang, R. P. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (46), 16411-16419.
- 844) "Theoretical Prediction and Experimental Confirmation of Unusual Ternary Ordered Semiconductor Compounds in Sr-Pb-S System", Hao, S. Q.; Zhao, L. D.; Chen, C. Q.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C. M., *J. Am. Chem. Soc.* **2014**, *136* (4), 1628-1635.
- 845) "Evaporative Thinning: A Facile Synthesis Method for High Quality Ultrathin Layers of 2D Crystals", Huang, Y. K.; Cain, J. D.; Peng, L.; Hao, S. Q.; Chasapis, T.; Kanatzidis, M. G.; Wolverton, C.; Grayson, M.; Dravid, V. P., *ACS Nano* **2014**, *8* (10), 10851-10857.
- 846) " $\text{Ba}_2\text{HgS}_5$ -A Molecular Trisulfide Salt with Dumbbell-like ( $\text{HgS}_2$ )<sup>2-</sup> Ions", Islam, S. M.; Im, J.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2014**, *53* (9), 4698-4704.
- 847) "One-Dimensional Molybdenum Thiochlorides and Their Use in High Surface Area MoS<sub>x</sub> Chalcogels", Islam, S. M.; Subrahmanyam, K. S.; Malliakas, C. D.; Kanatzidis, M. G., *Chem. Mater.* **2014**, *26* (17), 5151-5160.
- 848) "Changing Hafnium Speciation in Aqueous Sulfate Solutions: A High-Energy x-Ray Scattering Study", Kalaji, A.; Skanthakumar, S.; Kanatzidis, M. G.; Mitchell, J. F.; Soderholm, L., *Inorg. Chem.* **2014**, *53* (12), 6321-6328.
- 849) "Three-Dimensional Atom-Probe Tomographic Analyses of Lead-Telluride Based Thermoelectric Materials", Kim, Y. J.; Blum, I. D.; He, J. Q.; Kanatzidis, M. G.; Dravid, V. P.; Seidman, D. N., *JOM* **2014**, *66* (11), 2288-2297.
- 850) "Local Off-Centering Symmetry Breaking in the High-Temperature Regime of SnTe", Knox, K. R.; Bozin, E. S.; Malliakas, C. D.; Kanatzidis, M. G.; Billinge, S. J. L., *Phys. Rev. B* **2014**, *89* (1), 014102.

- 851) "High ZT in p-Type  $(\text{PbTe})_{1-2x}(\text{PbSe})_x(\text{PbS})_x$  Thermoelectric Materials", Korkosz, R. J.; Chasapis, T. C.; Lo, S. H.; Doak, J. W.; Kim, Y. J.; Wu, C. I.; Hatzikraniotis, E.; Hogan, T. P.; Seidman, D. N.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (8), 3225-3237.
- 852) "Understanding Bulk Defects in Topological Insulators from Nuclear-Spin Interactions", Koumoulis, D.; Leung, B.; Chasapis, T. C.; Taylor, R.; King, D.; Kanatzidis, M. G.; Bouchard, L. S., *Adv. Funct. Mater.* **2014**, *24* (11), 1519-1528.
- 853) "Air-Stable Molecular Semiconducting Iodosalts for Solar Cell Applications:  $\text{Cs}_2\text{SnI}_6$  as a Hole Conductor", Lee, B.; Stoumpos, C. C.; Zhou, N. J.; Hao, F.; Malliakas, C.; Yeh, C. Y.; Marks, T. J.; Kanatzidis, M. G.; Chang, R. P. H., *J. Am. Chem. Soc.* **2014**, *136* (43), 15379-15385.
- 854) "Contrasting Role of Antimony and Bismuth Dopants on the Thermoelectric Performance of Lead Selenide", Lee, Y.; Lo, S. H.; Chen, C. Q.; Sun, H.; Chung, D. Y.; Chasapis, T. C.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *Nat. Commun.* **2014**, *5*, 3640.
- 855) "Investigation of Semi-Insulating  $\text{Cs}_2\text{Hg}_6\text{S}_7$  and  $\text{Cs}_2\text{Hg}_{6-x}\text{Cd}_x\text{S}_7$  Alloy for Hard Radiation Detection", Li, H.; Malliakas, C. D.; Liu, Z. F.; Peters, J. A.; Sebastian, M.; Zhao, L. D.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2014**, *14* (11), 5949-5956.
- 856) "Photo-Induced Current Transient Spectroscopy of Single Crystal  $\text{Tl}_6\text{I}_4\text{Se}$ ", Liu, Z.; Peters, J. A.; Sebastian, M.; Kanatzidis, M. G.; Im, J.; Freeman, A. J.; Wessels, B. W., *Semicond. Sci. Technol.* **2014**, *29* (11), 115002.
- 857) "Highly Selective and Efficient Heavy Metal Capture with Polysulfide Intercalated Layered Double Hydroxides", Ma, S. L.; Chen, Q. M.; Li, H.; Wang, P. L.; Islam, S. M.; Gu, Q. Y.; Yang, X. J.; Kanatzidis, M. G., *J. Mater. Chem. A* **2014**, *2* (26), 10280-10289.
- 858) "Highly Efficient Iodine Capture by Layered Double Hydroxides Intercalated with Polysulfides", Ma, S. L.; Islam, S. M.; Shim, Y.; Gu, Q. Y.; Wang, P. L.; Li, H.; Sun, G. B.; Yang, X. J.; Kanatzidis, M. G., *Chem. Mater.* **2014**, *26* (24), 7114-7123.
- 859) "Efficient Hg Vapor Capture with Polysulfide Intercalated Layered Double Hydroxides", Ma, S. L.; Shim, Y.; Islam, S. M.; Subrahmanyam, K. S.; Wang, P. L.; Li, H.; Wang, S. C.; Yang, X. J.; Kanatzidis, M. G., *Chem. Mater.* **2014**, *26* (17), 5004-5011.
- 860) "Low Lattice Thermal Conductivity in  $\text{Pb}_5\text{Bi}_6\text{Se}_{14}$ ,  $\text{Pb}_3\text{Bi}_2\text{S}_6$ , and  $\text{PbBi}_2\text{S}_4$ : Promising Thermoelectric Materials in the Cannizzarite, Lillianite, and Galenobismuthite Homologous Series", Ohta, M.; Chung, D. Y.; Kunii, M.; Kanatzidis, M. G., *J. Mater. Chem. A* **2014**, *2* (47), 20048-20058.
- 861) "A Unique Microporous Copper Trimesate Selenite with High Selectivity for  $\text{CO}_2$ ", Papaefstathiou, G. S.; Subrahmanyam, K. S.; Armatas, G. S.; Malliakas, C. D.; Kanatzidis, M. G.; Manos, M. J., *CrystEngComm* **2014**, *16* (17), 3483-3486.

- 862) "Flux Growth of Yb<sub>6.6</sub>Ir<sub>6</sub>Sn<sub>16</sub> Having Mixed-Valent Ytterbium", Peter, S. C.; Subbarao, U.; Rayaprol, S.; Martin, J. B.; Balasubramanian, M.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2014**, *53* (13), 6615-6623.
- 863) "Crystal Structure of Yb<sub>2</sub>CuGe<sub>6</sub> and Yb<sub>3</sub>Cu<sub>4</sub>Ge<sub>4</sub> and the Valency of Ytterbium", Peter, S. C.; Subbarao, U.; Sarkar, S.; Vaitheeswaran, G.; Svane, A.; Kanatzidis, M. G., *J. Alloys Compd.* **2014**, *589*, 405-411.
- 864) "Optical Investigation of Defects in Semi-Insulating Tl<sub>6</sub>I<sub>4</sub>S Single Crystals", Peters, J. A.; Sebastian, M.; Nguyen, S.; Liu, Z. F.; Im, J.; Freeman, A. J.; Kanatzidis, M. G.; Wessels, B. W., *Phys. Rev. B* **2014**, *90* (3), 035205.
- 865) "Polyacrylonitrile-Chalcogel Hybrid Sorbents for Radioiodine Capture", Riley, B. J.; Pierce, D. A.; Chun, J.; Matyas, J.; Lepry, W. C.; Garn, T. G.; Law, J. D.; Kanatzidis, M. G., *Environ. Sci. Tech.* **2014**, *48* (10), 5832-5839.
- 866) "Enhanced Photochemical Hydrogen Evolution from Fe<sub>4</sub>S<sub>4</sub>-Based Biomimetic Chalcogels Containing M<sup>2+</sup> (M = Pt, Zn, Co, Ni, Sn) Centers", Shim, Y.; Young, R. M.; Douvalis, A. P.; Dyar, S. M.; Yuhas, B. D.; Bakas, T.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (38), 13371-13380.
- 867) "In Situ Studies of a Platform for Metastable Inorganic Crystal Growth and Materials Discovery", Shoemaker, D. P.; Hu, Y. J.; Chung, D. Y.; Halder, G. J.; Chupas, P. J.; Soderholm, L.; Mitchell, J. F.; Kanatzidis, M. G., *Proc. Natl. Acad. Sci. U.S.A.* **2014**, *111* (30), 10922-10927.
- 868) "Superconductivity in the Intermetallic Pnictide Compound Ca<sub>11</sub>Bi<sub>10-x</sub>", Sturza, M.; Han, F.; Malliakas, C. D.; Chung, D. Y.; Claus, H.; Kanatzidis, M. G., *Phys. Rev. B* **2014**, *89* (5), 054512.
- 869) "NaCu<sub>6</sub>Se<sub>4</sub>: A Layered Compound with Mixed Valency and Metallic Properties", Sturza, M.; Malliakas, C. D.; Bugaris, D. E.; Han, F.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2014**, *53* (22), 12191-12198.
- 870) "SnTe-AgBiTe<sub>2</sub> as an Efficient Thermoelectric Material with Low Thermal Conductivity", Tan, G. J.; Shi, F. Y.; Sun, H.; Zhao, L. D.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Mater. Chem. A* **2014**, *2* (48), 20849-20854.
- 871) "High Thermoelectric Performance of p-Type SnTe via a Synergistic Band Engineering and Nanostructuring Approach", Tan, G. J.; Zhao, L. D.; Shi, F. Y.; Doak, J. W.; Lo, S. H.; Sun, H.; Wolverton, C.; Dravid, V. P.; Uher, C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2014**, *136* (19), 7006-7017.
- 872) "Thermoelectrics with Earth Abundant Elements: Low Thermal Conductivity and High Thermopower In Doped SnS", Tan, Q.; Zhao, L. D.; Li, J. F.; Wu, C. F.; Wei, T. R.; Xing, Z. B.; Kanatzidis, M. G., *J. Mater. Chem. A* **2014**, *2* (41), 17302-17306.

- 873) "Crystal Growth of  $\text{Tl}_4\text{CdI}_6$ : A Wide Band Gap Semiconductor for Hard Radiation Detection", Wang, S. C.; Liu, Z. F.; Peters, J. A.; Sebastian, M.; Nguyen, S. L.; Malliakas, C. D.; Stoumpos, C. C.; Im, J.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2014**, *14* (5), 2401-2410.
- 874) "Origin of the High Performance in GeTe-Based Thermoelectric Materials upon  $\text{Bi}_2\text{Te}_3$  Doping", Wu, D.; Zhao, L. D.; Hao, S. Q.; Jiang, Q. K.; Zheng, F. S.; Doak, J. W.; Wu, H. J.; Chi, H.; Gelbstein, Y.; Uher, C.; Wolverton, C.; Kanatzidis, M.; He, J. Q., *J. Am. Chem. Soc.* **2014**, *136* (32), 11412-11419.
- 875) "Broad Temperature Plateau for Thermoelectric Figure of Merit  $ZT > 2$  in Phase-Separated  $\text{PbTe}_{0.7}\text{S}_{0.3}$ ", Wu, H. J.; Zhao, L. D.; Zheng, F. S.; Wu, D.; Pei, Y. L.; Tong, X.; Kanatzidis, M. G.; He, J. Q., *Nat. Commun.* **2014**, *5*, 4515.
- 876) "The Panoramic Approach to High Performance Thermoelectrics", Zhao, L. D.; Dravid, V. P.; Kanatzidis, M. G., *Energy Environ. Sci.* **2014**, *7* (1), 251-268.
- 877) "Ultralow Thermal Conductivity and High Thermoelectric Figure of Merit in  $\text{SnSe}$  Crystals", Zhao, L. D.; Lo, S. H.; Zhang, Y. S.; Sun, H.; Tan, G. J.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Nature* **2014**, *508* (7496), 373-377.
- 878) "Tetragonal Magnetic Phase in  $\text{Ba}_{1-x}\text{K}_x\text{Fe}_2\text{As}_2$  from X-ray and Neutron Diffraction", Allred, J. M.; Avci, S.; Chung, D. Y.; Claus, H.; Khalyavin, D. D.; Manuel, P.; Taddei, K. M.; Kanatzidis, M. G.; Rosenkranz, S.; Osborn, R.; Chmaissem, O., *Phys. Rev. B* **2015**, *92* (9), 094515.
- 879) "Photochemical Nitrogen Conversion to Ammonia in Ambient Conditions with FeMoS-Chalcogels", Banerjee, A.; Yuhas, B. D.; Margulies, E. A.; Zhang, Y. B.; Shim, Y.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (5), 2030-2034.
- 880) "Crystal Growth, Structures, and Properties of the Complex Borides,  $\text{LaOs}_2\text{Al}_2\text{B}$  and  $\text{La}_2\text{Os}_2\text{AlB}_2$ ", Bugaris, D. E.; Han, F.; Im, J.; Chung, D. Y.; Freeman, A. J.; Kanatzidis, M. G., *Inorg. Chem.* **2015**, *54* (16), 8049-8057.
- 881) "Flux Crystal Growth of the Ternary Polygermanide  $\text{LaPtGe}_2$ , a p-Type Metal", Bugaris, D. E.; Sturza, M.; Han, F.; Im, J.; Chung, D. Y.; Freeman, A. J.; Kanatzidis, M. G., *Eur. J. Inorg. Chem.* **2015**, (12), 2164-2172.
- 882) "Synthesis, Structure, and Rigid Unit Mode-like Anisotropic Thermal Expansion of  $\text{BaIr}_2\text{In}_9$ ", Calta, N. P.; Han, F.; Kanatzidis, M. G., *Inorg. Chem.* **2015**, *54* (17), 8794-8799.
- 883) "Hybridization Gap and Dresselhaus Spin Splitting in  $\text{EuIr}_4\text{In}_2\text{Ge}_4$ ", Calta, N. P.; Im, J.; Rodriguez, A. P.; Fang, L.; Bugaris, D. E.; Chasapis, T. C.; Freeman, A. J.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2015**, *54* (32), 9186-9191.
- 884) "2D Homologous Perovskites as Light-Absorbing Materials for Solar Cell Applications", Cao, D. H.; Stoumpos, C. C.; Farha, O. K.; Hupp, J. T.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (24), 7843-7850.

- 885) "Two-Band Model Interpretation of the p- to n-Transition in Ternary Tetradymite Topological Insulators", Chasapis, T. C.; Koumoulis, D.; Leung, B.; Calta, N. P.; Lo, S. H.; Dravid, V. P.; Bouchard, L. S.; Kanatzidis, M. G., *APL Mater.* **2015**, 3 (8), 083601.
- 886) "Understanding the Role and Interplay of Heavy-Hole and Light-Hole Valence Bands in the Thermoelectric Properties of PbSe", Chasapis, T. C.; Lee, Y.; Hatzikraniotis, E.; Paraskevopoulos, K. M.; Chi, H.; Uher, C.; Kanatzidis, M. G., *Phys. Rev. B* **2015**, 91 (8), 085207.
- 887) "Emergence of Coherence in the Charge-Density Wave State of 2H-NbSe<sub>2</sub>", Chatterjee, U.; Zhao, J.; Iavarone, M.; Di Capua, R.; Castellan, J. P.; Karapetrov, G.; Malliakas, C. D.; Kanatzidis, M. G.; Claus, H.; Ruff, J. P. C.; Weber, F.; van Wezel, J.; Campuzano, J. C.; Osborn, R.; Randeria, M.; Trivedi, N.; Norman, M. R.; Rosenkranz, S., *Nat. Commun.* **2015**, 6, 6313.
- 888) "Alkaline Earth Metal Ion/Dihydroxy-Terephthalate MOFs: Structural Diversity and Unusual Luminescent Properties", Douvali, A.; Papaefstathiou, G. S.; Gullo, M. P.; Barbieri, A.; Tsipis, A. C.; Malliakas, C. D.; Kanatzidis, M. G.; Papadas, I.; Armatas, G. S.; Hatzidimitriou, A. G.; Lazarides, T.; Manos, M. J., *Inorg. Chem.* **2015**, 54 (12), 5813-5826.
- 889) "Turn-On Luminescence Sensing and Real-Time Detection of Traces of Water in Organic Solvents by a Flexible Metal-Organic Framework", Douvali, A.; Tsipis, A. C.; Eliseeva, S. V.; Petoud, S.; Papaefstathiou, G. S.; Malliakas, C. D.; Papadas, I.; Armatas, G. S.; Margiolaki, I.; Kanatzidis, M. G.; Lazarides, T.; Manos, M. J., *Angew. Chem. Int. Ed.* **2015**, 54 (5), 1651-1656.
- 890) "Two-Dimensional Mineral Pb<sub>2</sub>BiS<sub>3</sub> AuTe<sub>2</sub> : High-Mobility Charge Carriers in Single-Atom-Thick Layers", Fang, L.; Im, J.; Stoumpos, C. C.; Shi, F. Y.; Dravid, V.; Leroux, M.; Freeman, A. J.; Kwok, W. K.; Chung, D. Y.; Kanatzidis, M., *J. Am. Chem. Soc.* **2015**, 137 (6), 2311-2317.
- 891) "Porous Amorphous Chalcogenides as Selective Adsorbents for Heavy Metals", Fard, Z. H.; Islam, S. M.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (18), 6189-6192.
- 892) "Direct Extraction of Ag<sup>+</sup> and Hg<sup>2+</sup> from Cyanide Complexes and Mode of Binding by the Layered K<sub>2</sub>MgSn<sub>2</sub>S<sub>6</sub> (KMS-2)", Fard, Z. H.; Malliakas, C. D.; Mertz, J. L.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (6), 1925-1928.
- 893) "Antiferromagnetic Kondo Lattice in the Layered Compound CePd<sub>1-x</sub>Bi<sub>2</sub> and Comparison to the Superconductor LaPd<sub>1-x</sub>Bi<sub>2</sub>", Han, F.; Wan, X. G.; Phelan, D.; Stoumpos, C. C.; Sturza, M.; Malliakas, C. D.; Li, Q. A.; Han, T. H.; Zhao, Q. B.; Chung, D. Y.; Kanatzidis, M. G., *Phys. Rev. B* **2015**, 92 (4), 045112.
- 894) "(CaO)(FeSe): A Layered Wide-Gap Oxychalcogenide Semiconductor", Han, F.; Wang, D.; Malliakas, C. D.; Sturza, M.; Chung, D. Y.; Wan, X. G.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (16), 5695-5701.



- 895) "Tunneling Electrical Connection to the Interior of Metal Organic Frameworks", Han, S. B.; Warren, S. C.; Yoon, S. M.; Malliakas, C. D.; Hou, X. L.; Wei, Y. H.; Kanatzidis, M. G.; Grzybowski, B. A., *J. Am. Chem. Soc.* **2015**, *137* (25), 8169-8175.
- 896) "Solvent-Mediated Crystallization of  $\text{CH}_3\text{NH}_3\text{SnI}_3$  Films for Heterojunction Depleted Perovskite Solar Cells", Hao, F.; Stoumpos, C. C.; Guo, P. J.; Zhou, N. J.; Marks, T. J.; Chang, R. P. H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (35), 11445-11452.
- 897) "Phase-Change Behavior and Nonlinear Optical Second and Third Harmonic Generation of the One-Dimensional  $\text{K}_{1-x}\text{Cs}_x\text{PSe}_6$  and Metastable  $\beta\text{-CsPSe}_6$ ", Haynes, A. S.; Saouma, F. O.; Otieno, C. O.; Clark, D. J.; Shoemaker, D. P.; Jang, J. I.; Kanatzidis, M. G., *Chem. Mater.* **2015**, *27* (5), 1837-1846.
- 898) "Electron Doping in Bottom-Up Engineered Thermoelectric Nanomaterials through HCl-Mediated Ligand Displacement", Ibanez, M.; Korkosz, R. J.; Luo, Z. S.; Riba, P.; Cadavid, D.; Ortega, S.; Cabot, A.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (12), 4046-4049.
- 899) "Antagonism between Spin-Orbit Coupling and Steric Effects Causes Anomalous Band Gap Evolution in the Perovskite Photovoltaic Materials  $\text{CH}_3\text{NH}_3\text{Sn}_{1-x}\text{Pb}_x\text{I}_3$ ", Im, J.; Stoumpos, C. C.; Jin, H.; Freeman, A. J.; Kanatzidis, M. G., *J. Phys. Chem. Lett.* **2015**, *6* (17), 3503-3509.
- 900) " $\text{Cs}_2\text{Hg}_3\text{S}_4$ : A Low-Dimensional Direct Bandgap Semiconductor", Islam, S. M.; Vanishri, S.; Li, H.; Stoumpos, C. C.; Peters, J. A.; Sebastian, M.; Liu, Z. F.; Wang, S.; Haynes, A. S.; Im, J.; Freeman, A. J.; Wessels, B.; Kanatzidis, M. G., *Chem. Mater.* **2015**, *27* (1), 370-378.
- 901) "Enhanced Average Thermoelectric Figure of Merit of n-Type  $\text{PbTe}_{1-x}\text{I}_x\text{-MgTe}$ ", Jood, P.; Ohta, M.; Kunii, M.; Hu, X. K.; Nishiate, H.; Yamamoto, A.; Kanatzidis, M. G., *J. Mater. Chem.* **2015**, *3* (40), 10401-10408.
- 902) "Advances in Thermoelectrics: From Single Phases to Hierarchical Nanostructures and Back", Kanatzidis, M. G., *MRS Bull.* **2015**, *40* (8), 687-694.
- 903) "Site-Specific Contributions to the Band Inversion in a Topological Crystalline Insulator", Koumoulis, D.; Chasapis, T. C.; Leung, B.; Taylor, R. E.; Stoumpos, C. C.; Calta, N. P.; Kanatzidis, M. G.; Bouchard, L. S., *Adv. Elect. Mater.* **2015**, *1* (8), 1500117.
- 904) "Nanoscale Beta-Nuclear Magnetic Resonance Depth Imaging of Topological Insulators", Koumoulis, D.; Morris, G. D.; He, L.; Kou, X. F.; King, D.; Wang, D.; Hossain, M. D.; Wang, K. L.; Fiete, G. A.; Kanatzidis, M. G.; Bouchard, L. S., *Proc. Natl. Acad. Sci. U.S.A.* **2015**, *112* (28), E3645-E3650.
- 905) "Second Harmonic Generation Response Optimized at Various Optical Wavelength Ranges through a Series of Cubic Chalcogenides  $\text{Ba}_6\text{Ag}_{2.67+4\delta}\text{Sn}_{4.33-\delta}\text{S}_{16-x}\text{Se}_x$ ", Lai, W. H.; Haynes, A. S.; Frazer, L.; Chang, Y. M.; Liu, T. K.; Lin, J. F.; Liang, I. C.; Sheu, H. S.; Ketterson, J. B.; Kanatzidis, M. G.; Hsu, K. F., *Chem. Mater.* **2015**, *27* (4), 1316-1326.

- 906) "TlInGaS<sub>3</sub>: An Indirect-Band-Gap Semiconductor with X-ray Photoconductivity Response", Li, H.; Malliakas, C. D.; Han, F.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Mater.* **2015**, *27* (15), 5417-5424.
- 907) "Photo-Induced Current Transient Spectroscopy of Semi-Insulating Single Crystal Cs<sub>2</sub>Hg<sub>6</sub>S<sub>7</sub>", Liu, Z.; Peters, J. A.; Li, H.; Kanatzidis, M. G.; Im, J.; Jin, H.; Freeman, A. J.; Wessels, B. W., *J. Electron. Mater.* **2015**, *44* (1), 222-226.
- 908) "Efficient Uranium Capture by Polysulfide/Layered Double Hydroxide Composites", Ma, S. L.; Huang, L.; Ma, L. J.; Shim, Y.; Islam, S. M.; Wang, P. L.; Zhao, L. D.; Wang, S. C.; Sun, G. B.; Yang, X. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (10), 3670-3677.
- 909) "Templated Assembly of BiFeO<sub>3</sub> Nanocrystals into 3D Mesoporous Networks For Catalytic Applications", Papadas, I. T.; Subrahmanyam, K. S.; Kanatzidis, M. G.; Armatas, G. S., *Nanoscale* **2015**, *7* (13), 5737-5743.
- 910) "Introducing Perovskite Solar Cells to Undergraduates", Patwardhan, S.; Cao, D. Y. H.; Hatch, S.; Farha, O. K.; Hupp, J. T.; Kanatzidis, M. G.; Schatz, G. C., *J. Phys. Chem. Lett.* **2015**, *6* (2), 251-255.
- 911) "Characterization of Deep Level Defects in TI<sub>6</sub>I<sub>4</sub>S Single Crystals by Photo-Induced Current Transient Spectroscopy", Peters, J. A.; Liu, Z.; Im, J.; Nguyen, S.; Sebastian, M.; Freeman, A. J.; Kanatzidis, M. G.; Wessels, B. W., *J. Phys. D: Appl. Phys.* **2015**, *48* (7), 075303.
- 912) "Consolidation of Tin Sulfide Chalcogels and Xerogels with and without Adsorbed Iodine", Riley, B. J.; Pierce, D. A.; Lepry, W. C.; Kroll, J. O.; Chun, J.; Subrahmanyam, K. S.; Kanatzidis, M. G.; Ablouwy, F. K.; Bulbule, A.; Sabolsicy, E. M., *Ind. Eng. Chem. Res.* **2015**, *54* (45), 11259-11267.
- 913) "Mechanical Properties of Low-Cost, Earth-Abundant Chalcogenide Thermoelectric Materials, PbSe and PbS, with Additions of 0-4% CdS or ZnS", Schmidt, R.; Case, E.; Zhao, L. D.; Kanatzidis, M. G., *J. Mater. Sci.* **2015**, *50* (4), 1770-1782.
- 914) "Excitonic Emissions and Above-Band-Gap Luminescence in the Single-Crystal Perovskite Semiconductors CsPbBr<sub>3</sub> and CsPbCl<sub>3</sub>", Sebastian, M.; Peters, J. A.; Stoumpos, C. C.; Im, J.; Kostina, S. S.; Liu, Z.; Kanatzidis, M. G.; Freeman, A. J.; Wessels, B. W., *Phys. Rev. B* **2015**, *92* (23), 235210.
- 915) "Size as a Parameter to Stabilize New Phases: Rock Salt Phases of Pb<sub>m</sub>Sb<sub>2n</sub>Se<sub>m+3n</sub>", Soriano, R. B.; Wu, J. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (31), 9937-9942.
- 916) "Hybrid Germanium Iodide Perovskite Semiconductors: Active Lone Pairs, Structural Distortions, Direct and Indirect Energy Gaps, and Strong Nonlinear Optical Properties", Stoumpos, C. C.; Frazer, L.; Clark, D. J.; Kim, Y. S.; Rhim, S. H.; Freeman, A. J.; Ketterson, J. B.; Jang, J. I.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, *137* (21), 6804-6819.
- 917) "The Renaissance of Halide Perovskites and Their Evolution as Emerging Semiconductors", Stoumpos, C. C.; Kanatzidis, M. G., *Acc. Chem. Res.* **2015**, *48* (10), 2791-2802.

- 918) "Tuning the Magnetic Properties of New Layered Iron Chalcogenides  $(\text{BaF})_2\text{Fe}_{2-x}\text{Q}_3$  (Q=S, Se) by Changing the Defect Concentration on the Iron Sublattice", Sturza, M.; Allred, J. M.; Malliakas, C. D.; Bugaris, D. E.; Han, F.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (9), 3280-3290.
- 919) "Yb<sub>7</sub>Ni<sub>4</sub>InGe<sub>12</sub>: A Quaternary Compound Having Mixed Valent Yb Atoms Grown from Indium Flux", Subbarao, U.; Jana, R.; Chondroudi, M.; Balasubramanian, M.; Kanatzidis, M. G.; Peter, S. C., *Dalton Trans.* **2015**, 44 (12), 5797-5804.
- 920) "Ion-Exchangeable Molybdenum Sulfide Porous Chalcogel: Gas Adsorption and Capture of Iodine and Mercury", Subrahmanyam, K. S.; Malliakas, C. D.; Sarma, D.; Armatas, G. S.; Wu, J. S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, 137 (43), 13943-13948.
- 921) "Chalcogenide Aerogels as Sorbents for Radioactive Iodine", Subrahmanyam, K. S.; Sarma, D.; Malliakas, C. D.; Polychronopoulou, K.; Riley, B. J.; Pierce, D. A.; Chun, J.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (7), 2619-2626.
- 922) "Semiconducting Properties and Phase-Matching Nonlinear Optical Response of the One-Dimensional Selenophosphates  $\text{ANb}_2\text{PSe}_{10}$  (A = K, Rb, and Cs)", Syrigos, J. C.; Clark, D. J.; Saouma, F. O.; Clarke, S. M.; Fang, L.; Jang, J. I.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (1), 255-265.
- 923) "Cesium Vacancy Ordering in Phase-Separated  $\text{Cs}_x\text{Fe}_{2-y}\text{Se}_2$ ", Taddei, K. M.; Sturza, M.; Chung, D. Y.; Cao, H. B.; Claus, H.; Kanatzidis, M. G.; Osborn, R.; Rosenkranz, S.; Chmaissem, O., *Phys. Rev. B* **2015**, 92 (9), 094505.
- 924) "Extraordinary Role of Hg in Enhancing the Thermoelectric Performance of p-Type SnTe", Tan, G. J.; Shi, F. Y.; Doak, J. W.; Sun, H.; Zhao, L. D.; Wang, P. L.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Energy Environ. Sci.* **2015**, 8 (1), 267-277.
- 925) "Valence Band Modification and High Thermoelectric Performance in SnTe Heavily Alloyed with MnTe", Tan, G. J.; Shi, F. Y.; Hao, S. Q.; Chi, H.; Bailey, T. P.; Zhao, L. D.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, 137 (35), 11507-11516.
- 926) "Codoping in SnTe: Enhancement of Thermoelectric Performance through Synergy of Resonance Levels and Band Convergence", Tan, G. J.; Shi, F. Y.; Hao, S. Q.; Chi, H.; Zhao, L. D.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2015**, 137 (15), 5100-5112.
- 927) "High Thermoelectric Performance SnTe-In<sub>2</sub>Te<sub>3</sub> Solid Solutions Enabled by Resonant Levels and Strong Vacancy Phonon Scattering", Tan, G. J.; Zeier, W. G.; Shi, F. Y.; Wang, P. L.; Snyder, G. J.; Dravid, V. P.; Kanatzidis, M. G., *Chem. Mater.* **2015**, 27 (22), 7801-7811.
- 928) "Optical Pump - Multi-THz Probe Spectroscopy of a Single Crystal Organic Hybrid Lead Halide Perovskite" Valverde-Chavez, D. A.; Ponceca, C. S.; Stoumpos, C.; Yartsev, A.; Kanatzidis, M. G.; Sundstrom, V.; Cooke, D. G.; Ieee in "2015 Conference on Lasers and

*Electro-Optics" Optical Society of America Conference on Lasers and Electro-Optics 2015*, JW2A.50.

- 929) "Intrinsic Femtosecond Charge Generation Dynamics in Single Crystal  $\text{CH}_3\text{NH}_3\text{PbI}_3$ ", Valverde-Chavez, D. A.; Ponceca, C. S.; Stoumpos, C. C.; Yartsev, A.; Kanatzidis, M. G.; Sundstrom, V.; Cooke, D. G., *Energy Environ. Sci.* **2015**, 8 (12), 3700-3707.
- 930) "Template-Directed Assembly of Metal-Chalcogenide Nanocrystals into Ordered Mesoporous Networks", Vamvasakis, I.; Subrahmanyam, K. S.; Kanatzidis, M. G.; Armatas, G. S., *ACS Nano* **2015**, 9 (4), 4419-4426.
- 931) "Hard Radiation Detection from the Selenophosphate  $\text{Pb}_2\text{P}_2\text{Se}_6$ ", Wang, P. L.; Liu, Z. F.; Chen, P.; Peters, J. A.; Tan, G. J.; Im, J.; Lin, W. W.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Adv. Funct. Mater.* **2015**, 25 (30), 4874-4881.
- 932) "Superior Thermoelectric Performance in PbTe-PbS Pseudo-Binary: Extremely Low Thermal Conductivity and Modulated Carrier Concentration", Wu, D.; Zhao, L. D.; Tong, X.; Li, W.; Wu, L. J.; Tan, Q.; Pei, Y. L.; Huang, L.; Li, J. F.; Zhu, Y. M.; Kanatzidis, M. G.; He, J. Q., *Energy Environ. Sci.* **2015**, 8 (7), 2056-2068.
- 933) "Synergistically Optimized Electrical and Thermal Transport Properties of SnTe via Alloying High-Solubility MnTe", Wu, H. J.; Chang, C.; Feng, D.; Xiao, Y.; Zhang, X.; Pei, Y. L.; Zheng, L.; Wu, D.; Gong, S. K.; Chen, Y.; He, J. Q.; Kanatzidis, M. G.; Zhao, L. D., *Energy Environ. Sci.* **2015**, 8 (11), 3298-3312.
- 934) "Thermoelectric Properties of p-type  $\text{Ag}_{1-x}(\text{Pb}_{1-y}\text{Sn}_y)_m\text{Sb}_{1-z}\text{Te}_{m+2}$ ", Ahn, K.; Kong, H. J.; Uher, C.; Kanatzidis, M. G., *J. Solid State Chem.* **2016**, 242, 34-42.
- 935) "Double-Q Spin-Density Wave in Iron Arsenide Superconductors", Allred, J. M.; Taddei, K. M.; Bugaris, D. E.; Krogstad, M. J.; Lapidus, S. H.; Chung, D. Y.; Claus, H.; Kanatzidis, M. G.; Brown, D. E.; Kang, J.; Fernandes, R. M.; Eremin, I.; Rosenkranz, S.; Chmaissem, O.; Osborn, R., *Nat. Phys.* **2016**, 12 (5), 493-498.
- 936) "Metallic Borides,  $\text{La}_2\text{Re}_3\text{B}_7$  and  $\text{La}_3\text{Re}_2\text{B}_5$ , Featuring Extensive Boron-Boron Bonding", Bugaris, D. E.; Malliakas, C. D.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, 55 (4), 1664-1673.
- 937) "Synthesis, Structure, and Complex Magnetism of  $\text{M}\text{Ir}_2\text{In}_8$  (M = Eu, Sr)", Calta, N. P.; Bud'ko, S. L.; Rodriguez, A. P.; Han, F.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, 55 (6), 3128-3135.
- 938) "Hybridization Gap in the Semiconducting Compound  $\text{SrIr}_4\text{In}_2\text{Ge}_4$ ", Calta, N. P.; Im, J.; Fang, L.; Chasapis, T. C.; Bugaris, D. E.; Chung, D. Y.; Kwok, W. K.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, 55 (23), 12477-12481.
- 939) " $\text{Hf}_3\text{Fe}_4\text{Sn}_4$  and  $\text{Hf}_9\text{Fe}_{4-x}\text{Sn}_{10+x}$ : Two Stannide Intermetallics with Low-Dimensional Iron Sublattices", Calta, N. P.; Kanatzidis, M. G., *J. Solid State Chem.* **2016**, 236, 130-137.

- 940) "From Complex Magnetism Ordering to Simple Ferromagnetism in Two-Dimensional LaCrSb<sub>3</sub> by Hole Doping", Chen, H. J.; Narayan, A.; Fang, L.; Calta, N. P.; Shi, F. Y.; Chung, D. Y.; Wagner, L. K.; Kwok, W. K.; Kanatzidis, M. G., *Phys. Rev. B* **2016**, *94* (13), 134411.
- 941) "A Low-Temperature Study of Manganese-Induced Ferromagnetism and Valence Band Convergence in Tin Telluride", Chi, H.; Tan, G. J.; Kanatzidis, M. G.; Li, Q.; Uher, C., *Appl. Phys. Lett.* **2016**, *108* (18), 182101.
- 942) "Polarization-Selective Three-Photon Absorption and Subsequent Photoluminescence in CsPbBr<sub>3</sub> Single Crystal at Room Temperature", Clark, D. J.; Stoumpos, C. C.; Saouma, F. O.; Kanatzidis, M. G.; Jang, J. I., *Phys. Rev. B* **2016**, *93* (19), 195202.
- 943) "Scanning Tunneling Microscopy of Superconducting Topological Surface States in Bi<sub>2</sub>Se<sub>3</sub>", Dayton, I. M.; Sedlmayr, N.; Ramirez, V.; Chasapis, T. C.; Loloee, R.; Kanatzidis, M. G.; Levchenko, A.; Tessmer, S. H., *Phys. Rev. B* **2016**, *93* (22), 220506.
- 944) "Molybdenum Polysulfide Chalcogels as High-Capacity, Anion-Redox-Driven Electrode Materials for Li-Ion Batteries", Doan-Nguyen, V. V. T.; Subrahmanyam, K. S.; Butala, M. M.; Gerbec, J. A.; Islam, S. M.; Kanipe, K. N.; Wilson, C. E.; Balasubramanian, M.; Wiaderek, K. M.; Borkiewicz, O. J.; Chapman, K. W.; Chupas, P. J.; Moskovits, M.; Dunn, B. S.; Kanatzidis, M. G.; Seshadri, R., *Chem. Mater.* **2016**, *28* (22), 8357-8365.
- 945) "Dielectric and Thermodynamic Signatures of Low-Temperature Glassy Dynamics in the Hybrid Perovskites CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> and HC(NH<sub>2</sub>)<sub>2</sub>PbI<sub>3</sub>", Fabini, D. H.; Hogan, T.; Evans, H. A.; Stoumpos, C. C.; Kanatzidis, M. G.; Seshadri, R., *J. Phys. Chem. Lett.* **2016**, *7* (3), 376-381.
- 946) "Dynamic Stereochemical Activity of the Sn<sup>2+</sup> Lone Pair in Perovskite CsSnBr<sub>3</sub>", Fabini, D. H.; Laurita, G.; Bechtel, J. S.; Stoumpos, C. C.; Evans, H. A.; Kontos, A. G.; Raptis, Y. S.; Falaras, P.; Van der Ven, A.; Kanatzidis, M. G.; Seshadri, R., *J. Am. Chem. Soc.* **2016**, *138* (36), 11820-11832.
- 947) "Reentrant Structural and Optical Properties and Large Positive Thermal Expansion in Perovskite Formamidinium Lead Iodide", Fabini, D. H.; Stoumpos, C. C.; Laurita, G.; Kaltzoglou, A.; Kontos, A. G.; Falaras, P.; Kanatzidis, M. G.; Seshadri, R., *Angew. Chem. Int. Ed.* **2016**, *55* (49), 15392-15396.
- 948) "Large Spin-Orbit Coupling and Helical Spin Textures in 2D Heterostructure [Pb<sub>2</sub>BiS<sub>3</sub>] [AuTe<sub>2</sub>]", Fang, L.; Im, J.; DeGottardi, W.; Jia, Y.; Glatz, A.; Matveev, K. A.; Kwok, W. K.; Crabtree, G. W.; Kanatzidis, M. G., *Sci. Rep.* **2016**, *6*, 35313.
- 949) "Efficient Removal and Recovery of Uranium by a Layered Organic-Inorganic Hybrid Thiostannate", Feng, M. L.; Sarma, D.; Qi, X. H.; Du, K. Z.; Huang, X. Y.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (38), 12578-12585.

- 950) "Broad Wavelength Tunable Robust Lasing from Single-Crystal Nanowires of Cesium Lead Halide Perovskites ( $\text{CsPbX}_3$ ,  $X = \text{Cl, Br, I}$ )", Fu, Y. P.; Zhu, H. M.; Stoumpos, C. C.; Ding, Q.; Wang, J.; Kanatzidis, M. G.; Zhu, X. Y.; Jin, S., *ACS Nano* **2016**, *10* (8), 7963-7972.
- 951) "Effect of Cation Rotation on Charge Dynamics in Hybrid Lead Halide Perovskites", Gelvez-Rueda, M. C.; Cao, D. H.; Patwardhan, S.; Renaud, N.; Stoumpos, C. C.; Schatz, G. C.; Hupp, J. T.; Farha, O. K.; Savenije, T. J.; Kanatzidis, M. G.; Grozema, F. C., *J. Phys. Chem. C* **2016**, *120* (30), 16577-16585.
- 952) "Superconductivity and Multiple Pressure-Induced Phases in  $\text{BaPt}_2\text{As}_2$ ", Guo, C. Y.; Jiang, W. B.; Smidman, M.; Han, F.; Malliakas, C. D.; Shen, B.; Wang, Y. F.; Chen, Y.; Lu, X.; Kanatzidis, M. G.; Yuan, H. Q., *Phys. Rev. B* **2016**, *94* (18), 184506.
- 953) " $\text{La}_{1-x}\text{Bi}_{1+x}\text{S}_3$  ( $x \approx 0.08$ ): An n-Type Semiconductor", Han, F.; Liu, H. M.; Malliakas, C. D.; Sturza, M.; Chung, D. Y.; Wan, X. G.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, *55* (7), 3547-3552.
- 954) "Two-dimensional Bismuth-Rich Nanosheets through the Evaporative Thinning of Se-doped  $\text{Bi}_2\text{Te}_3$ ", Hanson, E. D.; Shi, F. Y.; Chasapis, T. C.; Kanatzidis, M. G.; Dravid, V. P., *J. Cryst. Growth* **2016**, *436*, 138-144.
- 955) "Research Update: Prediction of High Figure of Merit Plateau in SnS and Solid Solution of  $(\text{Pb},\text{Sn})\text{S}$ ", Hao, S. Q.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C., *APL Mater.* **2016**, *4* (10), 104505.
- 956) "Computational Prediction of High Thermoelectric Performance in Hole Doped Layered GeSe", Hao, S. Q.; Shi, F. Y.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C., *Chem. Mater.* **2016**, *28* (9), 3218-3226.
- 957) "Phase Transition, Conformational Exchange, and Nonlinear Optical Third Harmonic Generation of  $\text{ACsP}_2\text{Se}_8$  ( $A = \text{K, Rb, Cs}$ )", Haynes, A. S.; Banerjee, A.; Saouma, F. O.; Otieno, C. O.; Jang, J. I.; Kanatzidis, M. G., *Chem. Mater.* **2016**, *28* (7), 2374-2383.
- 958) "One-Dimensional Zinc Selenophosphates:  $\text{A}_2\text{ZnP}_2\text{Se}_6$  ( $A = \text{K, Rb, Cs}$ )", Haynes, A. S.; Lee, K.; Kanatzidis, M. G., *Z. Anorg. Allg. Chem.* **2016**, *642* (19), 1120-1125.
- 959) "n-Type  $\text{Bi}_2\text{Te}_{3-x}\text{Se}_x$  Nanoplates with Enhanced Thermoelectric Efficiency Driven by Wide-Frequency Phonon Scatterings and Synergistic Carrier Scatterings", Hong, M.; Chasapis, T. C.; Chen, Z. G.; Yang, L.; Kanatzidis, M. G.; Snyder, G. J.; Zou, J., *ACS Nano* **2016**, *10* (4), 4719-4727.
- 960) "Power Generation from Nanostructured PbTe-Based Thermoelectrics: Comprehensive Development from Materials to Modules", Hu, X. K.; Jood, P.; Ohta, M.; Kunii, M.; Nagase, K.; Nishiate, H.; Kanatzidis, M. G.; Yamamoto, A., *Energy Environ. Sci.* **2016**, *9* (2), 517-529.

- 961) "Analysis and Implications of Structural Complexity in Low Lattice Thermal Conductivity High Thermoelectric Performance PbTe-PbSnS<sub>2</sub> Composites", Ioannidou, C.; Lioutas, C. B.; Frangis, N.; Girard, S. N.; Kanatzidis, M. G., *Chem. Mater.* **2016**, *28* (11), 3771-3777.
- 962) "Direct Gap Semiconductors Pb<sub>2</sub>BiS<sub>2</sub>I<sub>3</sub>, Sn<sub>2</sub>BiS<sub>2</sub>I<sub>3</sub>, and Sn<sub>2</sub>BiSl<sub>5</sub>", Islam, S. M.; Malliakas, C. D.; Sarma, D.; Maloney, D. C.; Stoumpos, C. C.; Kontsevoi, O. Y.; Freeman, A. J.; Kanatzidis, M. G., *Chem. Mater.* **2016**, *28* (20), 7332-7343.
- 963) "Optical-Vibrational Properties of the Cs<sub>2</sub>SnX<sub>6</sub> (X = Cl, Br, I) Defect Perovskites and Hole-Transport Efficiency in Dye-Sensitized Solar Cells", Kaltzoglou, A.; Antoniadou, M.; Kontos, A. G.; Stoumpos, C. C.; Perganti, D.; Siranidi, E.; Raptis, V.; Trohidou, K.; Psycharis, V.; Kanatzidis, M. G.; Falaras, P., *J. Phys. Chem. C* **2016**, *120* (22), 11777-11785.
- 964) "TiO<sub>2</sub>-ZnS Cascade Electron Transport Layer for Efficient Formamidinium Tin Iodide Perovskite Solar Cells", Ke, W. J.; Stoumpos, C. C.; Logsdon, J. L.; Wasielewski, M. R.; Yan, Y. F.; Fang, G. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (45), 14998-15003.
- 965) "Cooperative Tin Oxide Fullerene Electron Selective Layers for High-Performance Planar Perovskite Solar Cells", Ke, W. J.; Zhao, D. W.; Xiao, C. X.; Wang, C. L.; Cimaroli, A. J.; Grice, C. R.; Yang, M. J.; Li, Z.; Jiang, C. S.; Al-Jassim, M.; Zhu, K.; Kanatzidis, M. G.; Fang, G. J.; Yan, Y. F., *J. Mater. Chem. A* **2016**, *4* (37), 14276-14283.
- 966) "Liquid Water- and Heat-Resistant Hybrid Perovskite Photovoltaics via an Inverted ALD Oxide Electron Extraction Layer Design", Kim, I. S.; Cao, D. H.; Buchholz, D. B.; Emery, J. D.; Farha, O. K.; Hupp, J. T.; Kanatzidis, M. G.; Martinson, A. B. F., *Nano Lett.* **2016**, *16* (12), 7786-7790.
- 967) "Amorphous TiO<sub>2</sub> Compact Layers via ALD for Planar Halide Perovskite Photovoltaics", Kim, I. S.; Haasch, R. T.; Cao, D. H.; Farha, O. K.; Hupp, J. T.; Kanatzidis, M. G.; Martinson, A. B. F., *ACS Appl. Mater. Interfaces* **2016**, *8* (37), 24310-24314.
- 968) "Charge Transport Mechanisms in a Pb<sub>2</sub>P<sub>2</sub>Se<sub>6</sub> Semiconductor", Kostina, S. S.; Hanson, M. P.; Wang, P. L.; Peters, J. A.; Valverde-Chavez, D. A.; Chen, P.; Cooke, D. G.; Kanatzidis, M. G.; Wessels, B. W., *ACS Photonics* **2016**, *3* (10), 1877-1887.
- 969) "Photoluminescence Fatigue and Inhomogeneous Line Broadening in Semi-Insulating Tl<sub>6</sub>SeI<sub>4</sub> Single Crystals", Kostina, S. S.; Peters, J. A.; Lin, W.; Chen, P.; Liu, Z.; Wang, P. L.; Kanatzidis, M. G.; Wessels, B. W., *Semicond. Sci. Technol.* **2016**, *31* (6), 065009.
- 970) "Mercury Chalcogenide Semiconductor Hg<sub>3</sub>Se<sub>2</sub>Br<sub>2</sub> for Hard Radiation Detection", Li, H.; Meng, F.; Malliakas, C. D.; Liu, Z. F.; Chung, D. Y.; Wessels, B.; Kanatzidis, M. G., *Cryst. Growth Des.* **2016**, *16* (11), 6446-6453.
- 971) "Dopant-Free Hole Transporting Polymers for High Efficiency, Environmentally Stable Perovskite Solar Cells", Liao, H. C.; Tam, T. L. D.; Guo, P. J.; Wu, Y. L.; Manley, E. F.; Huang, W.; Zhou, N. J.; Soe, C. M. M.; Wang, B. H.; Wasielewski, M. R.; Chen, L. X.; Kanatzidis, M. G.; Facchetti, A.; Chang, R. P. H.; Marks, T. J., *Adv. Eng. Mater.* **2016**, *6* (16), 1600502.

- 972) "Concerted Rattling in CsAg<sub>5</sub>Te<sub>3</sub> Leading to Ultralow Thermal Conductivity and High Thermoelectric Performance", Lin, H.; Tan, G. J.; Shen, J. N.; Hao, S. Q.; Wu, L. M.; Calta, N.; Malliakas, C.; Wang, S.; Uher, C.; Wolverton, C.; Kanatzidis, M. G., *Angew. Chem. Int. Ed.* **2016**, *55* (38), 11431-11436.
- 973) "Nitrogenase-Mimic Iron-Containing Chalcogels for Photochemical Reduction of Dinitrogen to Ammonia", Liu, J.; Kelley, M. S.; Wu, W. Q.; Banerjee, A.; Douvalis, A. P.; Wu, J. S.; Zhang, Y. B.; Schatz, G. C.; Kanatzidis, M. G., *Proc. Natl. Acad. Sci. U.S.A.* **2016**, *113* (20), 5530-5535.
- 974) "Enhanced Structural Stability and Photo Responsiveness of CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Perovskite via Pressure-Induced Amorphization and Recrystallization", Lu, X. J.; Wang, Y. G.; Stoumpos, C. C.; Hu, Q. Y.; Guo, X. F.; Chen, H. J.; Yang, L. X.; Smith, J. S.; Yang, W. G.; Zhao, Y. S.; Xu, H. W.; Kanatzidis, M. G.; Jia, Q. X., *Adv. Mater.* **2016**, *28* (39), 8663-8668.
- 975) "Carrier Diffusion Lengths of over 500 nm in Lead-Free Perovskite CH<sub>3</sub>NH<sub>3</sub>SnI<sub>3</sub> Films", Ma, L.; Hao, F.; Stoumpos, C. C.; Phelan, B. T.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (44), 14750-14755.
- 976) "Highly Selective and Efficient Removal of Heavy Metals by Layered Double Hydroxide Intercalated with the MoS<sub>4</sub><sup>2-</sup> Ion", Ma, L. J.; Wang, Q.; Islam, S. M.; Liu, Y. C.; Ma, S. L.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (8), 2858-2866.
- 977) "Superconductivity in the Narrow Gap Semiconductor RbBi<sub>11/3</sub>Te<sub>6</sub>", Malliakas, C. D.; Chung, D. Y.; Claus, H.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (44), 14694-14698.
- 978) "Metal Sulfide Ion Exchangers: Superior Sorbents for the Capture of Toxic and Nuclear Waste-Related Metal Ions", Manos, M. J.; Kanatzidis, M. G., *Chem. Sci.* **2016**, *7* (8), 4804-4824.
- 979) "Role of Organic Counterion in Lead- and Tin-Based Two-Dimensional Semiconducting Iodide Perovskites and Application in Planar Solar Cells", Mao, L. L.; Tsai, H.; Nie, W. Y.; Ma, L.; Im, J.; Stoumpos, C. C.; Malliakas, C. D.; Hao, F.; Wasielewski, M. R.; Mohite, A. D.; Kanatzidis, M. G., *Chem. Mater.* **2016**, *28* (21), 7781-7792.
- 980) "Removal of TcO<sub>4</sub><sup>-</sup> from Representative Nuclear Waste Streams with Layered Potassium Metal Sulfide Materials", Neeway, J. J.; Asmussen, R. M.; Lawter, A. R.; Bowden, M. E.; Lukens, W. W.; Sarma, D.; Riley, B. J.; Kanatzidis, M. G.; Qafoku, N. P., *Chem. Mater.* **2016**, *28* (11), 3976-3983.
- 981) "Multiple Converged Conduction Bands in K<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub>: A Promising Thermoelectric Material with Extremely Low Thermal Conductivity", Pei, Y. L.; Chang, C.; Wang, Z.; Yin, M. J.; Wu, M. H.; Tan, G. J.; Wu, H. J.; Chen, Y. X.; Zheng, L.; Gong, S. K.; Zhu, T. J.; Zhao, X. B.; Huang, L.; He, J. Q.; Kanatzidis, M. G.; Zhao, L. D., *J. Am. Chem. Soc.* **2016**, *138* (50), 16364-16371.
- 982) "Rapid, Green and Inexpensive Synthesis of High Quality UiO-66 Amino-Functionalized Materials with Exceptional Capability for Removal of Hexavalent Chromium from Industrial



- Waste", Rapti, S.; Pournara, A.; Sarma, D.; Papadas, I. T.; Armatas, G. S.; Hassan, Y. S.; Alkordi, M. H.; Kanatzidis, M. G.; Manos, M. J., *Inorg. Chem. Front.* **2016**, 3 (5), 635-644.
- 983) "Selective Capture of Hexavalent Chromium from An Anion-Exchange Column of Metal Organic Resin-Alginic Acid Composite", Rapti, S.; Pournara, A.; Sarma, D.; Papadas, I. T.; Armatas, G. S.; Tsipis, A. C.; Lazarides, T.; Kanatzidis, M. G.; Manos, M. J., *Chem. Sci.* **2016**, 7 (3), 2427-2436.
- 984) "Correction: Selective Capture of Hexavalent Chromium from an Anion-Exchange Column of Metal Organic Resin-Alginic Acid Composite ", Rapti, S.; Pournara, A.; Sarma, D.; Papadas, I. T.; Armatas, G. S.; Tsipis, A. C.; Lazarides, T.; Kanatzidis, M. G.; Manos, M. J., *Chem. Sci.* **2016**, 7 (3), 2438-2438.
- 985) "Atom Probe Tomography Analysis of Ag Doping in 2D Layered Material (PbSe)<sub>5</sub>(Bi<sub>2</sub>Se<sub>3</sub>)<sub>3</sub>", Ren, X. C.; Singh, A. K.; Fang, L.; Kanatzidis, M. G.; Tavazza, F.; Davydov, A. V.; Lauhon, L. J., *Nano Lett.* **2016**, 16 (10), 6064-6069.
- 986) "Efficient and Selective Heavy Metal Sequestration from Water by Using Layered Sulfide K<sub>2x</sub>Sn<sub>4-x</sub>S<sub>8-x</sub> (x=0.65-1; KTS-3)", Sarma, D.; Islam, S. M.; Subrahmanyam, K. S.; Kanatzidis, M. G., *J. Mater. Chem. A* **2016**, 4 (42), 16597-16605.
- 987) "K<sub>2x</sub>Sn<sub>4-x</sub>S<sub>8-x</sub>(x=0.65-1): A New Metal Sulfide for Rapid and Selective Removal of Cs<sup>+</sup>, Sr<sup>2+</sup> and UO<sub>2</sub><sup>2+</sup> Ions", Sarma, D.; Malliakas, C. D.; Subrahmanyam, K. S.; Islama, S. M.; Kanatzidis, M. G., *Chem. Sci.* **2016**, 7 (2), 1121-1132.
- 988) "Room Temperature Phase Transition in Methylammonium Lead Iodide Perovskite Thin Films Induced by Hydrohalic Acid Additives", Soe, C. M. M.; Stoumpos, C. C.; Harutyunyan, B.; Manley, E. F.; Chen, L. X.; Bedzyk, M. J.; Marks, T. J.; Kanatzidis, M. G., *ChemSusChem* **2016**, 9 (18), 2656-2665.
- 989) "Design of Active and Stable Co-Mo-S<sub>x</sub> Chalcogels as pH-Universal Catalysts for the Hydrogen Evolution Reaction", Staszak-Jirkovsky, J.; Malliakas, C. D.; Lopes, P. P.; Danilovic, N.; Kota, S. S.; Chang, K. C.; Genorio, B.; Strmcnik, D.; Stamenkovic, V. R.; Kanatzidis, M. G.; Markovic, N. M., *Nat. Mater.* **2016**, 15 (2), 197-203.
- 990) "Ruddlesden-Popper Hybrid Lead Iodide Perovskite 2D Homologous Semiconductors", Stoumpos, C. C.; Cao, D. H.; Clark, D. J.; Young, J.; Rondinelli, J. M.; Jang, J. I.; Hupp, J. T.; Kanatzidis, M. G., *Chem. Mater.* **2016**, 28 (8), 2852-2867.
- 991) "Halide Perovskites: Poor Man's High-Performance Semiconductors", Stoumpos, C. C.; Kanatzidis, M. G., *Adv. Mater.* **2016**, 28 (28), 5778-5793.
- 992) "Mixed-Valent NaCu<sub>4</sub>Se<sub>3</sub>: A Two-Dimensional Metal", Sturza, M.; Bugaris, D. E.; Malliakas, C. D.; Han, F.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, 55 (10), 4884-4890.

- 993) "High-Surface-Area Antimony Sulfide Chalcogels", Subrahmanyam, K. S.; Malliakas, C. D.; Islam, S. M.; Sarma, D.; Wu, J. S.; Kanatzidis, M. G., *Chem. Mater.* **2016**, *28* (21), 7744-7749.
- 994) "Scandium Selenophosphates: Structure and Properties of  $K_4Sc_2(PSe_4)_2(P_2Se_6)$ ", Syrigos, J. C.; Kanatzidis, M. G., *Inorg. Chem.* **2016**, *55* (9), 4664-4668.
- 995) "Detailed Magnetic and Structural Analysis Mapping a Robust Magnetic C-4 Dome in  $Sr_{1-x}Na_xFe_2As_2$ ", Taddei, K. M.; Allred, J. M.; Bugaris, D. E.; Lapidus, S.; Krogstad, M. J.; Stadel, R.; Claus, H.; Chung, D. Y.; Kanatzidis, M. G.; Rosenkranz, S.; Osborn, R.; Chmaissem, O., *Phys. Rev. B* **2016**, *93* (13), 134510.
- 996) "Non-Equilibrium Processing Leads to Record High Thermoelectric Figure of Merit in PbTe-SrTe", Tan, G. J.; Shi, F. Y.; Hao, S. Q.; Zhao, L. D.; Chi, H.; Zhang, X. M.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Nat. Commun.* **2016**, *7*, 12167.
- 997) "Rationally Designing High-Performance Bulk Thermoelectric Materials", Tan, G. J.; Zhao, L. D.; Kanatzidis, M. G., *Chem. Rev.* **2016**, *116* (19), 12123-12149.
- 998) "High-Efficiency Two-Dimensional Ruddlesden-Popper Perovskite Solar Cells", Tsai, H. H.; Nie, W. Y.; Blancon, J. C.; Toumpos, C. C. S.; Asadpour, R.; Harutyunyan, B.; Neukirch, A. J.; Verduzco, R.; Crochet, J. J.; Tretiak, S.; Pedesseau, L.; Even, J.; Alam, M. A.; Gupta, G.; Lou, J.; Ajayan, P. M.; Bedzyk, M. J.; Kanatzidis, M. G.; Mohite, A. D., *Nature* **2016**, *536* (7616), 312-316.
- 999) "Refined Synthesis and Crystal Growth of  $Pb_2P_2Se_6$  for Hard Radiation Detectors", Wang, P. L.; Kostina, S. S.; Meng, F.; Kontsevoi, O. Y.; Liu, Z. F.; Chen, P.; Peters, J. A.; Hanson, M.; He, Y. H.; Chung, D. Y.; Freeman, A. J.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2016**, *16* (9), 5100-5109.
- 1000) "Distinct Impact of Alkali-Ion Doping on Electrical Transport Properties of Thermoelectric p-Type Polycrystalline SnSe", Wei, T. R.; Tan, G. J.; Zhang, X. M.; Wu, C. F.; Li, J. F.; Dravid, V. P.; Snyder, G. J.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, *138* (28), 8875-8882.
- 1001) "An Unusual Crystal Growth Method of the Chalcogenide Semiconductor,  $\beta$ - $Hg_3S_2Cl_2$ : A New Candidate for Hard Radiation Detection", Wibowo, A. C.; Malliakas, C. D.; Li, H.; Stoumpos, C. C.; Chung, D. Y.; Wessels, B. W.; Freeman, A. J.; Kanatzidis, M. G., *Cryst. Growth Des.* **2016**, *16* (5), 2678-2684.
- 1002) "Understanding Nanostructuring Processes in Thermoelectrics and Their Effects on Lattice Thermal Conductivity", Wu, D.; Zhao, L. D.; Zheng, F. S.; Jin, L.; Kanatzidis, M. G.; He, J. Q., *Adv. Mater.* **2016**, *28* (14), 2737-2743.
- 1003) "Nonmagnetic In Substituted  $CuFe_{1-x}In_xS_2$  Solid Solution Thermoelectric", Xie, H. Y.; Su, X. L.; Zheng, G.; Yan, Y. G.; Liu, W.; Tang, H.; Kanatzidis, M. G.; Uher, C.; Tang, X. F., *J. Phys. Chem. C* **2016**, *120* (49), 27895-27902.

- 1004) "Manipulating the Combustion Wave during Self-Propagating Synthesis for High Thermoelectric Performance of Layered Oxychalcogenide  $\text{Bi}_{1-x}\text{Pb}_x\text{CuSeO}$ ", Yang, D. W.; Su, X. L.; Yan, Y. G.; Hu, T. Z.; Xie, H. Y.; He, J.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Chem. Mater.* **2016**, 28 (13), 4628-4640.
- 1005) "Magnetic Structure of  $\text{NiS}_{2-x}\text{Se}_x$ ", Yano, S.; Louca, D.; Yang, J.; Chatterjee, U.; Bugaris, D. E.; Chung, D. Y.; Peng, L.; Grayson, M.; Kanatzidis, M. G., *Phys. Rev. B* **2016**, 93 (2), 024409.
- 1006) "Optimization of the Electronic Band Structure and the Lattice Thermal Conductivity of Solid Solutions According to Simple Calculations: A Canonical Example of the  $\text{Mg}_2\text{Si}_{1-x-y}\text{Ge}_x\text{Sn}_y$  Ternary Solid Solution", Yin, K.; Su, X. L.; Yan, Y. G.; You, Y. H.; Zhang, Q.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Chem. Mater.* **2016**, 28 (15), 5538-5548.
- 1007) "Overcoming Short-Circuit in Lead-Free  $\text{CH}_3\text{NH}_3\text{SnI}_3$  Perovskite Solar Cells via Kinetically Controlled Gas-Solid Reaction Film Fabrication Process", Yokoyama, T.; Cao, D. Y. H.; Stoumpos, C. C.; Song, T. B.; Sato, Y.; Aramaki, S.; Kanatzidis, M. G., *J. Phys. Chem. Lett.* **2016**, 7 (5), 776-782.
- 1008) "Thinking Like a Chemist: Intuition in Thermoelectric Materials", Zeier, W. G.; Zevalkink, A.; Gibbs, Z. M.; Hautier, G.; Kanatzidis, M. G.; Snyder, G. J., *Angew. Chem. Int. Ed.* **2016**, 55 (24), 6826-6841.
- 1009) "Open-Framework Oxysulfide Based on the Supertetrahedral  $[\text{In}_4\text{Sn}_{16}\text{O}_{10}\text{S}_{34}]^{12-}$  Cluster and Efficient Sequestration of Heavy Metals", Zhang, X. M.; Sarma, D.; Wu, Y. Q.; Wang, L.; Ning, Z. X.; Zhang, F. Q.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, 138 (17), 5543-5546.
- 1010) "SnSe: A Remarkable New Thermoelectric Material", Zhao, L. D.; Chang, C.; Tan, G. J.; Kanatzidis, M. G., *Energy Environ. Sci.* **2016**, 9 (10), 3044-3060.
- 1011) "The Intrinsic Thermal Conductivity of SnSe Reply", Zhao, L. D.; Lo, S. H.; Zhang, Y. S.; Sun, H.; Tan, G. J.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Nature* **2016**, 539 (7627), E2-E3.
- 1012) "Ultrahigh Power Factor and Thermoelectric Performance in Hole-Doped Single-Crystal SnSe", Zhao, L. D.; Tan, G. J.; Hao, S. Q.; He, J. Q.; Pei, Y. L.; Chi, H.; Wang, H.; Gong, S. K.; Xu, H. B.; Dravid, V. P.; Uher, C.; Snyder, G. J.; Wolverton, C.; Kanatzidis, M. G., *Science* **2016**, 351 (6269), 141-144.
- 1013) "Enhanced Thermoelectric Properties in the Counter-Doped SnTe System with Strained Endotaxial SrTe", Zhao, L. D.; Zhang, X.; Wu, H. J.; Tan, G. J.; Pei, Y. L.; Xiao, Y.; Chang, C.; Wu, D.; Chi, H.; Zheng, L.; Gong, S. K.; Uher, C.; He, J. Q.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2016**, 138 (7), 2366-2373.
- 1014) "Toward High-Thermoelectric-Performance Large-Size Nanostructured BiSbTe Alloys via Optimization of Sintering-Temperature Distribution", Zheng, G.; Su, X. L.; Li, X. R.; Liang, T.; Xie, H. Y.; She, X. Y.; Yan, Y. G.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Adv. Eng. Mater.* **2016**, 6 (13), 1600595.

- 1015) "Solution-Processed Air-Stable Mesoscopic Selenium Solar Cells", Zhu, M. H.; Hao, F.; Ma, L.; Song, T. B.; Miller, C. E.; Wasielewski, M. R.; Li, X.; Kanatzidis, M. G., *ACS Energy Lett.* **2016**, *1* (2), 469-473.
- 1016) "Extremely Efficient Internal Exciton Dissociation Through Edge States in Layered 2D Perovskites", Blancon, J. C.; Tsai, H.; Nie, W.; Stoumpos, C. C.; Pedesseau, L.; Katan, C.; Kepenekian, M.; Soe, C. M. M.; Appavoo, K.; Sfeir, M. Y.; Tretiak, S.; Ajayan, P. M.; Kanatzidis, M. G.; Even, J.; Crochet, J. J.; Mohite, A. D., *Science* **2017**, *355* (6331), 1288-1291.
- 1017) "Charge Density Wave in the New Polymorphs of RE<sub>2</sub>Ru<sub>3</sub>Ge<sub>5</sub> (RE = Pr, Sm, Dy)", Bugaris, D. E.; Malliakas, C. D.; Han, F.; Calta, N. P.; Sturza, M.; Krogstad, M. J.; Osborn, R.; Rosenkranz, S.; Ruff, J. P. C.; Trimarchi, G.; Bud'ko, S. L.; Balasubramanian, M.; Chung, D. Y.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (11), 4130-4143.
- 1018) "Thin Films and Solar Cells Based on Semiconducting Two-Dimensional Ruddlesden-Popper (CH<sub>3</sub>(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>)<sub>2</sub>(CH<sub>3</sub>NH<sub>3</sub>)<sub>n-1</sub>Sn<sub>n</sub>I<sub>3n+1</sub> Perovskites", Cao, D. H.; Stoumpos, C. C.; Yokoyama, T.; Logsdon, J. L.; Song, T. B.; Farha, O. K.; Wasielewski, M. R.; Hupp, J. T.; Kanatzidis, M. G., *ACS Energy Lett.* **2017**, *2* (5), 982-990.
- 1019) "Charge Transport and Observation of Persistent Photoconductivity in Tl<sub>6</sub>SeI<sub>4</sub> Single Crystals", Das, S.; Peters, J. A.; Lin, W. W.; Kostina, S. S.; Chen, P.; Kim, J. I.; Kanatzidis, M. G.; Wessels, B. W., *J. Phys. Chem. Lett.* **2017**, *8* (7), 1538-1544.
- 1020) "Preface for the Halide Perovskites Forum", Gladfelter, W. L.; Kanatzidis, M. G., *Inorg. Chem.* **2017**, *56* (1), 1-2.
- 1021) "Pushing Up the Efficiency of Planar Perovskite Solar Cells to 18.2% with Organic Small Molecules as the Electron Transport Layer", Gu, P. Y.; Wang, N.; Wang, C. Y.; Zhou, Y. C.; Long, G. K.; Tian, M. M.; Chen, W. Q.; Sun, X. W.; Kanatzidis, M. G.; Zhang, Q. C., *J. Mater. Chem. A* **2017**, *5* (16), 7339-7344.
- 1022) "Second Harmonic Generation Response of the Cubic Chalcogenides Ba<sub>(6-x)</sub>Sr<sub>x</sub>[Ag<sub>(4-y)</sub>Sn<sub>(y/4)](SnS<sub>4</sub>)<sub>4</sub>", Haynes, A. S.; Liu, T. K.; Frazer, L.; Lin, J. F.; Wang, S. Y.; Ketterson, J. B.; Kanatzidis, M. G.; Hsu, K. F., *J. Solid State Chem.* **2017**, *248*, 119-125.</sub>
- 1023) "Defect Antiperovskite Compounds Hg<sub>3</sub>Q<sub>2</sub>I<sub>2</sub> (Q = S, Se, and Te) for Room-Temperature Hard Radiation Detection", He, Y. H.; Kontsevoi, O. Y.; Stoumpos, C. C.; Trimarchi, G. G.; Islam, S. M.; Liu, Z. F.; Kostina, S. S.; Das, S.; Kim, J. I.; Lin, W. W.; Wessels, B. W.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (23), 7939-7951.
- 1024) "Enhancing the Thermoelectric Performance of SnSe<sub>1-x</sub>Te<sub>x</sub> Nanoplates Through Band Engineering", Hong, M.; Chen, Z. G.; Yang, L.; Chasapis, T. C.; Kang, S. D.; Zou, Y. C.; Auchterlonie, G. J.; Kanatzidis, M. G.; Snyder, G. J.; Zou, J., *J. Mater. Chem. A* **2017**, *5* (21), 10713-10721.
- 1025) "Discovery-Synthesis, Design, and Prediction of Chalcogenide Phases", Kanatzidis, M. G., *Inorg. Chem.* **2017**, *56* (6), 3158-3173.

- 1026) "Structural Stability, Vibrational Properties, and Photoluminescence in CsSnI<sub>3</sub> Perovskite upon the Addition of SnF<sub>2</sub>", Kontos, A. G.; Kaltzoglou, A.; Siranidi, E.; Palles, D.; Angeli, G. K.; Arfanis, M. K.; Psycharis, V.; Raptis, Y. S.; Kamitsos, E. I.; Trikalitis, P. N.; Stoumpos, C. C.; Kanatzidis, M. G.; Falaras, P., *Inorg. Chem.* **2017**, *56* (1), 84-91.
- 1027) "Panoscopic Approach for High-Performance Te-doped Skutterudite", Liang, T.; Su, X. L.; Yan, Y. G.; Zheng, G.; She, X. Y.; You, Y. H.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *NPG Asia Materials* **2017**, *9*, e352.
- 1028) "Enhanced Efficiency of Hot-Cast Large-Area Planar Perovskite Solar Cells/Modules Having Controlled Chloride Incorporation", Liao, H. C.; Guo, P. J.; Hsu, C. P.; Lin, M.; Wang, B. H.; Zeng, L.; Huang, W.; Soe, C. M. M.; Su, W. F.; Bedzyk, M. J.; Wasielewski, M. R.; Facchetti, A.; Chang, R. P. H.; Kanatzidis, M. G.; Marks, T. J., *Adv. Eng. Mater.* **2017**, *7* (8), 1601660.
- 1029) "In Situ Synthesis of Highly Dispersed and Ultrafine Metal Nanoparticles from Chalcogels", Liu, J.; He, K.; Wu, W.; Song, T. B.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (8), 2900-2903.
- 1030) "Selective and Efficient Removal of Toxic Oxoanions of As(III), As(V), and Cr(VI) by Layered Double Hydroxide Intercalated with MoS<sub>4</sub><sup>2-</sup>", Ma, L. J.; Islam, S. M.; Liu, H. Y.; Zhao, J.; Sun, G. B.; Li, H. F.; Ma, S. L.; Kanatzidis, M. G., *Chem. Mater.* **2017**, *29* (7), 3274-3284.
- 1031) "Electron-Acoustic Phonon Coupling in Single Crystal CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskites Revealed by Coherent Acoustic Phonons", Mante, P. A.; Stoumpos, C. C.; Kanatzidis, M. G.; Yartsev, A., *Nat. Commun.* **2017**, *8*, 14398.
- 1032) "White-Light Emission and Structural Distortion in New Corrugated Two-Dimensional Lead Bromide Perovskites", Mao, L. L.; Wu, Y. L.; Stoumpos, C. C.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (14), 5210-5215.
- 1033) "Strong Electron-Phonon Coupling and Self-Trapped Excitons in the Defect Halide Perovskites A<sub>3</sub>M<sub>2</sub>I<sub>9</sub> (A = Cs, Rb; M = Bi, Sb)", McCall, K. M.; Stoumpos, C. C.; Kostina, S. S.; Kanatzidis, M. G.; Wessels, B. W., *Chem. Mater.* **2017**, *29* (9), 4129-4145.
- 1034) "Spatially Segregated Free-Carrier and Exciton Populations in Individual Lead Halide Perovskite Grains", Nah, S.; Spokoyny, B.; Stoumpos, C.; Soe, C. M. M.; Kanatzidis, M.; Harel, E., *Nature Photonics* **2017**, *11* (5), 285-288.
- 1035) "Integrating Band Structure Engineering with All-Scale Hierarchical Structuring for High Thermoelectric Performance in PbTe System", Pei, Y. L.; Tan, G. J.; Feng, D.; Zheng, L.; Tan, Q.; Xie, X. B.; Gong, S. K.; Chen, Y.; Li, J. F.; He, J. Q.; Kanatzidis, M. G.; Zhao, L. D., *Adv. Eng. Mater.* **2017**, *7* (3), 1601450.
- 1036) "Layered A<sub>2</sub>Sn<sub>3</sub>S<sub>7</sub>·1.25H<sub>2</sub>O (A = Organic Cation) as Efficient Ion Exchanger for Rare Earth Element Recovery", Qi, X. H.; Du, K. Z.; Feng, M. L.; Gao, Y. J.; Huang, X. Y.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (12), 4314-4317.

- 1037) "From Unstable CsSnI<sub>3</sub> to Air-Stable Cs<sub>2</sub>SnI<sub>6</sub>: A Lead-Free Perovskite Solar Cell Light Absorber with Bandgap of 1.48 eV and High Absorption Coefficient", Qiu, X. F.; Cao, B. Q.; Yuan, S.; Chen, X. F.; Qiu, Z. W.; Jiang, Y. A.; Ye, Q.; Wang, H. Q.; Zeng, H. B.; Liu, J.; Kanatzidis, M. G., *Sol. Energy Mater. Sol. Cells* **2017**, *159*, 227-234.
- 1038) "Time-Dependent Mechanical Response of APbX<sub>3</sub> (A = Cs, CH<sub>3</sub>NH<sub>3</sub>; X = I, Br) Single Crystals", Reyes-Martinez, M. A.; Abdelhady, A. L.; Saidaminov, M. I.; Chung, D. Y.; Bakr, O. M.; Kanatzidis, M. G.; Soboyejo, W. O.; Loo, Y. L., *Adv. Mater.* **2017**, *29* (24), 1606556.
- 1039) "Impurity-Induced Deep Centers in Tl<sub>6</sub>SI<sub>4</sub>", Shi, H. L.; Lin, W. W.; Kanatzidis, M. G.; Szeles, C.; Du, M. H., *J. Appl. Phys.* **2017**, *121* (14), 145102.
- 1040) "Performance Enhancement of Lead-Free Tin Based Perovskite Solar Cells with Reducing Atmosphere-Assisted Dispersible Additive", Song, T. B.; Yokoyama, T.; Aramaki, S.; Kanatzidis, M. G., *ACS Energy Lett.* **2017**, *2* (4), 897-903.
- 1041) "Importance of Reducing Vapor Atmosphere in the Fabrication of Tin-Based Perovskite Solar Cells", Song, T. B.; Yokoyama, T.; Stoumpos, C. C.; Logsdon, J.; Cao, D. H.; Wasielewski, M. R.; Aramaki, S.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (2), 836-842.
- 1042) "High Members of the 2D Ruddlesden-Popper Halide Perovskites: Synthesis, Optical Properties, and Solar Cells of (CH<sub>3</sub>(CH<sub>2</sub>)<sub>3</sub>NH<sub>3</sub>)<sub>2</sub>(CH<sub>3</sub>NH<sub>3</sub>)<sub>4</sub>Pb<sub>5</sub>I<sub>16</sub>", Stoumpos, C. C.; Soe, C. M. M.; Tsai, H.; Nie, W. Y.; Blancon, J. C.; Cao, D. Y. H.; Liu, F. Z.; Traore, B.; Katan, C.; Even, J.; Mohite, A. D.; Kanatzidis, M. G., *Chem* **2017**, *2* (3), 427-440.
- 1043) "Structure-Band Gap Relationships in Hexagonal Polytypes and Low-Dimensional Structures of Hybrid Tin Iodide Perovskites", Stoumpos, C. C.; Mao, L. L.; Malliakas, C. D.; Kanatzidis, M. G., *Inorg. Chem.* **2017**, *56* (1), 56-73.
- 1044) "Observation of the Magnetic C<sub>4</sub> Phase in Ca<sub>1-x</sub>Na<sub>x</sub>Fe<sub>2</sub>As<sub>2</sub> and its Universality in the Hole-Doped 122 Superconductors", Taddei, K. M.; Allred, J. M.; Bugaris, D. E.; Lapidus, S. H.; Krogstad, M. J.; Claus, H.; Chung, D. Y.; Kanatzidis, M. G.; Osborn, R.; Rosenkranz, S.; Chmaissem, O., *Phys. Rev. B* **2017**, *95* (6), 064508.
- 1045) "High Thermoelectric Performance in Electron-Doped AgBi<sub>3</sub>S<sub>5</sub> with Ultralow Thermal Conductivity", Tan, G. J.; Hao, S. G.; Zhao, J.; Wolverton, C.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (18), 6467-6473.
- 1046) "Thermoelectric Transport Properties of Polycrystalline SnSe Alloyed with PbSe", Wei, T. R.; Tan, G. J.; Wu, C. F.; Chang, C.; Zhao, L. D.; Li, J. F.; Snyder, G. J.; Kanatzidis, M. G., *Appl. Phys. Lett.* **2017**, *110* (5), 053901.
- 1047) "Eu<sup>2+</sup>- Eu<sup>3+</sup> Valence Transition in Double, Eu-, and Na-doped PbSe from Transport, Magnetic, and Electronic Structure Studies", Wiendlocha, B.; Kim, S.; Lee, Y.; He, B.; Lehr, G.; Kanatzidis, M. G.; Morelli, D. T.; Heremans, J. P., *Phys. Chem. Chem. Phys.* **2017**, *19* (14), 9606-9616.

- 1048) "Correction: Eu<sup>2+</sup>-Eu<sup>3+</sup> Valence Transition in Double, Eu<sup>-</sup>, and Na-doped PbSe from Transport, Magnetic, and Electronic Structure Studies", Wiendlocha, B.; Kim, S.; Lee, Y.; He, B.; Lehr, G.; Kanatzidis, M. G.; Morelli, D. T.; Heremans, J. P., *Phys. Chem. Chem. Phys.* **2017**, *19* (24), 16280-16280.
- 1049) "Direct Observation of Vast Off-Stoichiometric Defects in Single Crystalline SnSe", Wu, D.; Wu, L. J.; He, D. S.; Zhao, L. D.; Li, W.; Wu, M. H.; Jin, M.; Xu, J. T.; Jiang, J.; Huang, L.; Zhu, Y. M.; Kanatzidis, M. G.; He, J. Q., *Nano Energy* **2017**, *35*, 321-330.
- 1050) "The Role of Zn in Chalcopyrite CuFeS<sub>2</sub>: Enhanced Thermoelectric Properties of Cu<sub>1-x</sub>Zn<sub>x</sub>FeS<sub>2</sub> with In Situ Nanoprecipitates", Xie, H. Y.; Su, X. L.; Zheng, G.; Zhu, T.; Yin, K.; Yan, Y. G.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Adv. Eng. Mater.* **2017**, *7* (3), 1601299.
- 1051) "Nanocomposites from Solution-Synthesized PbTe-BiSbTe Nanoheterostructure with Unity Figure of Merit at Low-Medium Temperatures (500-600 K)", Xu, B.; Agne, M. T.; Feng, T. L.; Chasapis, T. C.; Ruan, X. L.; Zhou, Y. L.; Zheng, H. M.; Bahk, J. H.; Kanatzidis, M. G.; Snyder, G. J.; Wu, Y., *Adv. Mater.* **2017**, *29* (10), 1605140.
- 1052) "Local Polar Fluctuations in Lead Halide Perovskite Crystals", Yaffe, O.; Guo, Y. S.; Tan, L. Z.; Egger, D. A.; Hull, T.; Stoumpos, C. C.; Zheng, F.; Heinz, T. F.; Kronik, L.; Kanatzidis, M. G.; Owen, J. S.; Rappe, A. M.; Pimenta, M. A.; Brus, L. E., *Phys. Rev. Lett.* **2017**, *118* (13), 136001.
- 1053) "Morphology Modulation of SiC Nano-Additives for Mechanical Robust High Thermoelectric Performance Mg<sub>2</sub>Si<sub>1-x</sub>Sn<sub>x</sub>/SiC Nano-Composites", Yin, K.; Su, X. L.; Yan, Y. G.; Tang, H.; Kanatzidis, M. G.; Uher, C.; Tang, X. F., *Scripta Mater.* **2017**, *126*, 1-5.
- 1054) "The Origin of Lower Hole Carrier Concentration in Methylammonium Tin Halide Films Grown by a Vapor-Assisted Solution Process", Yokoyama, T.; Song, T. B.; Cao, D. H.; Stoumpos, C. C.; Aramaki, S.; Kanatzidis, M. G., *ACS Energy Lett.* **2017**, *2* (1), 22-28.
- 1055) "The New Semiconductor Cs<sub>4</sub>Cu<sub>3</sub>Bi<sub>9</sub>S<sub>17</sub>", Zhao, J.; Islam, S. M.; Tan, G. J.; Hao, S. Q.; Wolverton, C.; Li, R. K.; Kanatzidis, M. G., *Chem. Mater.* **2017**, *29* (4), 1744-1751.
- 1056) "Spectroscopic Evidence for Temperature- Dependent Convergence of Light- and Heavy-Hole Valence Bands of PbQ (Q = Te, Se, S)", Zhao, J.; Malliakas, C. D.; Wijayarathne, K.; Karlapati, V.; Appathurai, N.; Chung, D. Y.; Rosenkranz, S.; Kanatzidis, M. G.; Chatterjee, U., *EPL* **2017**, *117* (2), 27006.
- 1057) "Multichannel Interdiffusion Driven FASnI<sub>3</sub> Film Formation Using Aqueous Hybrid Salt/Polymer Solutions toward Flexible Lead-Free Perovskite Solar Cells", Xi, J.; Wu, Z. X.; Jiao, B.; Dong, H.; Ran, C. X.; Piao, C. C.; Lei, T.; Song, T. B.; Ke, W. J.; Yokoyama, T.; Hou, X.; Kanatzidis, M. G., *Adv. Mater.* **2017**, *29* (23), 1606964.
- 1058) "Trimethylsulfonium Lead Triiodide: An Air-Stable Hybrid Halide Perovskite", Kaltzoglou, A.; Stoumpos, C. C.; Kontos, A. G.; Manolis, G. K.; Papadopoulos, K.; Papadokostaki, K. G.; Psycharis, V.; Tang, C. C.; Jung, Y. K.; Walsh, A.; Kanatzidis, M. G.; Falaras, P., *Inorg. Chem.* **2017**, *56* (11), 6302-6309.

- 1059) "The Two-Dimensional  $A_xCd_xBi_{4-x}Q_6$  ( $A = K, Rb, Cs$ ;  $Q = S, Se$ ): Direct Bandgap Semiconductors and Ion-Exchange Materials", Zhao, J.; Islam, S. M.; Kontsevoi, O. Y.; Tan, G. J.; Stoumpos, C. C.; Chen, H. J.; Li, R. K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (20), 6978-6987.
- 1060) "Analysis of Nanoprecipitates in a Na-Doped PbTe-SrTe Thermoelectric Material with a High Figure of Merit", Kim, Y. J.; Zhao, L. D.; Kanatzidis, M. G.; Seidman, D. N., *ACS Appl. Mater. Interfaces* **2017**, *9* (26), 21791-21797.
- 1061) "All In One Porous Material: Exceptional Sorption and Selective Sensing of Hexavalent Chromium by Using a  $Zr^{4+}$  MOF", Rapti, S.; Sarma, D.; Diamantis, S. A.; Skliri, E.; Armatas, G. S.; Tsipis, A. C.; Hassan, Y. S.; Alkordi, M.; Malliakas, C. D.; Kanatzidis, M. G.; Lazarides, T.; Plakatouras, J. C.; Manos, M. J., *J. Mater. Chem. A* **2017**, *5* (28), 14707-14719.
- 1062) "TISn<sub>2</sub>I<sub>5</sub>, a Robust Halide Antiperovskite Semiconductor for gamma-Ray Detection at Room Temperature", Lin, W. W.; Stoumpos, C. C.; Liu, Z. F.; Das, S.; Kontsevoi, O. Y.; He, Y. H.; Malliakas, C. D.; Chen, H. J.; Wessels, B. W.; Kanatzidis, M. G., *ACS Photonics* **2017**, *4* (7), 1805-1813.
- 1063) "Chemical Tuning of Dynamic Cation Off-Centering in the Cubic Phases of Hybrid Tin and Lead Halide Perovskites", Laurita, G.; Fabini, D. H.; Stoumpos, C. C.; Kanatzidis, M. G.; Seshadri, R., *Chem. Sci.* **2017**, *8* (8), 5628-5635.
- 1064) "Subtle Roles of Sb and S in Regulating the Thermoelectric Properties of n-Type PbTe to High Performance", Tan, G.; Stoumpos, C. C.; Wang, S.; Bailey, T. P.; Zhao, L.-D.; Uher, C.; Kanatzidis, M. G., *Adv. Eng. Mater.* **2017**, 1700099.
- 1065) "Copper Vacancies and Heavy Holes in the Two-Dimensional Semiconductor  $KCu_{3-x}Se_2$ ", Rettie, A. J. E.; Sturza, M.; Malliakas, C. D.; Botana, A. S.; Chung, D. Y.; Kanatzidis, M. G., *Chem. Mater.* **2017**, *29* (14), 6114-6121.
- 1066) "Panoramic Synthesis as an Effective Materials Discovery Tool: The System Cs/Sn/P/Se as a Test Case", Haynes, A. S.; Stoumpos, C. C.; Chen, H. J.; Chica, D.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (31), 10814-10821.
- 1067) "Charge Density Wave and Narrow Energy Gap at Room Temperature in 2D  $Pb_{3-x}Sb_{1+x}S_4Te_{2-\delta}$  with Square Te Sheets", Chen, H. J.; Malliakas, C. D.; Narayan, A.; Fan, L.; Chung, D. Y.; Wagner, L. K.; Kwok, W. K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (32), 11271-11276.
- 1068) "Separation of Electron and Hole Dynamics in the Semimetal LaSb", Han, F.; Xu, J.; Botana, A. S.; Xiao, Z. L.; Wang, Y. L.; Yang, W. G.; Chung, D. Y.; Kanatzidis, M. G.; Norman, M. R.; Crabtree, G. W.; Kwok, W. K., *Phys. Rev. B* **2017**, *96* (12), 125112.



- 1069) "Orbital Selectivity Causing Anisotropy and Particle-Hole Asymmetry in the Charge Density Wave Gap of  $2H\text{-TaS}_2$ ", Zhao, J.; Wijayarathne, K.; Butler, A.; Yang, J.; Malliakas, C. D.; Chung, D. Y.; Louca, D.; Kanatzidis, M. G.; van Wezel, J.; Chatterjee, U., *Phys. Rev. B* **2017**, *96* (12), 125103.
- 1070) "Tunable White-Light Emission in Single-Cation-Templated Three-Layered 2D Perovskites  $(\text{CH}_3\text{CH}_2\text{NH}_3)_4\text{Pb}_3\text{Br}_{10-x}\text{Cl}_x$ ", Mao, L. L.; Wu, Y. L.; Stoumpos, C. C.; Traore, B.; Katan, C.; Even, J.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (34), 11956-11963.
- 1071) "Rapid Simultaneous Removal of Toxic Anions  $[\text{HSeO}_3]^-$ ,  $[\text{SeO}_3]^{2-}$ , and  $[\text{SeO}_4]^{2-}$ , and Metals  $\text{Hg}^{2+}$ ,  $\text{Cu}^{2+}$ , and  $\text{Cd}^{2+}$  by  $\text{MoS}_4^{2-}$  Intercalated Layered Double Hydroxide", Ma, L. J.; Islam, S. M.; Xiao, C. L.; Zhao, J.; Liu, H. Y.; Yuan, M. W.; Sun, G. B.; Li, H. F.; Ma, S. L.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (36), 12745-12757.
- 1072) "Homologous Series of 2D Chalcogenides Cs-Ag-Bi-Q (Q = S, Se) with Ion-Exchange Properties", Zhao, J.; Islam, S. M.; Hao, S. Q.; Tan, G. J.; Stoumpos, C. C.; Wolverton, C.; Chen, H. J.; Luo, Z. Z.; Li, R. K.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (36), 12601-12609.
- 1073) "Optical Properties and Modeling of 2D Perovskite Solar Cells", Liu, B.; Soe, C. M. M.; Stoumpos, C. C.; Nie, W. Y.; Tsai, H. H.; Lim, K. M.; Mohite, A. D.; Kanatzidis, M. G.; Marks, T. J.; Singer, K. D., *Solar RRL* **2017**, *1* (8), 1700062.
- 1074) "Reentrant Metallic Behavior in the Weyl Semimetal NbP", Xu, J.; Bugaris, D. E.; Xiao, Z. L.; Wang, Y. L.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K., *Phys. Rev. B* **2017**, *96* (11), 115152.
- 1075) "Enhanced Photovoltaic Performance and Stability with a New Type of Hollow 3D Perovskite  $\text{FASnI}_3$ ", Ke, W. J.; Stoumpos, C. C.; Zhu, M. H.; Mao, L. L.; Spanopoulos, I.; Liu, J.; Kontsevoi, O. Y.; Chen, M.; Sarma, D.; Zhang, Y. B.; Wasielewski, M. R.; Kanatzidis, M. G., *Science Advances* **2017**, *3* (8), e1701293.
- 1076) "Electronic Defects in the Halide Antiperovskite Semiconductor  $\text{Hg}_3\text{Se}_2\text{I}_2$ ", Kim, J. I.; Peters, J. A.; He, Y. H.; Liu, Z. F.; Das, S.; Kontsevoi, O. Y.; Kanatzidis, M. G.; Wessels, B. W., *Phys. Rev. B* **2017**, *96* (16), 165201.
- 1077) "Multiphoton Absorption Order of  $\text{CsPbBr}_3$  As Determined by Wavelength-Dependent Nonlinear Optical Spectroscopy", Saouma, F. O.; Stoumpos, C. C.; Kanatzidis, M. G.; Kim, Y. S.; Jang, J. I., *J. Phys. Chem. Lett.* **2017**, *8* (19), 4912-4917.
- 1078) "Chalcogenide Aerogels as Sorbents for Noble Gases (Xe, Kr)", Subrahmanyam, K. S.; Spanopoulos, I.; Chun, J. H.; Riley, B. J.; Thallapally, P. K.; Trikalitis, P. N.; Kanatzidis, M. G., *ACS Appl. Mater. Interfaces* **2017**, *9* (39), 33389-33394.
- 1079) "Semiconducting Pavanites  $\text{CdMBi}_4\text{Se}_8$  (M = Sn and Pb) and Their Thermoelectric Properties", Zhao, J.; Islam, S. M.; Hao, S. Q.; Tan, G. J.; Su, X. L.; Chen, H. J.; Liu, W. W.; Li, R. K.; Wolverton, C.; Kanatzidis, M. G., *Chem. Mater.* **2017**, *29* (19), 8494-8503.

- 1080) "Efficient Lead-Free Solar Cells Based on Hollow  $\text{MASnI}_3$  Perovskites", Ke, W. J.; Stoumpos, C. C.; Spanopoulos, I.; Mao, L.; Chen, M.; Wasielewski, M. R.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2017**, *139* (41), 14800-14806.
- 1081) "Ligand-Free, Quantum-Confined  $\text{Cs}_2\text{SnI}_6$  Perovskite Nanocrystals", Dolzhnikov, D. S.; Wang, C.; Xu, Y. D.; Kanatzidis, M. G.; Weiss, E. A., *Chemistry of Materials* **2017**, *29* (18), 7901-7907.
- 1082) "Polar Fluctuations in Metal Halide Perovskites Uncovered by Acoustic Phonon Anomalies", Guo, P. J.; Xia, Y.; Gong, J.; Stoumpos, C. C.; McCall, K. M.; Alexander, G. C. B.; Ma, Z. Y.; Zhou, H.; Gosztola, D. J.; Ketterson, J. B.; Kanatzidis, M. G.; Xu, T.; Chan, M. K. Y.; Schaller, R. D., *ACS Energy Letters* **2017**, *2* (10), 2463-2469.
- 1083) Subtle Roles of Sb and S in Regulating the Thermoelectric Properties of N-Type PbTe to High Performance", Tan, G. J.; Stoumpos, C. C.; Wang, S.; Bailey, T. P.; Zhao, L. D.; Uher, C.; Kanatzidis, M. G., *Advanced Energy Materials* **2017**, *7* (18), 9.1700099.
- 1084) "Selective enhancement of optical nonlinearity in two-dimensional organic-inorganic lead iodide perovskites", Saouma, F. O.; Stoumpos, C. C.; Wong, J.; Kanatzidis, M. G.; Jang, J. I., *Nature Communications* **2017**, *8*, 8.742.
- 1085) "New Type of 2D Perovskites with Alternating Cations in the Interlayer Space,  $(\text{C}(\text{NH}_2)_3)(\text{CH}_3\text{NH}_3)_n\text{Pb}_n\text{I}_{3n+1}$ : Structure, Properties, and Photovoltaic Performance", Soe, C. M. M.; Stoumpos, C. C.; Kepenekian, M.; Traore, B.; Tsai, H.; Nie, W. Y.; Wang, B. H.; Katan, C.; Seshadri, R.; Mohite, A. D.; Eyen, J.; Marks, T. J.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2017**, *139* (45), 16297-16309.
- 1086) "Spectroscopic signature of moment-dependent electron-phonon coupling in  $2\text{H-TaS}_2$ ", Wijayarathne, K.; Zhao, J. J.; Malliakas, C.; Chung, D. Y.; Kanatzidis, M. G.; Chatterjee, U., *Journal of Materials Chemistry C* **2017**, *5* (43), 11310-11316.
- 1087) "Highly Efficient Separation of Trivalent Minor Actinides by a Layered Metal Sulfide ( $\text{KInSn}_2\text{S}_6$ ) from Acidic Radioactive Waste", Xiao, C. L.; Fard, Z. H.; Sarma, D.; Song, T. B.; Xu, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2017**, *139* (46), 16494-16497.
- 1088) Facile room temperature solventless synthesis of high thermoelectric performance  $\text{Ag}_2\text{Se}$  via a dissociative adsorption reaction", Yang, D. W.; Su, X. L.; Meng, F. C.; Wang, S.; Yan, Y. G.; Yang, J. H.; He, J.; Zhang, Q. J.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Journal of Materials Chemistry A* **2017**, *5* (44), 23243-23251.
- 1089) "Semiconducting  $\text{Ba}_3\text{Sn}_3\text{Sb}_4$  and Metallic  $\text{Ba}_{7-x}\text{Sn}_{11}\text{Sb}_{15-y}$  ( $x=0.4, y=0.6$ ) Zintl Phases", Chen, H. J.; Narayan, A.; Stoumpos, C. C.; Zhao, J.; Han, F.; Chung, D. Y.; Wagner, L. K.; Kwok, W. K.; Kanatzidis, M. G., *Inorganic Chemistry* **2017**, *56* (22), 14251-14259.
- 1090) Universal Dynamics of Molecular Reorientation in Hybrid Lead Iodide Perovskites", Fabini, D. H.; Siaw, T. A.; Stoumpos, C. C.; Laurita, G.; Olds, D.; Page, K.; Hu, J. G.; Kanatzidis, M.

- G.; Han, S.; Seshadri, R., *Journal of the American Chemical Society* **2017**, *139* (46), 16875-16884.
- 1091) "Interconversion between Free Charges and Bound Excitons in 2D Hybrid Lead Halide Perovskites", Gelvez-Rueda, M. C.; Hutter, E. M.; Cao, D. H.; Renaud, N.; Stoumpos, C. C.; Hupp, J. T.; Savenije, T. J.; Kanatzidis, M. G.; Grozema, F. C., *Journal of Physical Chemistry C* **2017**, *121* (47), 26566-26574.
- 1092) "TlSbS<sub>2</sub>: a Semiconductor for Hard Radiation Detection", Lin, W. W.; Chen, H. J.; He, J. G.; Stoumpos, C. C.; Liu, Z. F.; Das, S.; Kim, J. I.; McCall, K. M.; Wessels, B. W.; Kanatzidis, M. G., *Acs Photonics* **2017**, *4* (11), 2891-2898.
- 1093) "Improved Crystal Growth of Tl<sub>6</sub>SeI<sub>4</sub> for gamma-Ray Detection Material by Oxide Impurity Removal", Lin, W. W.; Kontsevoi, O. Y.; Liu, Z. F.; Das, S.; He, Y. H.; Stoumpos, C. C.; McCall, K. M.; Malliakas, C. D.; Wessels, B. W.; Kanatzidis, M. G., *Crystal Growth & Design* **2017**, *17* (11), 6096-6104.
- 1094) "Two Regimes of Bandgap Red Shift and Partial Ambient Retention in Pressure-Treated Two-Dimensional Perovskites", Liu, G.; Kong, L. P.; Guo, P. J.; Stoumpos, C. C.; Hu, Q. Y.; Liu, Z. X.; Cai, Z. H.; Gosztola, D. J.; Mao, H. K.; Kanatzidis, M. G.; Schaller, R. D., *Acs Energy Letters* **2017**, *2* (11), 2518-2524.
- 1095) "Flux Crystal Growth of the RE<sub>2</sub>Ru<sub>3</sub>Ge<sub>5</sub> (RE = La, Ce, Nd, Gd, Tb) Series and Their Magnetic and Metamagnetic Transitions", Bugaris, D. E.; Malliakas, C. D.; Bud'ko, S. L.; Calta, N. P.; Chung, D. Y.; Kanatzidis, M. G., *Inorganic Chemistry* **2017**, *56* (23), 14584-14595.
- 1096) "High thermoelectric performance of p-BiSbTe compounds prepared by ultra-fast thermally induced reaction", Zheng, G.; Su, X. L.; Xie, H. Y.; Shu, Y. J.; Liang, T.; She, X. Y.; Liu, W.; Yan, Y. G.; Zhang, Q. J.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Energy & Environmental Science* **2017**, *10* (12), 2638-2652.
- 1097) "Millisecond-pulsed photonically-annealed tin oxide electron transport layers for efficient perovskite solar cells", Zhu, M. H.; Liu, W. W.; Ke, W. J.; Clark, S.; Secor, E. B.; Song, T. B.; Kanatzidis, M. G.; Li, X.; Hersam, M. C., *Journal of Materials Chemistry A* **2017**, *5* (46), 24110-24115.
- 1098) "Enhanced stability and thermoelectric figure-of-merit in copper selenide by lithium doping", Kang, S. D.; Pohls, J. H.; Aydemir, U.; Qiu, P. F.; Stoumpos, C. C.; Hanus, R.; White, M. A.; Shi, X.; Chen, L. D.; Kanatzidis, M. G.; Snyder, G. J., *Mater. Today Phys.* **2017**, *1*, 7-13.
- 1099) "Measuring nano-scale thermal conductivity", Zhao, L. D.; Kanatzidis, M. G., *Natl. Sci. Rev.* **2018**, *5* (1), 2-2.
- 1100) "AuPb<sub>2</sub>I<sub>7</sub>: A Narrow Bandgap Au<sup>3+</sup> Iodide Semiconductor", Alexander, G. C. B.; Fabini, D. H.; Seshadri, R.; Kanatzidis, M. G., *Inorganic Chemistry* **2018**, *57* (2), 804-810.
- 1101) "Dopant-Free Tetrakis-Triphenylamine Hole Transporting Material for Efficient Tin-Based Perovskite Solar Cells", Ke, W. J.; Priyanka, P.; Vegiraju, S.; Stoumpos, C. C.; Spanopoulos,

- I.; Soe, C. M. M.; Marks, T. J.; Chen, M. C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (1), 388-393.
- 1102) "Resonant Bonding, Multiband Thermoelectric Transport, and Native Defects in n-Type BaBiTe<sub>3-x</sub>Se<sub>x</sub> (x=0, 0.05, and 0.1)", Maier, S.; Ohno, S.; Yu, G.; Kang, S. D.; Chasapis, T. C.; Ha, V. A.; Miller, S. A.; Berthebaud, D.; Kanatzidis, M. G.; Rignanese, G. M.; Hautier, G.; Snyder, G. J.; Gascoin, F., *Chemistry of Materials* **2018**, *30* (1), 174-184.
- 1103) "Polycrystalline ZrTe<sub>5</sub> Parametrized as a Narrow-Band-Gap Semiconductor for Thermoelectric Performance", Miller, S. A.; Witting, I.; Aydemir, U.; Peng, L. T.; Rettie, A. J. E.; Gorai, P.; Chung, D. Y.; Kanatzidis, M. G.; Grayson, M.; Stevanovic, V.; Toberer, E. S.; Snyder, G. J., *Phys. Rev. Appl.* **2018**, *9* (1), 11.014025.
- 1104) "Spin quenching assisted by a strongly anisotropic compression behavior in MnP", Han, F.; Wang, D.; Wang, Y. G.; Li, N. N.; Bao, J. K.; Li, B.; Botana, A. S.; Xiao, Y. M.; Chow, P.; Chung, D. Y.; Chen, J. H.; Wan, X. G.; Kanatzidis, M. G.; Yang, W. G.; Mao, H. K., *New J. Phys.* **2018**, *20*, 9.023012
- 1105) "Quaternary Pavanites A<sub>1+x</sub>Sn<sub>2-x</sub>Bi<sub>5+x</sub>S<sub>10</sub> (A<sup>+</sup> = Li<sup>+</sup>, Na<sup>+</sup>): Site Occupancy Disorder Defines Electronic Structure", Khoury, J. F.; Hao, S. Q.; Stoumpos, C. C.; Yao, Z. P.; Malliakas, C. D.; Aydemir, U.; Slade, T. J.; Snyder, G. J.; Wolverton, C.; Kanatzidis, M. G., *Inorganic Chemistry* **2018**, *57* (4), 2260-2268.
- 1106) "Cu<sub>2</sub>I<sub>2</sub>Se<sub>6</sub>: A Metal-Inorganic Framework Wide-Bandgap Semiconductor for Photon Detection at Room Temperature", Lin, W. W.; Stoumpos, C. C.; Kontsevoi, O. Y.; Liu, Z. F.; He, Y. H.; Das, S.; Xu, Y. D.; McCall, K. M.; Wessels, B. W.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (5), 1894-1899.
- 1107) "Ultrafast Imaging of Carrier Cooling in Metal Halide Perovskite Thin Films", Nah, S.; Spokoyny, B. M.; Soe, C. M. M.; Stoumpos, C. C.; Kanatzidis, M. G.; Harel, E., *Nano Letters* **2018**, *18* (2), 1044-1048.
- 1108) "Stable Light-Emitting Diodes Using Phase-Pure Ruddlesden-Popper Layered Perovskites", Tsai, H.; Nie, W. Y.; Blancon, J. C.; Stoumpos, C. C.; Soe, C. M. M.; Yoo, J.; Crochet, J.; Tretiak, S.; Even, J.; Sadhanala, A.; Azzellino, G.; Brenes, R.; Ajayan, P. M.; Bulovic, V.; Stranks, S. D.; Friend, R. H.; Kanatzidis, M. G.; Mohite, A. D., *Advanced Materials* **2018**, *30* (6), 9.1704217.
- 1109) "Pressure dependence of coherence-incoherence crossover behavior in KFe<sub>2</sub>As<sub>2</sub> observed by resistivity and <sup>75</sup>As-NMR/NQR", Wiecki, P.; Taufour, V.; Chung, D. Y.; Kanatzidis, M. G.; Budko, S. L.; Canfield, P. C.; Furukawa, Y., *Physical Review B* **2018**, *97* (6), 10.064509.
- 1110) "Role of Stoichiometry in the Growth of Large Pb<sub>2</sub>P<sub>2</sub>Se<sub>6</sub> Crystals for Nuclear Radiation Detection", Xu, Y. D.; Fu, X.; Zheng, H. J.; He, Y. H.; Lin, W. W.; McCall, K. M.; Liu, Z. F.; Das, S.; Wessels, B. W.; Kanatzidis, M. G., *ACA Photonics* **2018**, *5* (2), 566-573.

- 1111) "Transient Sub-bandgap States in Halide Perovskite Thin Films", Nah, S.; Spokoyny, B.; Jiang, X.; Stoumpos, C.; Soe, C. M. M.; Kanatzidis, M. G.; Harel, E., *Nano Letters* **2018**, *18* (2), 827-831.
- 1112) "Critical Role of Interface and Crystallinity on the Performance and Photostability of Perovskite Solar Cell on Nickel Oxide", Nie, W. Y.; Tsai, H. H.; Blancon, J. C.; Liu, F. Z.; Stoumpos, C. C.; Traore, B.; Kepenekian, M.; Durand, O.; Katan, C.; Tretiak, S.; Crochet, J.; Ajayan, P. M.; Kanatzidis, M. G.; Even, J.; Mohite, A. D., *Advanced Materials* **2018**, *30* (5), 9.1703879.
- 1113) "Rhombohedral to Cubic Conversion of GeTe via MnTe Alloying Leads to Ultralow Thermal Conductivity, Electronic Band Convergence, and High Thermoelectric Performance", Zheng, Z.; Su, X. L.; Deng, R. G.; Stoumpos, C.; Xie, H. Y.; Liu, W.; Yan, Y. G.; Hao, S. Q.; Uher, C.; Wolverton, C.; Kanatzidis, M. G.; Tang, X. F., *Journal of the American Chemical Society* **2018**, *140* (7), 2673-2686
- 1114) "Unique  $[\text{Mn}_6\text{Bi}_5]^-$  Nanowires in  $\text{KMn}_6\text{Bi}_5$ : A Quasi-One-Dimensional Antiferromagnetic Metal", Bao, J. K.; Tang, Z. T.; Jun, H. J.; Liu, J. Y.; Liu, Y.; Li, L.; Li, Y. K.; Xu, Z. A.; Feng, C. M.; Chen, H. J.; Chung, D. Y.; Dravid, V. P.; Cao, G. H.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (12), 4391-4400.
- 1115) "Liquid-like thermal conduction in intercalated layered crystalline solids", Li, B.; Wang, H.; Kawakita, Y.; Zhang, Q.; Feygenson, M.; Yu, H. L.; Wu, D.; Ohara, K.; Kikuchi, T.; Shibata, K.; Yamada, T.; Ning, X. K.; Chen, Y.; He, J. Q.; Vaknin, D.; Wu, R. Q.; Nakajima, K.; Kanatzidis, M. G., *Nature Materials* **2018**, *17* (3), 226-231.
- 1116) "Unusually large chemical potential shift in a degenerate semiconductor: Angle-resolved photoemission study of SnSe and Na-doped SnSe", Maeda, M.; Yamamoto, K.; Mizokawa, T.; Saini, N. L.; Arita, M.; Namatame, H.; Taniguchi, M.; Tan, G.; Zhao, L. D.; Kanatzidis, M. G., *Physical Review B* **2018**, *97* (12), 5.121110.
- 1117) "Hybrid Dion-Jacobson 2D Lead Iodide Perovskites", Mao, L. L.; Ke, W. J.; Pedesseau, L.; Wu, Y. L.; Katan, C.; Even, J.; Wasielewski, M. R.; Stoumpos, C. C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (10), 3775-3783.
- 1118) "High-Performance PbTe Thermoelectric Films by Scalable and Low-Cost Printing", Han, C.; Tan, G. J.; Varghese, T.; Kanatzidis, M. G.; Zhang, Y. L., *ACS Energy Letters* **2018**, *3* (4), 818-822.
- 1119) "High Spectral resolution of gamma-rays at room temperature by perovskite  $\text{CsPbBr}_3$  single crystals", He, Y. H.; Matei, L.; Jung, H. J.; McCall, K. M.; Chen, M.; Stoumpos, C. C.; Liu, Z. F.; Peters, J. A.; Chung, D. Y.; Wessels, B. W.; Wasielewski, M. R.; Dravid, V. P.; Burger, A.; Kanatzidis, M. G., *Nature Communications* **2018**, *9*, 8.1609.
- 1120) "Light-induced lattice expansion leads to high-efficiency perovskite solar cells", Tsai, H.; Asadpour, R.; Blancon, J. C.; Stoumpos, C. C.; Durand, O.; Strzalka, J. W.; Chen, B.; Verduzco, R.; Ajayan, P. M.; Tretiak, S.; Even, J.; Alam, M. A.; Kanatzidis, M. G.; Nie, W.; Mohite, A. D., *Science* **2018**, *360* (6384), 67-70.

- 1121) "Phase Transition Control for High Performance Ruddlesden-Popper Perovskite Solar Cells", Zhang, X.; Munir, R.; Xu, Z.; Liu, Y. C.; Tsai, H.; Nie, W. Y.; Li, J. B.; Niu, T. Q.; Smilgies, D. M.; Kanatzidis, M. G.; Mohite, A. D.; Zhao, K.; Amassian, A.; Liu, S. Z., *Advanced Materials* **2018**, *30* (21), 10.1707166.
- 1122) "Remarkable Acid Stability of Polypyrrole-MoS<sub>4</sub>: A Highly Selective and Efficient Scavenger of Heavy Metals Over a Wide pH Range", Xie, L. X.; Yu, Z. H.; Islam, S. M.; Shi, K. R.; Cheng, Y. H.; Yuan, M. W.; Zhao, J.; Sun, G. B.; Li, H. F.; Ma, S. L.; Kanatzidis, M. G., *Advanced Functional Materials* **2018**, *28* (20), 12.1800502.
- 1123) "Lattice Thermal Transport in Group II-alloyed PbTe", Xia, Y.; Hodges, J. M.; Kanatzidis, M. G.; Chan, M. K. Y., *Appl. Phys. Lett.* **2018**, *112* (18), 5.181906.
- 1124) "Design Principles for Electronic Charge Transport in Solution-processed Vertically Stacked 2D Perovskite Quantum Wells", Tsai, H. H.; Asadpour, R.; Blancon, J. C.; Stoumpos, C. C.; Even, J.; Ajayan, P. M.; Kanatzidis, M. G.; Alam, M. A.; Mohite, A. D.; Nie, W. Y., *Nat. Commun.* **2018**, *9*, 9.2130.
- 1125) "Composite Nature of Layered Hybrid Perovskites: Assessment on Quantum and Dielectric Confinements and Band Alignment", Traore, B.; Pedesseau, L.; Assam, L.; Che, X. Y.; Blancon, J. C.; Tsai, H.; Nie, W. Y.; Stoumpos, C. C.; Kanatzidis, M. G.; Tretiak, S.; Mohite, A. D.; Even, J.; Kepenekian, M.; Katan, C., *ACS Nano* **2018**, *12* (4), 3321-3332.
- 1126) "Unraveling the Chemical Nature of the 3D "Hollow" Hybrid Halide Perovskites", Spanopoulos, I.; Ke, W. J.; Stoumpos, C. C.; Schueller, E. C.; Kontsevoi, O. Y.; Seshadri, R.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (17), 5728-5742.
- 1127) "Absence of Nanostructuring in NaPb<sub>m</sub>SbTe<sub>m+2</sub>: Solid Solutions with High Thermoelectric Performance in the Intermediate Temperature Regime", Slade, T. J.; Grovogui, J. A.; Hao, S. Q.; Bailey, T. P.; Ma, R. C.; Hua, X.; Gueguen, A.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (22), 7021-7031.
- 1128) "Directional Negative Thermal Expansion and Large Poisson Ratio in CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskite Revealed by Strong Coherent Shear Phonon Generation", Mante, P. A.; Stoumpos, C. C.; Kanatzidis, M. G.; Yartsev, A., *J. Phys. Chem. Lett.* **2018**, *9* (12), 3161-3166.
- 1129) "Superconductivity in the 2-Dimensional Homologous Series AM<sub>m</sub>Bi<sub>3</sub>Q<sub>5+m</sub> (m=1, 2) (A = Rb, Cs; M = Pb, Sn; Q = Se, Te)", Malliakas, C. D.; Chung, D. Y.; Claus, H.; Kanatzidis, M. G., *Chemistry-a European Journal* **2018**, *24* (28), 7118-7122.
- 1130) "An Effective Purification Process for the Nuclear Radiation Detector Tl<sub>6</sub>SeI<sub>4</sub>", Lin, W. W.; Kontsevoi, O. Y.; Liu, Z. F.; Das, S.; He, Y. H.; Xu, Y. D.; Stoumpos, C. C.; McCall, K. M.; Rettie, A. J. E.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Cryst. Growth Des.* **2018**, *18* (6), 3484-34
- 1131) "Pr<sub>3-x</sub>Te<sub>4</sub>: Boost in ZT from Spike at the Fermi Level, but Not before a Good Synthesis", Kanatzidis, M. G., *Joule* **2018**, *2* (4), 583-584.

- 1132) "Conversion of Single Crystal  $(\text{NH}_4)_2\text{Mo}_3\text{S}_{13} \cdot \text{H}_2\text{O}$  to Isomorphic Pseudocrystals of  $\text{MoS}_2$  Nanoparticles", Islam, S. M.; Cain, J. D.; Shi, F. Y.; He, Y. H.; Peng, L. T.; Banerjee, A.; Subrahmanyam, K. S.; Li, Y.; Ma, S. L.; Dravid, V. P.; Grayson, M.; Kanatzidis, M. G., *Chemistry of Materials* **2018**, *30* (11), 3847-3853.
- 1133) "Thermal conductivity in  $\text{Bi}_{0.5}\text{Sb}_{1.5}\text{Te}_{3+x}$  and the role of dense dislocation arrays at grain boundaries", Deng, R. G.; Su, X. L.; Zheng, Z.; Liu, W.; Yan, Y. G.; Zhang, Q. J.; Dravid, V. P.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Science Advances* **2018**, *4* (6).
- 1134) "Cross-plane coherent acoustic phonons in two-dimensional organic-inorganic hybrid perovskites", Guo, P. J.; Stoumpos, C. C.; Mao, L. L.; Sadasivam, S.; Ketterson, J. B.; Darancet, P.; Kanatzidis, M. G.; Schaller, R. D., *Nat. Commun.* **2018**, *9*, 9.2019.
- 1135) "Stoichiometric Effects on the Photoelectric Properties of  $\text{LiInSe}_2$  Crystals for Neutron Detection", Guo, L. J.; Xu, Y. D.; Zheng, H. J.; Xue, W. Q.; Dong, J. P.; Zhang, B. B.; He, Y. H.; Zha, G. Q.; Chung, D. Y.; Jie, W. Q.; Kanatzidis, M. G., *Cryst. Growth Des.* **2018**, *18* (5), 2864-2870.
- 1136) "High thermoelectric performance in  $\text{Bi}_{0.46}\text{Sb}_{1.54}\text{Te}_3$  nanostructured with  $\text{ZnTe}$ ", Deng, R. G.; Su, X. L.; Hao, S. Q.; Zheng, Z.; Zhang, M.; Xie, H. Y.; Liu, W.; Yan, Y. G.; Wolverton, C.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Energy Environ. Sci.* **2018**, *11* (6), 1520-1535.
- 1137) "INORGANIC CHEMISTRY Beyond fossil fuel-driven nitrogen transformations", Chen, J. G.; Crooks, R. M.; Seefeldt, L. C.; Bren, K. L.; Bullock, R. M.; Darensbourg, M. Y.; Holland, P. L.; Hoffman, B.; Janik, M. J.; Jones, A. K.; Kanatzidis, M. G.; King, P.; Lancaster, K. M.; Lymar, S. V.; Pfromm, P.; Schneider, W. F.; Schrock, R. R., *Science* **2018**, *360* (6391), 873-+.
- 1138) "Thermally induced migration of a polyoxometalate within a metal-organic framework and its catalytic effects", Buru, C. T.; Platero-Prats, A. E.; Chica, D. G.; Kanatzidis, M. G.; Chapman, K. W.; Farha, O. K., *J. Mater. Chem. A* **2018**, *6* (17), 7389-7394.
- 1139) "Scaling law for excitons in 2D perovskite quantum wells", Blancon, J. C.; Stier, A. V.; Tsai, H.; Nie, W.; Stoumpos, C. C.; Traore, B.; Pedesseau, L.; Kepenekian, M.; Katsutani, F.; Noe, G. T.; Kono, J.; Tretiak, S.; Crooker, S. A.; Katan, C.; Kanatzidis, M. G.; Crochet, J. J.; Even, J.; Mohite, A. D., *Nat. Commun.* **2018**, *9*, 10.2254.
- 1140) "Single Crystal Growth and Study of the Ferromagnetic Superconductor  $\text{RbEuFe}_4\text{As}_4$ ", Bao, J. K.; Willa, K.; Smylie, M. P.; Chen, H. J.; Welp, U.; Chung, D. Y.; Kanatzidis, M. G., *Cryst. Growth Des.* **2018**, *18* (6), 3517-3523.
- 1141) "Efficient Removal of  $\text{UO}_2^{2+}$ ,  $\text{Cs}^+$ , and  $\text{Sr}^{2+}$  Ions by Radiation-Resistant Gallium Thioantimonates", Feng, M. L.; Sarma, D.; Gao, Y. J.; Qi, X. H.; Li, W. A.; Huang, X. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (35), 11133-11140.
- 1142) "Hyperbolic Dispersion Arising from Anisotropic Excitons in Two-Dimensional Perovskites", Guo, P. J.; Huang, W.; Stoumpos, C. C.; Mao, L. L.; Gong, J.; Zeng, L.; Diroll, B. T.; Xia, Y.;

- Ma, X. D.; Gosztola, D. J.; Xu, T.; Ketterson, J. B.; Bedzyk, M. J.; Facchetti, A.; Marks, T. J.; Kanatzidis, M. G.; Schaller, R. D., *Physical Review Letters* **2018**, *121* (12).
- 1143) "Concept of Lattice Mismatch and Emergence of Surface States in Two-dimensional Hybrid Perovskite Quantum Wells", Kepenekian, M.; Traore, B.; Blancon, J. C.; Pedesseau, L.; Tsai, H.; Nie, W. Y.; Stoumpos, C. C.; Kanatzidis, M. G.; Even, J.; Mohite, A. D.; Tretiak, S.; Katan, C., *Nano Letters* **2018**, *18* (9), 5603-5609.
- 1144) " $\text{Cs}_2\text{PbI}_2\text{Cl}_2$ , All-Inorganic Two-Dimensional Ruddlesden-Popper Mixed Halide Perovskite with Optoelectronic Response", Li, J. W.; Yu, Q.; He, Y. H.; Stoumpos, C. C.; Niu, G. D.; Trimarchi, G. G.; Guo, H.; Dong, G. F.; Wang, D.; Wang, L. D.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (35), 11085-11090.
- 1145) "Two-Dimensional Halide Perovskites Incorporating Straight Chain Symmetric Diammonium Ions,  $(\text{NH}_3\text{C}_m\text{H}_{2m}\text{NH}_3)(\text{CH}_3\text{NH}_3)_{n-1}\text{Pb}_n\text{I}_{3n+1}$  ( $m=4-9$ ;  $n=1-4$ )", Li, X. T.; Hoffman, J.; Ke, W. J.; Chen, M.; Tsai, H.; Nie, W. Y.; Mohite, A. D.; Kepenekian, M.; Katan, C.; Even, J.; Wasielewski, M. R.; Stoumpos, C. C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (38), 12226-12238.
- 1146) "Structural Diversity in White-Light-Emitting Hybrid Lead Bromide Perovskites", Mao, L. L.; Guo, P. J.; Kepenekian, M.; Hadar, I.; Katan, C.; Even, J.; Schaller, R. D.; Stoumpos, C. C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, *140* (40), 13078-13088.
- 1147) "alpha-Particle Detection and Charge Transport Characteristics in the  $\text{A}_3\text{M}_2\text{I}_9$  Defect Perovskites ( $\text{A} = \text{Cs, Rb}$ ;  $\text{M} = \text{Bi, Sb}$ )", McCall, K. M.; Liu, Z. F.; Trimarchi, G.; Stoumpos, C. C.; Lin, W. W.; He, Y. H.; Hadar, I.; Kanatzidis, M. G.; Wessels, B. W., *ACS Photonics* **2018**, *5* (9), 3748-3762.
- 1148) "Anisotropic superconductivity and magnetism in single-crystal  $\text{RbEuFe}_4\text{As}_4$ ", Smylie, M. P.; Willa, K.; Bao, J. K.; Ryan, K.; Islam, Z.; Claus, H.; Simsek, Y.; Diao, Z.; Rydh, A.; Koshelev, A. E.; Kwok, W. K.; Chung, D. Y.; Kanatzidis, M. G.; Welp, U., *Physical Review B* **2018**, *98* 104503.
- 1149) "Ni and Se co-doping increases the power factor and thermoelectric performance of  $\text{CoSbS}$ ", You, Y. H.; Su, X. L.; Hao, S. Q.; Liu, W.; Yan, Y. G.; Zhang, T. T.; Zhang, M.; Wolverton, C.; Kanatzidis, M. G.; Tang, X. F., *Journal of Materials Chemistry A* **2018**, *6* (31), 15123-15131.
- 1150) "Emphanitic anharmonicity in  $\text{PbSe}$  at high temperature and anomalous electronic properties in the  $\text{Pb Q}$  ( $\text{Q} = \text{S, Se, Te}$ ) system", Yu, R. Z.; Bozin, E. S.; Abeykoon, M.; Sangiorgio, B.; Spaldin, N. A.; Malliakas, C. D.; Kanatzidis, M. G.; Billinge, S. J. L. *Physical Review B* **2018**, *98* 144108.
- 1151) "Superconductivity and Structural Conversion with Na and K Doping of the Narrow-Gap Semiconductor  $\text{CsBi}_4\text{Te}_6$ ", Chen, H. J.; Claus, H.; Bao, J. K.; Stoumpos, C. C.; Chung, D. Y.; Kwok, W. K.; Kanatzidis, M. G., *Chemistry of Materials* **2018**, *30* (15), 5293-5304.



- 1152) "Slow thermal equilibration in methylammonium lead iodide revealed by transient mid-infrared spectroscopy", Guo, P. J.; Gong, J.; Sadasivam, S.; Xia, Y.; Song, T. B.; Diroll, B. T.; Stoumpos, C. C.; Ketterson, J. B.; Kanatzidis, M. G.; Chan, M. K. Y.; Darancet, P.; Xu, T.; Schaller, R. D., *Nature Communications* **2018**, 9 2792.
- 1153) "Multistates and Polyamorphism in Phase-Change  $K_2Sb_8Se_{13}$ ", Islam, S. M.; Peng, L. T.; Zeng, L.; Malliakas, C. D.; Chung, D. Y.; Buchholz, D. B.; Chasapis, T.; Li, R.; Chrissafis, K.; Medvedeva, J. E.; Trimarchi, G. G.; Grayson, M.; Marks, T. J.; Bedzyk, M. J.; Chang, R. P. H.; Dravid, V. P.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, 140 (29), 9261-9268.
- 1154) "Excessively Doped PbTe with Ge-Induced Nanostructures Enables High-Efficiency Thermoelectric Modules", Jood, P.; Ohta, M.; Yamamoto, A.; Kanatzidis, M. G., *Joule* **2018**, 2 (7), 1339-1355.
- 1155) "Diammonium Cations in the  $FASnI_3$  Perovskite Structure Lead to Lower Dark Currents and More Efficient Solar Cells", Ke, W. J.; Stoumpos, C. C.; Spanopoulos, I.; Chen, M.; Wasielewski, M. R.; Kanatzidis, M. G., *ACS Energy Letters* **2018**, 3 (7), 1470-1476.
- 1156) "Air-Stable Direct Bandgap Perovskite Semiconductors: All-Inorganic Tin-Based Heteroleptic Halides  $A_xSnCl_yI_z$  ( $A = Cs, Rb$ )", Li, J. W.; Stoumpos, C. C.; Trimarchi, G. G.; Chung, I.; Mao, L. L.; Chen, M.; Wasielewski, M. R.; Wang, L. D.; Kanatzidis, M. G., *Chemistry of Materials* **2018**, 30 (14), 4847-4856.
- 1157) "Isothermal pressure-derived metastable states in 2D hybrid perovskites showing enduring bandgap narrowing", Liu, G.; Gong, J.; Kong, L. P.; Schaller, R. D.; Hu, Q. Y.; Liu, Z. X.; Yan, S.; Yang, W. G.; Stoumpos, C. C.; Kanatzidis, M. G.; Mao, H. K.; Xu, T., *Proceedings of the National Academy of Sciences of the United States of America* **2018**, 115 (32), 8076-8081.
- 1158) "High Thermoelectric Performance in Supersaturated Solid Solutions and Nanostructured n-Type PbTe-GeTe", Luo, Z. Z.; Zhang, X. M.; Hua, X.; Tan, G. J.; Bailey, T. P.; Xu, J. W.; Uher, C.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Advanced Functional Materials* **2018**, 28 (31) 1801617.
- 1159) "Ag<sub>2</sub>Se to KAg<sub>3</sub>Se<sub>2</sub>: Suppressing Order Disorder Transitions via Reduced Dimensionality", Rettie, A. J. E.; Malliakas, C. D.; Botana, A. S.; Hodges, J. M.; Han, F.; Huang, R. Y.; Chung, D. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2018**, 140 (29), 9193-9202.
- 1160) "Correlated local dipoles in PbTe", Sangiorgio, B.; Bozin, E. S.; Malliakas, C. D.; Fechner, M.; Simonov, A.; Kanatzidis, M. G.; Billinge, S. J. L.; Spaldin, N. A.; Weber, T., *Physical Review Materials* **2018**, 2 (8) 085104.
- 1161) "Weak Electron Phonon Coupling and Deep Level Impurity for High Thermoelectric Performance  $Pb_{1-x}Ga_xTe$ ", Su, X. L.; Hao, S. Q.; Bailey, T. P.; Wang, S.; Hadar, I.; Tan, G. J.; Song, T. B.; Zhang, Q. J.; Uher, C.; Wolverton, C.; Tang, X. F.; Kanatzidis, M. G., *Advanced Energy Materials* **2018**, 8 (21) 1800659.

- 1162) "Out-of-Plane Mechanical Properties of 2D Hybrid Organic-Inorganic Perovskites by Nanoindentation", Tu, Q.; Spanopoulos, I.; Hao, S. Q.; Wolverton, C.; Kanatzidis, M. G.; Shekhawat, G. S.; Dravid, V. P., *ACS Applied Materials & Interfaces* **2018**, *10* (26), 22167-22173.
- 1163) "Quaternary Chalcogenide Semiconductors with 2D Structures:  $\text{Rb}_2\text{ZnBi}_2\text{Se}_5$  and  $\text{Cs}_6\text{Cd}_2\text{Bi}_8\text{Te}_{17}$ ", Zhao, J.; Hao, S. Q.; Islam, S. M.; Chen, H. J.; Ma, S. L.; Wolverton, C.; Kanatzidis, M. G., *Inorganic Chemistry* **2018**, *57* (15), 9403-9411
- 1164) "n-Type  $\text{SnSe}_2$  Oriented-Nanoplate-Based Pellets for High Thermoelectric Performance", Luo, Y. B.; Zheng, Y.; Luo, Z. Z.; Hao, S. Q.; Du, C. F.; Liang, Q. H.; Li, Z.; Khor, K. A.; Hippalgaonkar, K.; Xu, J. W.; Yan, Q. Y.; Wolverton, C.; Kanatzidis, M. G., *Advanced Energy Materials* **2018**, *8* (8) 1702167.
- 1165) "Crystal Structure Evolution and Notable Thermal Expansion in Hybrid Perovskites Formamidinium Tin Iodide and Formamidinium Lead Bromide", Schueller, E. C.; Laurita, G.; Fabini, D. H.; Stoumpos, C. C.; Kanatzidis, M. G.; Seshadri, R., *Inorganic Chemistry* **2018**, *57* (2), 695-701.
- 1166) "Understanding Film Formation Morphology and Orientation in High Member 2D Ruddlesden-Popper Perovskites for High-Efficiency Solar Cells", Soe, C. M. M.; Nie, W. Y.; Stoumpos, C. C.; Tsai, H.; Blancon, J. C.; Liu, F. Z.; Even, J.; Marks, T. J.; Mohite, A. D.; Kanatzidis, M. G., *Advanced Energy Materials* **2018**, *8* (1) 1700979.
- 1167) "Enhancement of Thermoelectric Performance in  $\text{CuSbSe}_2$  Nanoplate-Based Pellets by Texture Engineering and Carrier Concentration Optimization", Luo, Y. B.; Du, C. F.; Liang, Q. H.; Zheng, Y.; Zhu, B. B.; Hu, H. L.; Khor, K. A.; Xu, J. W.; Yan, Q. Y.; Kanatzidis, M. G., *SMALL* **2018**, *14* (50) 1803092.
- 1168) "Optical and Electronic Anisotropies in Perovskitoid Crystals of  $\text{Cs}_3\text{Bi}_2\text{I}_9$  Studies of Nuclear Radiation Detection", Sun, Q. H.; Xu, Y. D.; Zhang, H. J.; Xiao, B.; Liu, X.; Dong, J. P.; Cheng, Y. B.; Zhang, B. B.; Jie, W. Q.; Kanatzidis, M. G., *Journal of Materials Chemistry A* **2018**, *6* (46), 23388-23395.
- 1169) "Thiazole-Induced Surface Passivation and Recrystallization of  $\text{CH}_3\text{NH}_3\text{PbI}_3$  Films for Perovskite Solar Cells with Ultrahigh Fill Factors", Zhang, H. B.; Chen, H.; Stoumpos, C. C.; Ren, J.; Hou, Q. Z.; Li, X.; Li, J. Q.; He, H. C.; Lin, H.; Wang, J. S.; Hao, F.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2018**, *10* (49), 42436-42443.
- 1170) "The Thermoelectric Properties of  $\text{SnSe}$  Continue to Surprise: Extraordinary Electron and Phonon Transport", Chang, C.; Tan, G. J.; He, J. Q.; Kanatzidis, M. G.; Zhao, L. D., *Chemistry of Materials* **2018**, *30* (21), 7355-7367.
- 1171) "Deep Level and Near-Band-Edge Recombination in Semiconducting Antiperovskite  $\text{Hg}_3\text{Se}_2\text{I}_2$  Single Crystals", Das, S.; McCall, K.M.; Peters, J.A.; He, YH.; Kim, J-I.; Liu, ZF.; Kanatzidis, M.G.; Wessels, B. W., *Advanced Optical Materials* **2018**, *6* (22) 1800328.

- 1172) “Abrupt Thermal Shock of  $(\text{NH}_4)_2\text{Mo}_3\text{S}_{13}$  Leads to Ultrafast Synthesis of Porous Ensembles of  $\text{MoS}_2$  Nanocrystals for High Gain Photodetectors”, Islam, S. M.; Sangwan, V. K.; Li, Y.; Kang, J.; Zhang, X. M.; He, Y. H.; Zhao, J.; Murthy, A.; Ma, S. L.; Dravid, V. P.; Hersam, M. C.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2018**, *10* (44), 38193-38200.
- 1173) “Myths and reality of  $\text{HPbI}_3$  in halide perovskite solar cells”, Ke, W. J.; Spanopoulos, I.; Stoumpos, C. C.; Kanatzidis, M. G., *Nature Communications* **2018**, *9*, 4785.
- 1174) “Dynamic Disorder, Band Gap Widening, and Persistent Near-IR Photoluminescence up to At Least 523 K in  $\text{ASnI}_3$  Perovskites ( $A = \text{Cs}^+$ ,  $\text{CH}_3\text{NH}_3^+$  and  $\text{NH}_2\text{-CH=NH}_2^+$ )”, Kontos, A. G.; Kaltzoglou, A.; Arfanis, M. K.; McCall, K. M.; Stoumpos, C. C.; Wessels, B. W.; Falaras, P.; Kanatzidis, M. G., *Journal of Physical Chemistry C* **2018**, *122* (46), 26353-26361.
- 1175) “Morphological Engineering of Winged  $\text{Au}@\text{MoS}_2$  Heterostructures for Electrocatalytic Hydrogen Evolution”, Li, Y.; Majewski, M. B.; Islam, S. M.; Hao, S. Q.; Murthy, A. A.; DiStefano, J. G.; Hanson, E. D.; Xu, Y. B.; Wolverton, C.; Kanatzidis, M. G.; Wasielewski, M. R.; Chen, X. Q.; Dravid, V. P., *Nano Letters* **2018**, *18* (11), 7104-7110.
- 1176) “Exceptional  $\text{TcO}_4^-$  sorption capacity and highly efficient  $\text{ReO}_4^-$  luminescence sensing by  $\text{Zr}^{4+}$  MOFs”, Rapti, S.; Diamantis, S. A.; Dafnomili, A.; Pournara, A.; Skliri, E.; Armatas, G. S.; Tsipis, A. C.; Spanopoulos, I.; Malliakas, C. D.; Kanatzidis, M. G.; Plakatouras, J. C.; Noli, F.; Lazarides, T.; Manos, M. J., *Journal of Materials Chemistry A* **2018**, *6* (42), 20813-20821.
- 1177) “Isothermal pressure-derived metastable states in 2D hybrid perovskites showing enduring bandgap narrowing”, Liu, G.; Gong, J.; Kong, L. P.; Schaller, R. D.; Hu, Q. Y.; Liu, Z. X.; Yan, S.; Yang, W. G.; Stoumpos, C. C.; Kanatzidis, M. G.; Mao, H. K.; Xu, T., *Proceedings of the National Academy of Sciences of the United States of America* **2018**, *115* (32), 8076-8081.
- 1178) “Abrupt Thermal Shock of  $(\text{NH}_4)_2\text{Mo}_3\text{S}_{13}$  Leads to Ultrafast Synthesis of Porous Ensembles of  $\text{MoS}_2$  Nanocrystals for High Gain Photodetectors”, Islam, S. M.; Sangwan, V. K.; Li, Y.; Kang, J.; Zhang, X. M.; He, Y. H.; Zhao, J.; Murthy, A.; Ma, S. L.; Dravid, V. P.; Hersam, M. C.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2018**, *10* (44), 38193-38200.
- 1179) “Stretching and Breaking of Ultrathin 2D Hybrid Organic-Inorganic Perovskites”, Tu, Q.; Spanopoulos, I.; Stoumpos, C. C.; Kanatzidis, M. G.; Shekhawat, G. S.; Dravid, V. P., *ACS Nano* **2018**, *12*, 10347-10354.
- 1180) “Defect Perovskites under Pressure: Structural Evolution of  $\text{Cs}_2\text{SnX}_6$  ( $X = \text{Cl}, \text{Br}, \text{I}$ )”, Bounos, G.; Karnachoriti, M.; Kontos, A. G.; Stoumpos, C. C.; Tsetseris, L.; Kaltzoglou, A.; Guo, G.; Lu, X.; Raptis, Y.; Kanatzidis, M. G.; Falaras, P., *J Phys Chemistry* **2018**, *122*, 24004-24013.
- 1181) “Dual Alloying Strategy to Achieve a High Thermoelectric Figure of Merit and Lattice Hardening in p-Type Nanostructured  $\text{PbTe}$ ”, Sarkar, S.; Zhang, X.; Hao, S.; Hua, X.; Bailey,

T.P.; Uher, C.; Wolverton, C.; Vinayak, P.D.; Kanatzidis, M.G.; *ACS Energy Lett* **2018**, *3*, 2593-2693.

- 1182) “Anharmonicity and Disorder in the Black Phases of Cesium Lead Iodide Used for Stable Inorganic Perovskite Solar Cells”, Marronnier, A.; Roma, G.; Boyer-Richard, S.; Pedesseau, L.; Jancu, J.M.; Bonnaissieux, Y.; Katan, C.; Stoumpos, C.C.; Kanatzidis, M.G.; Even, J., *ACS Nano* **2018**, *12*, 3477-3486.
- 1183) “High Thermoelectric Performance in SnTe-AgSbTe<sub>2</sub> Alloys from Lattice Softening, Giant Phonon-Vacancy Scattering, and Valence Band Convergence”, Tan, G.; Hao, S.; Hanus, R.C.; Zhang, X.; Anand, S.; Bailey, T.P.; Rettie, A.J.E.; Su, X.; Uher, C.; Dravid, V.P.; Snyder, J.S.; Wolverton, C.; Kanatzidis, M.G., *ACS Energy Lett.* **2018**, *3*, 705-712.
- 1184) “Resolving the Energy of  $\gamma$ -Ray Photons with MAPbI<sub>3</sub> Single Crystals”, He, Y.; Ke, W.; Alexander, G.C.B.; McCall, K.M.; Chica, D.G.; Liu, Z.; Hadar, I.; Stoumpos, C.C.; Wessels, B.W.; Kanatzidis, M.G., *ACS Photonics* **2018**, *5* (10), 4132-4138.
- 1185) “Two-Dimensional CsAg<sub>5</sub>Te<sub>3-x</sub>S<sub>x</sub> Semiconductors: Multi-anion Chalcogenides with Dynamic Disorder and Ultralow Thermal Conductivity”, Hodges, J.M.; Xia, Y.; Malliakas, C.D.; Alexander, G.C.B.; Chan M.K.Y.; Kanatzidis, M.G.; *Chem. Mater.* **2018**, *30* (20), 7245-7254.
- 1186) “Soft phonon modes from off-center Ge atoms lead to ultralow thermal conductivity and superior thermoelectric performance in n-type PbSe-GeSe”, Luo, Z-Z.; Hao, S.; Zhang, X.; Hua, X.; Cai, X.; Tan, G.; Bailey, T.P.; Ma, R.; Uher, C.; Wolverton, C.; Dravid, V.P.; Yan, Q.; Kanatzidis, M.G., *Energy Environ. Sci.*, **2018**, *11*, 3220.
- 1187) “Heat capacity of Mg<sub>3</sub>Sb<sub>2</sub>, Mg<sub>3</sub>Bi<sub>2</sub>, and their alloys at high temperature,” Agne, M. T.; Imasato, K.; Anand, S.; Lee, K.; Bux, S. K.; Zevalkink, A.; Rettie, A. J. E.; Chung, D. Y.; Kanatzidis, M. G.; Snyder, G. J., *Materials Today Physics* **2018**, *6*, 83-88.
- 1188) “Chemical Insights into PbSe-x%HgSe: High Power Factor and Improved Thermoelectric Performance by Alloying with Discordant Atoms,” Hodges, J. M.; Hao, S. Q.; Grovogui, J. A.; Zhang, X. M.; Bailey, T. P.; Li, X.; Gan, Z. H.; Hu, Y. Y.; Uher, C.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G., *J Am Chem Soc* **2018**, *140* (51), 18115-18123.
- 1189) “Piperazine Suppresses Self-Doping in CsSnI<sub>3</sub> Perovskite Solar Cells,” Song, T. B.; Yokoyama, T.; Logsdon, J.; Wasielewski, M. R.; Aramaki, S.; Kanatzidis, M. G., *ACS Applied Energy Materials* **2018**, *1* (8), 4221-4226.
- 1190) “The 2019 materials by design roadmap,” Alberi, K.; Nardelli, M. B.; Zakutayev, A.; Mitas, L.; Curtarolo, S.; Jain, A.; Fornari, M.; Marzari, N.; Takeuchi, I.; Green, M. L.; Kanatzidis, M.; Toney, M. F.; Butenko, S.; Meredig, B.; Lany, S.; Kattner, U.; Davydov, A.; Toberer, E. S.; Stevanovic, V.; Walsh, A.; Park, N. G.; Aspuru-Guzik, A.; Tabor, D. P.; Nelson, J.; Murphy, J.; Setlur, A.; Gregoire, J.; Li, H.; Xiao, R. J.; Ludwig, A.; Martin, L. W.; Rappe, A. M.; Wei, S. H.; Perkins, J., *Journal of Physics D-Applied Physics* **2019**, *52* (1).

- 1191) "Superconductivity in  $Y_7Ru_4InGe_{12}$ ," Bao, J. K.; Bugaris, D. E.; Zheng, H. H.; Willa, K.; Welp, U.; Chung, D. Y.; Kanatzidis, M. G., *Physical Review Materials* **2019**, 3 (2) 024802.
- 1192) "High Hole Mobility and Nonsaturating Giant Magnetoresistance in the New 2D Metal  $NaCu_4Se_4$  Synthesized by a Unique Pathway," Chen, H. J.; Rodrigues, J. N. B.; Rettie, A. J. E.; Song, T. B.; Chica, D. G.; Su, X. L.; Bao, J. K.; Chung, D. Y.; Kwok, W. K.; Wagner, L. K.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (1), 635-642.
- 1193) "Infrared-pump Electronic-probe of Methylammonium Lead Iodide Reveals Electronically Decoupled Organic and Inorganic Sublattices," Guo, P. J.; Mannodi-Kanakkithodi, A.; Gong, J.; Xia, Y.; Stoumpos, C. C.; Cao, D. H.; Diroll, B. T.; Ketterson, J. B.; Wiederrecht, G. P.; Xu, T.; Chan, M. K. Y.; Kanatzidis, M. G.; Schaller, R. D., *Nature Communications* **2019**, 10 (482).
- 1194) "Perovskite  $CsPbBr_3$  single crystal detector for alpha-particle spectroscopy," He, Y. H.; Liu, Z. F.; McCall, K. M.; Lin, W. W.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Nuclear Instruments & Methods in Physics Research Section a-Accelerators Spectrometers Detectors and Associated Equipment* **2019**, 922, 217-221.
- 1195) "Prospects for low-toxicity lead-free perovskite solar cells," Ke, W. J.; Kanatzidis, M. G., *Nature Communications* **2019**, 10 (965).
- 1196) "Compositional and Solvent Engineering in Dion-Jacobson 2D Perovskites Boosts Solar Cell Efficiency and Stability," Ke, W. J.; Mao, L. L.; Stoumpos, C. C.; Hoffman, J.; Spanopoulos, I.; Mohite, A. D.; Kanatzidis, M. G., *Advanced Energy Materials* **2019**, 9 (10) 1803384.
- 1197) "Noise Sources and Their Limitations on the Performance of Compound Semiconductor Hard Radiation Detectors," Liu, Z. F.; Peters, J. A.; Kim, J. I.; Das, S.; McCall, K. M.; Wessels, B. W.; He, Y. H.; Lin, W. W.; Kanatzidis, M. G., *Nuclear Instruments & Methods in Physics Research Section a-Accelerators Spectrometers Detectors and Associated Equipment* **2019**, 916, 133-140.
- 1198) "High Thermoelectric Performance in Polycrystalline  $SnSe$  Via Dual-Doping with  $Ag/Na$  and Nanostructuring With  $Ag_8SnSe_6$ ," Luo, Y. B.; Cai, S. T.; Hua, X.; Chen, H. J.; Liang, Q. H.; Du, C. F.; Zheng, Y.; Shen, J. H.; Xu, J. W.; Wolverson, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Advanced Energy Materials* **2019**, 9 (2), 1803072.
- 1199) "Two-Dimensional Hybrid Halide Perovskites: Principles and Promises," Mao, L. L.; Stoumpos, C. C.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (3), 1171-1190.
- 1200) "Structural and Thermodynamic Limits of Layer Thickness in 2D Halide Perovskites," Soe, C. M. M.; Nagabhushana, G. P.; Shivaramaiah, R.; Tsai, H. H.; Nie, W. Y.; Blancon, J. C.; Melkonyan, F.; Cao, D. H.; Traore, B.; Pedesseau, L.; Kepenekian, M.; Katan, C.; Even, J.; Marks, T. J.; Navrotsky, A.; Mohite, A. D.; Stoumpos, C. C.; Kanatzidis, M. G., *Proceedings of the National Academy of Sciences of the United States of America* **2019**, 116 (1), 58-66.
- 1201) "A Natural 2D Heterostructure  $[Pb_{3.1}Sb_{0.9}S_4][Au_xTe_{2-x}]$  with Large Transverse Nonsaturating Negative Magnetoresistance and High Electron Mobility," Chen, H. J.; He, J. N.; Malliakas,

- C. D.; Stoumpos, C. C.; Rettie, A. J. E.; Bao, J. K.; Chung, D. Y.; Kwok, W. K.; Wolverton, C.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (18), 7544-7553.
- 1202) "Modern Processing and Insights on Selenium Solar Cells: The World's First Photovoltaic Device," Hadar, I.; Song, T. B.; Ke, W.; Kanatzidis, M. G., *Advanced Energy Materials* **2019**, *9* (16) 1802766.
- 1203) "Computational strategies for design and discovery of nanostructured thermoelectrics," Hao, S. Q.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C., *npj Comput. Mater.* **2019**, *5* (58).
- 1204) "Design Strategy for High-Performance Thermoelectric Materials: The Prediction of Electron-Doped KZrCuSe<sub>3</sub>," Hao, S. Q.; Ward, L.; Luo, Z. Z.; Ozolins, V.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C., *Chem Mater* **2019**, *31* (8), 3018-3024.
- 1205) "Controlling the Vapor Transport Crystal Growth of Hg<sub>3</sub>Se<sub>2</sub>I<sub>2</sub> Hard Radiation Detector Using Organic Polymer," He, Y. H.; Alexander, G. C. B.; Das, S.; Liu, Z. F.; Hadar, I.; McCall, K. M.; Lin, W. W.; Xu, Y. D.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Cryst Growth Des* **2019**, *19* (4), 2074-2080.
- 1206) "Ethylenediammonium-Based "Hollow" Pb/Sn Perovskites with Ideal Band Gap Yield Solar Cells with Higher Efficiency and Stability", Ke, W. J.; Spanopoulos, I.; Tu, Q.; Hadar, I.; Li, X. T.; Shekhawat, G. S.; Dravid, V. P.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (21), 8627-8637.
- 1207) "Ultrafast correlated charge and lattice motion in a hybrid metal halide perovskite," Lan, Y.; Dringoli, B. J.; Valverde-Chavez, D. A.; Ponceca, C. S.; Sutton, M.; He, Y. H.; Kanatzidis, M. G.; Cooke, D. G., *Sci. Adv.* **2019**, *5* (5) eaaw5558.
- 1208) "Surface Oxide Removal for Polycrystalline SnSe Reveals Near-Single-Crystal Thermoelectric Performance," Lee, Y. K.; Luo, Z.; Cho, S. P.; Kanatzidis, M. G.; Chung, I., *Joule* **2019**, *3* (3), 719-731.
- 1209) "Small Cyclic Diammonium Cation Templated (110)-Oriented 2D Halide (X = I, Br, Cl) Perovskites with White-Light Emission", Li, X. T.; Guo, P. J.; Kepenekian, M.; Hadar, I.; Katan, C.; Even, J.; Stoumpos, C. C.; Schaller, R. D.; Kanatzidis, M. G., *Chem Mater* **2019**, *31* (9), 3582-3590.
- 1210) "Enhancement of Thermoelectric Performance for n-Type PbS through Synergy of Gap State and Fermi Level Pinning," Luo, Z. Z.; Hao, S. Q.; Cai, S. T.; Bailey, T. P.; Tan, G. J.; Luo, Y. B.; Spanopoulos, I.; Uher, C.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (15), 6403-6412.
- 1211) "From OD Cs<sub>3</sub>Bi<sub>2</sub>I<sub>9</sub> to 2D Cs<sub>3</sub>Bi<sub>2</sub>I<sub>6</sub>Cl<sub>3</sub>: Dimensional Expansion Induces a Direct Band Gap but Enhances Electron Phonon Coupling," McCall, K. M.; Stoumpos, C. C.; Kontsevoi, O. Y.; Alexander, G. C. B.; Wessels, B. W.; Kanatzidis, M. G., *Chem Mater* **2019**, *31* (7), 2644-2650.

- 1212) “Low-Frequency Carrier Kinetics in Perovskite Solar Cells,” Sangwan, V. K.; Zhu, M. H.; Clark, S.; Luck, K. A.; Marks, T. J.; Kanatzidis, M. G.; Hersam, M. C., *ACS Applied Materials & Interfaces* **2019**, *11* (15), 14166-14174.
- 1213) “Uniaxial Expansion of the 2D Ruddlesden-Popper Perovskite Family for Improved Environmental Stability,” Spanopoulos, I.; Hadar, I.; Ke, W. J.; Tu, Q.; Chen, M.; Tsai, H.; He, Y. H.; Shekhawat, G.; Dravid, V. P.; Wasielewski, M. R.; Mohite, A. D.; Stoumpos, C. C.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (13), 5518-5534.
- 1214) “All-Scale Hierarchically Structured p-Type PbSe Alloys with High Thermoelectric Performance Enabled by Improved Band Degeneracy,” Tan, G. J.; Hao, S. Q.; Cai, S. T.; Bailey, T. P.; Luo, Z. Z.; Hadar, I.; Uher, C.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (10), 4480-4486.
- 1215) “Unleaded” Perovskites: Status Quo and Future Prospects of Tin-Based Perovskite Solar Cells”, Ke, W.; Stoumpos, C.C., Kanatzidis, M.G., *Adv Mater* **2019**, *31* (47) 1803230
- 1216) “(4NPEA)<sub>2</sub>PbI<sub>4</sub> (4NPEA= 4-Nitrophenylethylammonium): Structural, NMR, and Optical Properties of a 3 x 3 Corrugated 2D Hybrid Perovskite,” Tremblay, M. H.; Thouin, F.; Leisen, J.; Bacsá, J.; Kandada, A. R. S.; Hoffman, J. M.; Kanatzidis, M. G.; Mohite, A. D.; Silva, C.; Barlow, S.; Marder, S. R., *J Am Chem Soc* **2019**, *141* (11), 4521-4525.
- 1217) “Self-induced magnetic flux structure in the magnetic superconductor RbEuFe<sub>4</sub>As<sub>4</sub>,” Vlasko-Vlasov, V. K.; Koshelev, A. E.; Smylie, M.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Welp, U.; Kwok, W. K., *Phys Rev B* **2019**, *99* (13) 134503.
- 1218) “Strongly fluctuating moments in the high-temperature magnetic superconductor RbEuFe<sub>4</sub>As<sub>4</sub>,” Willa, K.; Willa, R.; Bao, J. K.; Koshelev, A. E.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K.; Welp, U., *Phys Rev B* **2019**, *99* 180502(R).
- 1219) “Pressure-temperature phase diagram of the EuRbFe<sub>4</sub>As<sub>4</sub> superconductor,” Xiang, L.; Bud'ko, S. L.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Canfield, P. C., *Phys Rev B* **2019**, *99* (14) 144509.
- 1220) “Amphoteric Indium Enables Carrier Engineering to Enhance the Power Factor and Thermoelectric Performance in n-Type Ag<sub>n</sub>Pb<sub>100</sub>In<sub>n</sub>Te<sub>100+2n</sub> (LIST),” Xiao, Y.; Wu, H. J.; Wang, D. Y.; Niu, C. L.; Pei, Y. L.; Zhang, Y.; Spanopoulos, I.; Witting, I. T.; Li, X.; Pennycook, S. J.; Snyder, G. J.; Kanatzidis, M. G.; Zhao, L. D., *Advanced Energy Materials* **2019**, *9* (17) 1900414.
- 1221) “Six Quaternary Chalcogenides of the Pavonite Homologous Series with Ultralow Lattice Thermal Conductivity,” Zhao, J.; Hao, S. Q.; Islam, S. M.; Chen, H. J.; Tan, G. J.; Ma, S. L.; Wolverton, C.; Kanatzidis, M. G., *Chem Mater* **2019**, *31* (9), 3430-3439.
- 1222) “Combustion Synthesized Zinc Oxide Electron-Transport Layers for Efficient and Stable Perovskite Solar Cells,” Zheng, D.; Wang, G.; Huang, W.; Wang, B. H.; Ke, W. J.; Logsdon, J. L.; Wang, H. Y.; Wang, Z.; Zhu, W. G.; Yu, J. S.; Wasielewski, M. R.; Kanatzidis, M. G.; Marks, T. J.; Facchetti, A., *Advanced Functional Materials* **2019**, *29* (16) 1900265.

- 1223) “Morphology of X-ray detector Cs<sub>2</sub>TeI<sub>6</sub> perovskite thick films grown by electrospray method,” Guo, J.; Xu, Y. D.; Yang, W. H.; Zhang, B. B.; Dong, J. P.; Jie, W. Q.; Kanatzidis, M. G., *J Mater Chem C* **2019**, 7 (28), 8712-8719.
- 1224) “From 2D to 1D Electronic Dimensionality in Halide Perovskites with Stepped and Flat Layers Using Propylammonium as a Spacer”, Hoffman, J. M.; Che, X. Y.; Sidhik, S.; Li, X. T.; Hadar, I.; Blancon, J. C.; Yarnaguchi, H.; Kepenekian, M.; Katan, C.; Even, J.; Stoumpos, C. C.; Mohite, A. D.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (27), 10661-10676.
- 1225) Two-Dimensional Dion-Jacobson Hybrid Lead Iodide Perovskites with Aromatic Diammonium Cations,” Li, X. T.; Ke, W. J.; Traore, B.; Guo, P. J.; Hadar, I.; Kepenekian, M.; Even, J.; Katan, C.; Stoumpos, C. C.; Schaller, R. D.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (32), 12880-12890.
- 1226) “Purification and Improved Nuclear Radiation Detection of Tl<sub>6</sub>SI<sub>4</sub> Semiconductor,” Lin, W. W.; Liu, Z. F.; Stoumpos, C. C.; Das, S.; He, Y. H.; Hadar, I.; Peters, J. A.; McCall, K. M.; Xu, Y. D.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Cryst Growth & Des* **2019**, 19 (8), 4738-4744.
- 1227) “Ultralow Thermal Conductivity and High-Temperature Thermoelectric Performance in n-Type K<sub>2.5</sub>Bi<sub>8.5</sub>Se<sub>14</sub>,” Luo, Z. Z.; Cai, S. T.; Hao, S. Q.; Bailey, T. P.; Hu, X. B.; Hanus, R.; Ma, R. C.; Tan, G. J.; Chica, D. G.; Snyder, G. J.; Uher, C.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Chem Mater* **2019**, 31 (15), 5943-5952.
- 1228) “KCu<sub>7</sub>P<sub>3</sub>: A Two-Dimensional Noncentrosymmetric Metallic Pnictide,” Rettie, A. J. E.; Malliakas, C. D.; Botana, A. S.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G., *Inorg Chem* **2019**, 58 (15), 10201-10208.
- 1229) “Anisotropic upper critical field of pristine and proton-irradiated single crystals of the magnetically ordered superconductor RbEuFe<sub>4</sub>As<sub>4</sub>,” Smylie, M. P.; Koshelev, A. E.; Willa, K.; Willa, R.; Kwok, W. K.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Singleton, J.; Balakirev, F. F.; Hebbeker, H.; Niraula, P.; Bokari, E.; Kayani, A.; Welp, U., *Phys Rev B* **2019**, 100 (5) (054507).
- 1230) “Thermoelectric power generation: from new materials to devices,” Tan, G. J.; Ohta, M.; Kanatzidis, M. G., *Philosophical Transactions of the Royal Society a-Mathematical Physical and Engineering Sciences* **2019**, 377 (2152) 20180450.
- 1231) “Origin of Intrinsically Low Thermal Conductivity in Talnakhite Cu<sub>17.6</sub>Fe<sub>17.6</sub>S<sub>32</sub> Thermoelectric Material: Correlations between Lattice Dynamics and Thermal Transport,” Xie, H. Y.; Su, X. L.; Zhang, X. M.; Hao, S. Q.; Bailey, T. P.; Stoumpos, C. C.; Douvalis, A. P.; Hu, X. B.; Wolverton, C.; Dravid, V. P.; Uher, C.; Tang, X. F.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (27), 10905-10914.



- 1232) “Giant Enhancement of Photoluminescence Emission in WS<sub>2</sub>-Two-Dimensional Perovskite Heterostructures,” Yang, A.; Blacton, J. C.; Jiang, W.; Zhang, H.; Wong, J.; Yan, E.; Lin, Y. R.; Crochet, J.; Kanatzidis, M. G.; Jariwala, D.; Low, T.; Mohite, A. D.; Atwater, H. A., *Nano Lett* **2019**, *19* (8), 4852-4860.
- 1233) “High Thermoelectric Performance in PbSe-NaSbSe<sub>2</sub> Alloys from Valence Band Convergence and Low Thermal Conductivity,” Slade, T. J.; Bailey, T. P.; Grovogui, J. A.; Hua, X.; Zhang, X. M.; Kuo, J. J.; Hadar, I.; Snyder, G. J.; Wolverton, C.; Dravid, V. P.; Uher, C.; Kanatzidis, M. G., *Advanced Energy Materials* **2019**, *9* (30), 1901377.
- 1234) “Improved Environmental Stability and Solar Cell Efficiency of (MA,FA)PbI<sub>3</sub> Perovskite Using a Wide-Band-Gap 1D Thiazolium Lead Iodide Capping Layer Strategy,” Gao, L. L.; Spanopoulos, I.; Ke, W. J.; Huang, S.; Hadar, I.; Chen, L.; Li, X. L.; Yang, G. J.; Kanatzidis, M. G., *ACS Energy Letters* **2019**, *4* (7), 1763-1769.
- 1235) “Transient Sub-Band-Gap States at Grain Boundaries of CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskite Act as Fast Temperature Relaxation Centers,” Jiang, X. Y.; Hoffman, J.; Stoumpos, C. C.; Kanatzidis, M. G.; Harel, E., *ACS Energy Letters* **2019**, *4* (7), 1741-1747.
- 1236) “Small Cyclic Diammonium Cation Templated (110)-Oriented 2D Halide (X = I, Br, Cl) Perovskites with White-Light Emission,” Li, X. T.; Guo, P. J.; Kepenekian, M.; Hadar, I.; Katan, C.; Even, J.; Stoumpos, C. C.; Schaller, R. D.; Kanatzidis, M. G., *Chem Mater* **2019**, *31* (9), 3582-3590.
- 1237) “Orbital-flop Induced Magnetoresistance Anisotropy in Rare Earth Monopnictide CeSb,” Xu, J.; Wu, F. C.; Bao, J. K.; Han, F.; Xiao, Z. L.; Martin, I.; Lyu, Y. Y.; Wang, Y. L.; Chung, D. Y.; Li, M. D.; Zhang, W.; Pearson, J. E.; Jiang, J. D. S.; Kanatzidis, M. G.; Kwok, W. K., *Nature Communications* **2019**, *10*, 2875.
- 1238) “Hierarchical Nanoassembly of MoS<sub>2</sub>/Co<sub>9</sub>S<sub>8</sub>/Ni<sub>3</sub>S<sub>2</sub>/Ni as a Highly Efficient Electrocatalyst for Overall Water Splitting in a Wide pH Range,” Yang, Y.; Yao, H. Q.; Yu, Z. H.; Islam, S. M.; He, H. Y.; Yuan, M. W.; Yue, Y. H.; Xu, K.; Hao, W. C.; Sun, G. B.; Li, H. F.; Ma, S. L.; Zapol, P.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, *141* (26), 10417-10430.
- 1239) “Lattice Softening Significantly Reduces Thermal Conductivity and Leads to High Thermoelectric Efficiency,” Hanus, R.; Agne, M. T.; Rettie, A. J. E.; Chen, Z. W.; Tan, G. J.; Chung, D. Y.; Kanatzidis, M. G.; Pei, Y. Z.; Voorhees, P. W.; Snyder, G. J., *Advanced Materials* **2019**, *31* (21) 1900108.
- 1240) “High Thermoelectric Performance in the Wide Band-Gap AgGa<sub>1-x</sub>Te<sub>2</sub> Compounds: Directional Negative Thermal Expansion and Intrinsically Low Thermal Conductivity,” Su, X. L.; Zhao, N.; Hao, S. Q.; Stoumpos, C. C.; Liu, M. Y.; Chen, H. J.; Xie, H. Y.; Zhang, Q. J.; Wolverton, C.; Tang, X. F.; Kanatzidis, M. G., *Advanced Functional Materials* **2019**, *29* (6) 1806534.
- 1241) “Enhanced Density-of-States Effective Mass and Strained Endotaxial Nanostructures in Sb-Doped Pb<sub>0.97</sub>Cd<sub>0.03</sub>Te Thermoelectric Alloys,” Tan, G. J.; Zhang, X. M.; Hao, S. Q.; Chi, H.;

Bailey, T. P.; Su, X. L.; Uher, C.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2019**, *11* (9), 9197-9204.

- 1242) “Probing Strain-Induced Band Gap Modulation in 2D Hybrid Organic-Inorganic Perovskites,” Tu, Q.; Spanopoulos, I.; Hao, S. Q.; Wolverton, C.; Kanatzidis, M. G.; Shekhawat, G. S.; Dravid, V. P., *ACS Energy Letters* **2019**, *4* (3), 796-802.
- 1243) Highly Selective Radioactive  $^{137}\text{Cs}^+$  Capture in an Open-Framework Oxysulfide Based on Supertetrahedral Cluster,” Wang, L.; Pei, H.; Sarma, D.; Zhang, X. M.; MacRenaris, K.; Malliakas, C. D.; Kanatzidis, M. G., *Chem Mater* **2019**, *31* (5), 1628-1634.
- 1244) “Dynamical Transformation of Two-Dimensional Perovskites with Alternating Cations in the Interlayer Space for High-Performance Photovoltaics,” Zhang, Y. L.; Wang, P. J.; Tang, M. C.; Barrit, D.; Ke, W. J.; Liu, J. X.; Luo, T.; Liu, Y. C.; Niu, T. Q.; Smilgies, D. M.; Yang, Z.; Liu, Z. K.; Jin, S. Y.; Kanatzidis, M. G.; Arnassian, A.; Liu, S. Z. F.; Zhao, K., *J Am Chem Soc* **2019**, *141* (6), 2684-2694.
- 1245) “Zero-Dimensional  $\text{Cs}_2\text{TeI}_6$  Perovskite: Solution-Processed Thick Films with High X-ray Sensitivity,” Xu, Y. D.; Jiao, B.; Song, T. B.; Stoumpos, C. C.; He, Y. H.; Hadar, I.; Lin, W. W.; Jie, W. Q.; Kanatzidis, M. G., *ACS Photonics* **2019**, *6* (1), 196-203.
- 1246) “High Thermoelectric Performance in Polycrystalline SnSe Via Dual-Doping with Ag/Na and Nanostructuring With  $\text{Ag}_8\text{SnSe}_6$ ,” Luo, Y. B.; Cai, S. T.; Hua, X.; Chen, H. J.; Liang, Q. H.; Du, C. F.; Zheng, Y.; Shen, J. H.; Xu, J. W.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Adv Energy Materials* **2019**, *9* (2).
- 1247) “Pressure-Induced Superconductivity and Flattened Se-6 Rings in the Wide Band Gap Semiconductor  $\text{Cu}_2\text{I}_2\text{Se}_6$ ,” Cai, W. Z.; Lin, W. W.; Li, L. H.; Malliakas, C. D.; Zhang, R.; Groesbeck, M.; Bao, J. K.; Zhang, D. Z.; Sterer, E.; Kanatzidis, M. G.; Deemyad, S., *J Am Chem Soc* **2019**, *141* (38), 15174-15182.
- 1248) “Nonlinear Band Gap Tunability in Selenium Tellurium Alloys and Its Utilization in Solar Cells,” Hadar, I.; Hu, X. B.; Luo, Z. Z.; Dravid, V. P.; Kanatzidis, M. G., *ACS Energy Letters* **2019**, *4* (9), 2137-2143.
- 1249) “Enormous electron-electron scattering in the filled-cage cubic compound  $\text{Ba}_{10}\text{Ti}_{24}\text{Bi}_{39}$ ,” Han, F.; Bao, J. K.; Malliakas, C. D.; Sturza, M.; Du, Y. P.; Chung, D. Y.; Wan, X. G.; Kanatzidis, M. G., *Phys. Rev. Materials* **2019**, *3* (10).
- 1250) “Dimensionally driven crossover from semimetal to direct semiconductor in layered SbAs,” Hao, S. Q.; He, J. G.; Dravid, V. P.; Kanatzidis, M. G.; Wolverton, C., *Phys Rev. Materials* **2019**, *3* (10).
- 1251) “Unconventional Defects in a Quasi-One-Dimensional  $\text{KMn}_6\text{Bi}_5$ ,” Jung, H. J.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Dravid, V. P., *Nano Letters* **2019**, *19* (10), 7476-7486.

- 1252) “Self-Passivation of 2D Ruddlesden-Popper Perovskite by Polytypic Surface  $\text{PbI}_2$  Encapsulation,” Jung, H. J.; Stoumpos, C. C.; Kanatzidis, M. G.; Dravid, V. P., *Nano Letters* **2019**, 19 (9), 6109-6117.
- 1253) “Melting of vortex lattice in the magnetic superconductor  $\text{RbEuFe}_4\text{As}_4$ ,” Koshelev, A. E.; Willa, K.; Willa, R.; Smylie, M. P.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K.; Welp, U., *Phys. Review B* **2019**, 100 (9).
- 1254) “Two-Dimensional Dion-Jacobson Hybrid Lead Iodide Perovskites with Aromatic Diammonium Cations,” Li, X. T.; Ke, W. J.; Traore, B.; Guo, P. J.; Hadar, I.; Kepenekian, M.; Even, J.; Katan, C.; Stoumpos, C. C.; Schaller, R. D.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (32), 12880-12890.
- 1255) “Ultralow Thermal Conductivity and High-Temperature Thermoelectric Performance in n-Type  $\text{K}_{2.5}\text{Bi}_{8.5}\text{Se}_{14}$ ,” Luo, Z. Z.; Cai, S. T.; Hao, S. Q.; Bailey, T. P.; Hu, X. B.; Hanus, R.; Ma, R. C.; Tan, G. J.; Chica, D. G.; Snyder, G. J.; Uher, C.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Chem. Mat.* **2019**, 31 (15), 5943-5952.
- 1256) “Seven-Layered 2D Hybrid Lead Iodide Perovskites,” Mao, L. L.; Kennard, R. M.; Traore, B.; Ke, W. J.; Katan, C.; Even, J.; Chabinye, M. L.; Stoumpos, C. C.; Kanatzidis, M. G., *Chem* **2019**, 5 (10), 2593-2604.
- 1257) “3D Printing of highly textured bulk thermoelectric materials: mechanically robust  $\text{BiSbTe}$  alloys with superior performance,” Qiu, J. H.; Yan, Y. G.; Luo, T. T.; Tang, K. C.; Yao, L.; Zhang, J.; Zhang, M.; Su, X. L.; Tan, G. J.; Xie, H. Y.; Kanatzidis, M. G.; Uher, C.; Tang, X. F., *Energy & Environmental Science* **2019**, 12 (10), 3106-3117.
- 1258) “ $\text{KCu}_7\text{P}_3$ : A Two-Dimensional Noncentrosymmetric Metallic Pnictide,” Rettie, A. J. E.; Malliakas, C. D.; Botana, A. S.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G., *Inorg. Chem.* **2019**, 58 (15), 10201-10208.
- 1259) “Anisotropic upper critical field of pristine and proton-irradiated single crystals of the magnetically ordered superconductor  $\text{RbEuFe}_4\text{As}_4$ ,” Smylie, M. P.; Koshelev, A. E.; Willa, K.; Willa, R.; Kwok, W. K.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Singleton, J.; Balakirev, F. F.; Hebbeker, H.; Niraula, P.; Bokari, E.; Kayani, A.; Welp, U., *Phys. Rev. B* **2019**, 100 (5) 054507.
- 1260) “Detection of Rashba spin splitting in 2D organic-inorganic perovskite via precessional carrier spin relaxation,” Todd, S. B.; Riley, D. B.; Binai-Motlagh, A.; Clegg, C.; Ramachandran, A.; March, S. A.; Hoffman, J. M.; Hill, I. G.; Stoumpos, C. C.; Kanatzidis, M. G.; Yu, Z. G.; Hall, K. C., *APL Mater.* **2019**, 7 (8) 081116.
- 1261) “ $\text{K}_x[\text{Bi}_{4-x}\text{Mn}_x\text{S}_6]$ , Design of a Highly Selective Ion Exchange Material and Direct Gap 2D Semiconductor,” Wang, R. Q.; Chen, H. J.; Mao, Y.; Hadar, I.; Bu, K. J.; Zhang, X.; Pan, J.; Gu, Y. H.; Guo, Z. N.; Huang, F. Q.; Kanatzidis, M. G., *Journal of the American Chemical Society*, **2019**, 141 (42), 16903-16914.

- 1262) "Ion Beam Induced Artifacts in Lead-Based Chalcogenides.," Zhang, X. M.; Hao, S. Q.; Tan, G. J.; Hu, X. B.; Roth, E. W.; Kanatzidis, M. G.; Wolverton, C.; Dravid, V. P., *Microscopy and Microanalysis* **2019**, 25 (4), 831-839.
- 1263) "Antiferromagnetic Semiconductor BaFMn<sub>0.5</sub>Te with Unique Mn Ordering and Red Photoluminescence," Chen, H. J.; McClain, R.; He, J. G.; Zhang, C.; Olding, J. N.; dos Reis, R.; Bao, J. K.; Hadar, I.; Spanopoulos, I.; Malliakas, C.D.; He, Y. H.; Chung, D. Y.; Kwok, W. K.; Weiss, E. A.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G. *Journal of the American Chemical Society* **2019**, 141 (43) 17421-17430.
- 1264) "Benzodithiophene Hole-Transporting Materials for Efficient Tin-Based Perovskite Solar Cells," Vegiraju, S.; Ke, W. J.; Priyanka, P.; Ni, J. S.; Wu, Y. C.; Spanopoulos, I.; Yau, S. L.; Marks, T. J.; Chen, M. C.; Kanatzidis, M. G., *Advanced Functional Materials* **2019**, 29 (45).
- 1265) Magnetization-governed magnetoresistance anisotropy in the topological semimetal CeBi," Lyu, Y. Y.; Han, F.; Xiao, Z. L.; Xu, J.; Wang, Y. L.; Wang, H. B.; Bao, J. K.; Chung, D. Y.; Li, M. D.; Martin, I.; Welp, U.; Kanatzidis, M. G.; Kwok, W. K., *Physical Review B* **2019**, 100 (18).
- 1266) "Large Thermal Conductivity Drops in the Diamondoid Lattice of CuFeS<sub>2</sub> by Discordant Atom Doping," Xie, H. Y.; Su, X. L.; Hao, S. Q.; Zhang, C.; Zhang, Z. K.; Liu, W.; Yan, Y. G.; Wolverton, C.; Tang, X. F.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (47), 18900-18909.
- 1267) "Carrier recombination mechanism in CsPbBr<sub>3</sub> revealed by time-resolved photoluminescence spectroscopy," Peters, J. A.; Liu, Z. F.; Yu, R. H.; McCall, K. M.; He, Y. H.; Kanatzidis, M. G.; Wessels, B. W., *Physical Review B* **2019**, 100 (23).
- 1268) "Perovskites with a Twist: Strong In<sup>1+</sup> Off-Centering in the Mixed-Valent CsInX<sub>3</sub> (X = Cl, Br)," McCall, K. M.; Friedrich, D.; Chica, D. G.; Cai, W. Z.; Stoumpos, C. C.; Alexander, G. C. B.; Deemyad, S.; Wessels, B. W.; Kanatzidis, M. G., *Chemistry of Materials* **2019**, 31 (22), 9554-9566.
- 1269) "New Three-Dimensional Subsulfide Ir<sub>2</sub>In<sub>8</sub>S with Dirac Semimetal Behavior," Khoury, J. F.; Rettie, A. J. E.; Khan, M. A.; Ghimire, N. J.; Robredo, I.; Pfluger, J. E.; Pal, K.; Wolverton, C.; Bergara, A.; Jiang, J. S.; Schoop, L. M.; Vergniory, M. G.; Mitchell, J. F.; Chung, D. Y.; Kanatzidis, M. G., *J Am Chem Soc* **2019**, 141 (48), 19130-19137.
- 1270) "Conjugated Organic Cations Enable Efficient Self-Healing FASnI<sub>3</sub> Solar Cells," Ran, C. X.; Gao, W. Y.; Li, J. R.; Xi, J.; Li, L.; Dai, J. F.; Yang, Y. G.; Gao, X. Y.; Dong, H.; Jiao, B.; Spanopoulos, I.; Malliakas, C. D.; Hou, X.; Kanatzidis, M. G.; Wu, Z. X., *Joule* **2019**, 3 (12) 3072-3087.
- 1271) "High performance thermoelectric module through isotype bulk heterojunction engineering of skutterudite materials," Nie, G.; Li, W. J.; Guo, J. Q.; Yamamoto, A.; Kimura, K.; Zhang, X. M.; Isaacs, E. B.; Dravid, V.; Wolverton, C.; Kanatzidis, M. G.; Priya, S., *Nano Energy* **2019**, 66, 104193.

- 1272) “Coherent charge-phonon correlations and exciton dynamics in orthorhombic  $\text{CH}_3\text{NH}_3\text{PbI}_3$  measured by ultrafast multi-THz spectroscopy,” Lan, Y.; Tao, X. X.; Kong, X. H.; He, Y. H.; Zheng, X. H.; Sutton, M.; Kanatzidis, M. G.; Guo, H.; Cooke, D. G., *Journal of Chemical Physics* **2019**, *151* (21) 214201.
- 1273) “A New Three-Dimensional Subsulfide  $\text{Ir}_2\text{In}_8\text{S}$  with Dirac Semimetal Behavior,” Khoury, J. F.; Rettie, A. J. E.; Khan, M. A.; Ghimire, N. J.; Robredo, I.; Pfluger, J. E.; Pal, K.; Wolverton, C.; Bergara, A.; Jiang, J. S.; Schoop, L. M.; Vergniory, M. G.; Mitchell, J. F.; Chung, D. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2019**, *141* (48), 19130-19137.
- 1274) “Monte Carlo simulation of transport properties in wide gap  $\text{Hg}_3\text{Se}_2\text{I}_2$ ,” Min, L.; Liu, Z.; Peters, J.A.; He, Y.; Kanatzidis, M.K.; Zhu, J.; Wessels, B.W., *Semiconductor Science and Technology* **2019**, *34* (48).
- 1275) “Halide Perovskite High-k Field Effect Transistors with Dynamically Reconfigurable Ambipolarity,” Canicoba, N. D.; Zagni, N.; Liu, F. Z.; McCuistian, G.; Fernando, K.; Bellezza, H.; Traore, B.; Rogel, R.; Tsai, H. H.; Le Brizoual, L.; Nie, W. Y.; Crochet, J. J.; Tretiak, S.; Katan, C.; Even, J.; Kanatzidis, M. G.; Alphenaar, B. W.; Blancon, J. C.; Alam, M. A.; Mohite, A. D., *ACS Materials Letters* **2019**, *1* (6), 633-640.
- 1276) “Thermoelectrics: From history, a window to the future,” Beretta, D.; Neophytou, N.; Hodges, J. M.; Kanatzidis, M. G.; Narducci, D.; Martin-Gonzalez, M.; Beekman, M.; Balke, B.; Cerretti, G.; Tremel, W.; Zevalkink, A.; Hofmann, A. I.; Muller, C.; Dorling, B.; Campoy-Quiles, M.; Caironi, M., *Materials Science & Engineering R-Reports* **2019**, *138*, 210-255.
- 1277) “Mechanistic insight of  $\text{ABiQ}_2$  (A = alkali metal, Q = S, Se) using panoramic synthesis towards synthesis-by-design”, McClain, R.; Malliakas, C. D.; Kanatzidis, M. G., *Acta Crystallographica a-Foundation and Advances* **2019**, *75*, A81-A81.
- 1278) “High-Performance Thermoelectrics from Cellular Nanostructured  $\text{Sb}_2\text{Si}_2\text{Te}_6$ ,” Luo, Y. B.; Cai, S. T.; Hao, S. Q.; Pielhofer, F.; Hadar, I.; Luo, Z. Z.; Xu, J. W.; Wolverton, C.; David, V. P.; Pfitzner, A.; Yan, Q. Y.; Kanatzidis, M. G., *Joule* **2020**, *4* (1), 159-175.
- 1279) “ $\text{Ir}_6\text{In}_{32}\text{S}_{21}$ , a Polar, Metal-rich Semiconducting Subchalcogenide,” Khoury, J. F.; He, J. G.; Pfluger, J. E.; Hadar, I.; Balasubramanian, M.; Stoumpos, C. C.; Zu, R.; Gopalan, V.; Wolverton, C.; Kanatzidis, M. G., *Chemical Science* **2020**, *11* (3), 870-878.
- 1280) “Polypyrrole- $\text{Mo}_3\text{S}_{13}$ : An Efficient Sorbent for the Capture of  $\text{Hg}^{2+}$  and Highly Selective Extraction of  $\text{Ag}^+$  over  $\text{Cu}^{2+}$ ,” Yuan, M. W.; Yao, H. Q.; Xie, L. X.; Liu, X. W.; Wang, H.; Islam, S. M.; Shi, K. R.; Yu, Z. H.; Sun, G. B.; Li, H. F.; Ma, S. L.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, *142* (3), 1574-1583.
- 1281) “Magnetic and Superconducting Anisotropy in Ni-doped  $\text{RbEuFe}_4\text{As}_4$  Single Crystals,” Willa, K.; Smylie, M. P.; Simsek, Y.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K.; Welp, U., *Physical Review B* **2020**, *101* (6) 064508.

- 1282) “Discordant Nature of Cd in GeTe Enhances Phonon Scattering and Improves Band Convergence for High Thermoelectric Performance,” Nshimyimana, E.; Hao, S. Q.; Su, X. L.; Zhang, C.; Liu, W.; Yan, Y. G.; Uher, C.; Wolverton, C.; Kanatzidis, M. G.; Tang, X. F., *Journal of Materials Chemistry A* **2020**, 8 (3), 1193-1204.
- 1283) “Direct thermal neutron detection by the 2D semiconductor (LiInP<sub>2</sub>Se<sub>6</sub>)-Li<sub>6</sub>,” Chica, D. G.; He, Y. H.; McCall, K. M.; Chung, D. Y.; Pak, R. O.; Trimarchi, G.; Liu, Z. F.; De Lurgio, P. M.; Wessels, B. W.; Kanatzidis, M. G., *Nature* **2020**, 577 (7790), 346-349.
- 1284) “Discordant nature of Cd in PbSe: off-centering and core-shell nanoscale CdSe precipitates lead to high thermoelectric performance,” Cai, S. T.; Hao, S. Q.; Luo, Z. Z.; Li, X.; Hadar, I.; Bailey, T.; Hu, X. B.; Uher, C.; Hu, Y. Y.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Energy & Environmental Science* **2020**, 13 (1), 200-211.
- 1285) “Quasilinear dispersion in electronic band structure and high Seebeck coefficient in CuFeS<sub>2</sub>-based thermoelectric materials,” Xie, H. Y.; Su, X. L.; Hao, S. Q.; Wolverton, C.; Uher, C.; Tang, X. F.; Kanatzidis, M. G., *Physical Review Materials* **2020**, 4 (2).
- 1286) “Cooperative response of magnetism and superconductivity in the magnetic superconductor RbEuFe<sub>4</sub>As<sub>4</sub>,” Vlasko-Vlasov, V. K.; Welp, U.; Koshelev, A. E.; Smylie, M.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K., *Physical Review B* **2020**, 101 (10).
- 1287) “Evolution of nontrivial Fermi surface features in the band structures of the homologous members Pb<sub>5</sub>Bi<sub>6</sub>Se<sub>14</sub> and Pb<sub>5</sub>Bi<sub>12</sub>Se<sub>23</sub>,” Koumoulis, D.; Fang, L.; Chung, D. Y.; Kanatzidis, M. G.; Bouchard, L. S., *Physical Review B* **2020**, 101 (11).
- 1288) “Selective Capture of Ba<sup>2+</sup>, Ni<sup>2+</sup>, and Co<sup>2+</sup> by a Robust Layered Metal Sulfide,” Gao, Y. J.; Sun, H. Y.; Li, J. L.; Qi, X. H.; Du, K. Z.; Liao, Y. Y.; Huang, X. Y.; Feng, M. L.; Kanatzidis, M. G., *Chemistry of Materials* **2020**, 32 (5), 1957-1963.
- 1289) “Cation Engineering in Two-Dimensional Ruddlesden-Popper Lead Iodide Perovskites with Mixed Large A-Site Cations in the Cages,” Fu, Y. P.; Jiang, X. Y.; Li, X. T.; Traore, B.; Spanopoulos, I.; Katan, C.; Even, J.; Kanatzidis, M. G.; Harel, E., *Journal of the American Chemical Society* **2020**, 142 (8), 4008-4021.
- 1290) “Ultralow Thermal Conductivity and Thermoelectric Properties of Rb<sub>2</sub>Bi<sub>8</sub>Se<sub>13</sub>,” Cai, S. T.; Hao, S. Q.; Luo, Y. B.; Su, X. L.; Luo, Z. Z.; Hu, X. B.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Chemistry of Materials* **2020**, 32 (8), 3561-3569.
- 1291) “Halogen-NH<sub>2</sub><sup>+</sup> Interaction, Temperature-Induced Phase Transition, and Ordering in (NH<sub>2</sub>CHNH<sub>2</sub>)PbX<sub>3</sub> (X = Cl, Br, I) Hybrid Perovskites,” Kontos, A. G.; Manolis, G. K.; Kaltzoglou, A.; Palles, D.; Kamitsos, E. I.; Kanatzidis, M. G.; Falaras, P., *Journal of Physical Chemistry C* **2020**, 124 (16), 8479-8487.
- 1292) “High-sensitivity X-ray detectors based on solution-grown caesium lead bromide single crystals,” Zhang, H. J.; Wang, F. B.; Lu, Y. F.; Sun, Q. H.; Xu, Y. D.; Zhang, B. B.; Jie, W. Q.; Kanatzidis, M. G., *Journal of Materials Chemistry C* **2020**, 8 (4), 1248-1256.

- 1293) "Conventional Solvent Oxidizes Sn(II) in Perovskite Inks," Saidaminov, M. I.; Spanopoulos, I.; Abed, J.; Ke, W. J.; Wicks, J.; Kanatzidis, M. G.; Sargent, E. H., *ACS Energy Letters* **2020**, 5 (4), 1153-1155.
- 1294) "Three-Dimensional Lead Iodide Perovskitoid Hybrids with High X-ray Photoresponse," Li, X. T.; He, Y. H.; Kepenekian, M.; Guo, P. J.; Ke, W. J.; Even, J.; Katan, C.; Stoumpos, C. C.; Schaller, R. D.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (14), 6625-6637.
- 1295) "Systematic over-estimation of lattice thermal conductivity in materials with electrically-resistive grain boundaries," Kuo, J. J.; Wood, M.; Slade, T. J.; Kanatzidis, M. G.; Snyder, G. J., *Energy & Environmental Science* **2020**, 13 (4), 1250-1258.
- 1296) "The Subchalcogenides Ir<sub>2</sub>In<sub>8</sub>Q (Q = S, Se, Te): Dirac Semimetal Candidates with Re-entrant Structural Modulation," Khoury, J. F.; Rettie, A. J. E.; Robredo, I.; Krogstad, M. J.; Malliakas, C. D.; Bergara, A.; Vergniory, M. G.; Osborn, R.; Rosenkranz, S.; Chung, D. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (13), 6312-6323.
- 1297) "High Performance Facilitated by. The Magic Element," Kanatzidis, M.; Sun, H. Z.; Dehnen, S., *Inorganic Chemistry* **2020**, 59 (6), 3341-3343.
- 1298) "Thermal Conductivity and Thermoelectric Properties of Rb<sub>2</sub>Bi<sub>8</sub>Se<sup>13</sup>," Cai, S. T.; Hao, S. Q.; Luo, Y. B.; Su, X. L.; Luo, Z. Z.; Hu, X. B.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Chemistry of Materials* **2020**, 32 (8), 3561-3569.
- 1299) "All-Inorganic Halide Perovskites as Potential Thermoelectric Materials: Dynamic Cation off-Centering Induces Ultralow Thermal Conductivity," Xie, H. Y.; Hao, S. Q.; Bao, J. K.; Slade, T. J.; Snyder, G. J.; Wolverton, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (20), 9553-9563.
- 1300) "Exploring the Factors Affecting the Mechanical Properties of 2D Hybrid Organic-Inorganic Perovskites," Tu, Q.; Spanopoulos, I.; Vasileiadou, E. S.; Li, X. T.; Kanatzidis, M. G.; Shekhawat, G. S.; Dravid, V. P., *ACS Applied Materials & Interfaces* **2020**, 12 (18), 20440-20447.
- 1301) "Water-Stable 1D Hybrid Tin(II) Iodide Emits Broad Light with 36% Photoluminescence Quantum Efficiency," Spanopoulos, I.; Hadar, I.; Ke, W. J.; Guo, P. J.; Sidhik, S.; Kepenekian, M.; Even, J.; Mohite, A. D.; Schaller, R. D.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (19), 9028-9038.
- 1302) "Understanding the Thermally Activated Charge Transport in NaPb<sub>m</sub>SbQ<sub>m+2</sub> (Q = S, Se, Te) Thermoelectrics: Weak Dielectric Screening Leads to Grain Boundary Dominated Charge Carrier Scattering," Slade, T. J.; Grovogui, J. A.; Kuo, J. J.; Anand, S.; Bailey, T. P.; Wood, M.; Uher, C.; Snyder, G. J.; Dravid, V. P.; Kanatzidis, M. G., *Energy & Environmental Science* **2020**, 13 (5), 1509-1518.
- 1303) "Organic Cation Alloying on Intralayer A and Interlayer A' sites in 2D Hybrid Dion-Jacobson Lead Bromide Perovskites (A')(A)Pb<sub>2</sub>B<sub>7</sub>," Mao, L. L.; Guo, P. J.; Kepenekian, M.;

- Spanopoulos, I.; He, Y. H.; Katan, C.; Even, J.; Schaller, R. D.; Seshadri, R.; Stoumpos, C. C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (18), 8342-8351.
- 1304) “Direct Observation of Bandgap Oscillations Induced by Optical Phonons in Hybrid Lead Iodide Perovskites,” Guo, P. J.; Xia, Y.; Gong, J.; Cao, D. Y. H.; Li, X. T.; Li, X.; Zhang, Q.; Stoumpos, C. C.; Kirschner, M. S.; Wen, H. D.; Prakapenka, V. B.; Ketterson, J. B.; Martinson, A. B. F.; Xu, T.; Kanatzidis, M. G.; Chan, M. K. Y.; Schaller, R. D., *Advanced Functional Materials* **2020**, 30 (22) 1907982
- 1305) “The Underappreciated Lone Pair in Halide Perovskites Underpins Their Unusual Properties,” Fabini, D. H.; Seshadri, R.; Kanatzidis, M. G., *MRS Bulletin* **2020**, 45 (6), 467-477.
- 1306) “Nucleation-controlled growth of superior lead-free perovskite Cs<sub>3</sub>Bi<sub>2</sub>I<sub>9</sub> single-crystals for high-performance X-ray detection,” Zhang, Y. X.; Liu, Y. C.; Xu, Z.; Ye, H. C.; Yang, Z.; You, J. X.; Liu, M.; He, Y. H.; Kanatzidis, M. G.; Liu, S., *Nature Communications* **2020**, 11 (1) 2304.
- 1307) “Inch-Size 0D-Structured Lead-Free Perovskite Single Crystals for Highly Sensitive Stable X-Ray Imaging,” Liu, Y. C.; Xu, Z.; Yang, Z.; Zhang, Y. X.; Cui, J.; He, Y. H.; Ye, H. C.; Zhao, K.; Su, H. M.; Lu, R.; Liu, M.; Kanatzidis, M. G.; Liu, S., *Matter* **2020**, 3 (1), 180-196.
- 1308) “Negative Pressure Engineering with Large Cage Cations in 2D Halide Perovskites Causes Lattice Softening,” Li, X. T.; Fu, Y. P.; Pedesseau, L.; Guo, P. J.; Cuthriell, S.; Hadar, I.; Even, J.; Katan, C.; Stoumpos, C. C.; Schaller, R. D.; Harel, E.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, 142 (26), 11486-11496.
- 1309) “In Situ Grazing-Incidence Wide-Angle Scattering Reveals Mechanisms for Phase Distribution and Disorientation in 2D Halide Perovskite Films,” Hoffman, J. M.; Strzalka, J.; Flanders, N. C.; Hadar, I.; Cuthriell, S. A.; Zhang, Q.; Schaller, R. D.; Dichtel, W. R.; Chen, L. X.; Kanatzidis, M. G., *Advanced Materials* **2020**, 2002812.
- 1310) “Global Analysis for Time and Spectrally Resolved Multidimensional Microscopy: Application to CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Perovskite Thin Films,” Jiang, X. Y.; Jun, S. H.; Hoffman, J.; Kanatzidis, M. G.; Harel, E., *Journal of Physical Chemistry A* **2020**, 124 (23), 4837-4847.
- 1311) “3D-printed lab-in-a-syringe voltammetric cell based on a working electrode modified with a highly efficient Ca-MOF sorbent for the determination of Hg (II),” Kokkinos, C.; Economou, A.; Pournara, A.; Manos, M.; Spanopoulos, I.; Kanatzidis, M.; Tziotzi, T.; Petkov, V.; Margariti, A.; Oikonomopoulos, P.; Papaefstathiou, G. S., *Sensors and Actuators B-Chemical* **2020**, 321.
- 1312) “Pressure-Induced Superconductivity in the Wide-Band-Gap Semiconductor Cu<sub>2</sub>Br<sub>2</sub>Se<sub>6</sub> with a Robust Framework,” Cai, W. Z.; Lin, W. W.; Yan, Y.; Hilleke, K. P.; Coles, J.; Bao, J. K.; Xu, J. G.; Zhang, D. Z.; Chung, D. Y.; Kanatzidis, M. G.; Zurek, E.; Deemyad, S., *Chemistry of Materials* **2020**, 32 (14), 6237-6246.



- 1313) “Thermoelectric Performance in the New Cubic Semiconductor AgSnSbSe<sub>3</sub> by High-Entropy Engineering”, Luo, Y. B.; Hao, S. Q.; Cai, S. T.; Slade, T. J.; Luo, Z. Z.; Dravid, V. P.; Wolverton, C.; Yan, Q. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, *142* (35), 15187-15198.
- 1314) “Narrow-Bandgap Mixed Lead/Tin-Based 2D Dion-Jacobson Perovskites Boost the Performance of Solar Cells”, Ke, W. J.; Chen, C.; Spanopoulos, I.; Mao, L. L.; Hadar, I.; Li, X. T.; Hoffman, J. M.; Song, Z. N.; Yan, Y. F.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, *142* (35), 15049-15057.
- 1315) “Na Doping in PbTe: Solubility, Band Convergence, Phase Boundary Mapping, and Thermoelectric Properties”, Jood, P.; Male, J. P.; Anand, S.; Matsushita, Y.; Takagiwa, Y.; Kanatzidis, M. G.; Snyder, G. J.; Ohta, M., *Journal of the American Chemical Society* **2020**, *142* (36), 15464-15475.
- 1316) “Blocking Ion Migration Stabilizes the High Thermoelectric Performance in Cu<sub>2</sub>Se Composites”, Yang, D. W.; Su, X. L.; Li, J.; Bai, H.; Wang, S. Y.; Li, Z.; Tang, H.; Tang, K. C.; Luo, T. T.; Yan, Y. G.; Wu, J. S.; Yang, J. H.; Zhang, Q. J.; Uher, C.; Kanatzidis, M. G.; Tang, X. F., *Advanced Materials*, **2020**, *32* (40) 2003730.
- 1317) “Anomalously Large Seebeck Coefficient of CuFeS<sub>2</sub> Derives from Large Asymmetry in the Energy Dependence of Carrier Relaxation Time”, Xie, H. Y.; Su, X. L.; Bailey, T. P.; Zhang, C.; Liu, W.; Uher, C.; Tang, X. F.; Kanatzidis, M. G., *Chemistry of Materials* **2020**, *32* (6), 2639-2646.
- 1318) “Contrasting SnTe-NaSbTe<sub>2</sub> and SnTe-NaBiTe<sub>2</sub> Thermoelectric Alloys: High Performance Facilitated by Increased Cation Vacancies and Lattice Softening”, Slade, T. J.; Pal, K.; Grovogui, J. A.; Bailey, T. P.; Male, J.; Khoury, J. F.; Zhou, X. Q.; Chung, D. Y.; Snyder, G. J.; Uher, C.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, *142* (28), 12524-12535.
- 1319) “Highly tunable properties in pressure-treated two-dimensional Dion Jacobson perovskites”, Kong, L. P.; Liu, G.; Gong, J.; Mao, L. L.; Chen, M. T.; Hu, Q. Y.; Lu, X. J.; Yang, W. G.; Kanatzidis, M. G.; Mao, H. K., *Proceedings of the National Academy of Sciences of the United States of America* **2020**, *117* (28), 16121-16126.
- 1320) Bismuth. The Magic Element”, Kanatzidis, M.; Sun, H. Z.; Dehnen, S., *Inorganic Chemistry* **2020**, *59* (6), 3341-3343.
- 1321) “Layered and Cubic Semiconductors AGaM<sup>+</sup>Q<sub>4</sub> (A<sup>+</sup> = K<sup>+</sup>, Rb<sup>+</sup>, Cs<sup>+</sup>, Tl<sup>+</sup>; M<sup>4+</sup> = Ge<sup>4+</sup>, Sn<sup>4+</sup>; Q<sub>2</sub><sup>-</sup> = S<sub>2</sub><sup>-</sup>, Se<sub>2</sub><sup>-</sup>) and High Third-Harmonic Generation,” Friedrich, D.; Byun, H. R.; Hao, S. Q.; Patel, S.; Wolverton, C.; Jang, J. I.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2020**, *142* (41), 17730-17742.
- 1322) “Incorporated Guanidinium Expands the CH<sub>3</sub>NH<sub>3</sub>PbI<sub>3</sub> Lattice and Enhances Photovoltaic Performance”, Gao, L. L.; Li, X. T.; Liu, Y.; Fang, J. J.; Huang, S.; Spanopoulos, I.; Li, X. L.; Wang, Y.; Chen, L.; Yang, G. J.; Kanatzidis, M. G., *ACS Appl. Mater. Interfaces* **2020**, *12* (39), 43885-43891.

- 1323) “Edge States Drive Exciton Dissociation in Ruddlesden-Popper Lead Halide Perovskite Thin Films”, Kinigstein, E. D.; Tsai, H.; Nie, W. Y.; Blancon, J. C.; Yager, K. G.; Appavoo, K.; Even, J.; Kanatzidis, M. G.; Mohite, A. D.; Sfeir, M. Y., *ACS Materials Lett.* **2020**, *2* (10), 1360-1367.
- 1324) “Ultralow thermal conductivity in diamondoid lattices: high thermoelectric performance in chalcopyrite  $\text{Cu}_{0.8+y}\text{Ag}_{0.2}\text{In}_{1-y}\text{Te}_2$ ”, Xie, H. Y.; Hao, S. Q.; Cai, S. T.; Bailey, T. P.; Uher, C.; Wolverton, C.; Dravid, V. P.; Kanatzidis, M. G., *Energy & Environmental Science* **2020**, *13* (10), 3693-3705.
- 1325) “Long periodic ripple in a 2D hybrid halide perovskite structure using branched organic spacers”, Hoffman, J. M.; Malliakas, C. D.; Sidhik, S.; Hadar, I.; McClain, R.; Mohite, A. D.; Kanatzidis, M. G., *Chemical Science* **2020**, *11* (44), 12139-12148.
- 1326) “Expression of interfacial Seebeck coefficient through grain boundary engineering with multi-layer graphene nanoplatelets”, Lin, Y.; Wood, M.; Imasato, K.; Kuo, J. J. H.; Lam, D.; Mortazavi, A. N.; Slade, T. J.; Hodge, S. A.; Xi, K.; Kanatzidis, M. G.; Clarke, D. R.; Hersam, M. C.; Snyder, G. J., *Energy & Environmental Science* **2020**, *13* (11), 4114-4121.
- 1327) “Magnetizing lead-free halide double perovskites”, Ning, W. H.; Bao, J. K.; Puttisong, Y.; Moro, F.; Kobera, L.; Shimono, S.; Wang, L. Q.; Ji, F. X.; Cuartero, M.; Kawaguchi, S.; Abbrent, S.; Ishibashi, H.; De Marco, R.; Bouianova, I. A.; Crespo, G. A.; Kubota, Y.; Brus, J.; Chung, D. Y.; Sun, L. C.; Chen, W. M.; Kanatzidis, M. G.; Gao, F., Magnetizing lead-free halide double perovskites. *Science Advances* **2020**, *6* (45).
- 1328) “Semiconductor physics of organic-inorganic 2D halide perovskites”, Blancon, J. C.; Even, J.; Stoumpos, C. C.; Kanatzidis, M. G.; Mohite, A. D., *Nature Nanotechnology* **2020**, *15* (12), 969-985.
- 1329) “High Thermoelectric Performance in the New Cubic Semiconductor  $\text{AgSnSbSe}_3$  by High-Entropy Engineering”, Luo, Y. B.; Hao, S. Q.; Cai, S. T.; Slade, T. J.; Luo, Z. Z.; Dravid, V. P.; Wolverton, C.; Yan, Q. Y.; Kanatzidis, M. G., *J. Am. Chem. Soc.* **2020** *142* (35) 15187-15198.
- 1330) “Alternative Organic Spacers for More Efficient Perovskite Solar Cells Containing Ruddlesden–Popper Phases”, Xi, J.; Spanooulos, I.; Bang, D.; Xu, J.; Yanguo Y.; Malliakas, C.D.; Hoffman, J.M.; Kanatzidis, M.G.; Wu, Z., *J.Am.Chem.Soc.* **2020** *142* 19705-19714.
- 1331) “Mixed-Valent Copper Chalcogenides: Tuning Structures and Electronic Properties Using Multiple Anions”, Hodges, J. M.; Xia, Y.; Malliakas, C. D.; Slade, T. J.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2020**, *32* (23), 10146-10154.
- 1332) “Static Rashba Effect by Surface Reconstruction and Photon Recycling in the Dynamic Indirect Gap of  $\text{APbBr}_3$  ( $A = \text{Cs}, \text{CH}_3\text{NH}_3$ ) Single Crystals.”, Ryu, H.; Park, D. Y.; McCall, K. M.; Byun, H. R.; Lee, Y.; Kim, T. J.; Jeong, M. S.; Kim, J.; Kanatzidis, M. G.; Jang, J. I., *J.Am.Chem.Soc.* **2020**, *142* (50), 21059-21067.

- 1333) "Nanotechnology for catalysis and solar energy conversion", Banin, U.; Waiskopf, N.; Hammarstrom, L.; Boschloo, G.; Freitag, M.; Johansson, E. M. J.; Sa, J.; Tian, H.; Johnston, M. B.; Herz, L. M.; Milot, R. L.; Kanatzidis, M. G.; Ke, W.; Spanopoulos, I.; Kohlstedt, K. L.; Schatz, G. C.; Lewis, N.; Meyer, T.; Nozik, A. J.; Beard, M. C.; Armstrong, F.; Megarity, C. F.; Schmittenmaer, C. A.; Batista, V. S.; Brudvig, G. W., *Nanotechnology* **2021**, *32* (4), DOI: 10.1088/1361-6528/abbce8.
- 1334) "Strong Valence Band Convergence to Enhance Thermoelectric Performance in PbSe with Two Chemically Independent Controls", Luo, Z. Z.; Cai, S. T.; Hao, S. Q.; Bailey, T. P.; Spanopoulos, I.; Luo, Y. B.; Xu, J. W.; Uher, C.; Wolverton, C.; Dravid, V. P.; Yan, Q. Y.; Kanatzidis, M. G., *Angewandte Chemie-International Edition* **2021**, *60* (1), 268-273, DOI: 10.1002/anie.202011765
- 1335) "CsPbBr<sub>3</sub> perovskite detectors with 1.4% energy resolution for high-energy gamma-rays", He, Y. H.; Petryk, M.; Liu, Z. F.; Chica, D. G.; Hadar, I.; Leak, C.; Ke, W. J.; Spanopoulos, I.; Lin, W. W.; Chung, D. Y.; Wessels, B. W.; He, Z.; Kanatzidis, M. G., *Nature Photonics* **2021** *15*, (1) 36–42, DOI: 10.1038/s41566-020-00727-1.
- 1336) "In Quest of Environmentally Stable Perovskite Solar Cells: A Perspective", Spanopoulos, I.; Ke, W. J.; Kanatzidis, M. G., *Helv. Chim. Acta* **2021**, *104*, (1), DOI: 10.1002/hlca.202000173.
- 1337) "Anisotropic Transient Disordering of Colloidal, Two-Dimensional CdSe Nanoplatelets upon Optical Excitation," Brumberg, A.; Kirschner, M. S.; Diroll, B. T.; Williams, K. R.; Flanders, N. C.; Harvey, S. M.; Leonard, A. A.; Watkins, N. E.; Liu, C. M.; Kinigstein, E. D.; Yu, J.; Evans, A. M.; Liu, Y. Z.; Cuthriell, S. A.; Panuganti, S.; Dichtel, W. R.; Kanatzidis, M. G.; Wasielewski, M. R.; Zhang, X. Y.; Chen, L. X.; Schaller, R. D., *Nano Letters* **2021**, *21* (3), 1288-1294, DOI: 10.1021/acs.nanolett.0c03958 .
- 1338) "Photothermal behaviour of titanium nitride nanoparticles evaluated by transient X-ray diffraction", Diroll, B. T.; Brumberg, A.; Leonard, A. A.; Panuganti, S.; Watkins, N. E.; Cuthriell, S. A.; Harvey, S. M.; Kinigstein, E. D.; Yu, J.; Zhang, X. Y.; Kanatzidis, M. G.; Wasielewski, M. R.; Chen, L. X.; Schaller, R. D., *Nanoscale* **2021**, *13* (4), 2658-2664, DOI: 10.1039/d0nr08202c.
- 1339) "Triple-Cation and Mixed-Halide Perovskite Single Crystal for High-Performance X-ray Imaging", Liu, Y. C.; Zhang, Y. X.; Zhu, X. J.; Feng, J. S.; Spanopoulos, I.; Ke, W. J.; He, Y. H.; Ren, X. D.; Yang, Z.; Xiao, F. W.; Zhao, K.; Kanatzidis, M.; Liu, S. Z., *Advanced Materials* **2021** *33*, (8) 2006010, DOI: 10.1002/adma.202006010.
- 1340) "Inorganic Halide Perovskitoid TIPbI<sub>3</sub> for Ionizing Radiation Detection", Lin, W. W.; He, J. G.; McCall, K. M.; Stoumpos, C. C.; Liu, Z. F.; Hadar, I.; Das, S.; Wang, H. H.; Wang, B. X.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. C., *Advanced Functional Materials* **2021** *2006635*, DOI: 10.1002/admf.202006635.
- 1341) "Pressure-induced ferroelectric-like transition creates a polar metal in defect antiperovskites Hg<sub>3</sub>Te<sub>2</sub>X<sub>2</sub> (X = Cl, Br)", Cai, W. Z.; He, J. G.; Li, H.; Zhang, R.; Zhang, D. Z.; Chung, D.

Y.; Bhowmick, T.; Wolverton, C.; Kanatzidis, M. G.; Deemyad, S., *Nature Communications* **2021**, *12* (1), DOI: 10.1038/s41467-021-21836-7.

- 1342) “Sn<sub>4-δ</sub>B<sub>12</sub>Se<sub>12</sub> [Q<sub>x</sub>], Q = Se, Te, a B<sub>12</sub> Cluster Tunnel Framework Hosting Neutral Chalcogen Chains”, Chica, D. G.; Spanopoulos, I.; Hao, S. Q.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (5), 1723-1730, DOI: 10.1021/acs.chemmater.0c04503.
- 1343) “Enhanced Photocurrent of All-Inorganic Two-Dimensional Perovskite Cs<sub>2</sub>PbI<sub>2</sub>Cl<sub>2</sub> via Pressure-Regulated Excitonic Features”, Guo, S. H.; Bu, K. J.; Li, J. W.; Hu, Q. Y.; Luo, H.; He, Y. H.; Wu, Y. H.; Zhang, D. Z.; Zhao, Y. S.; Yang, W. G.; Kanatzidis, M. G.; Lu, X. J., *Journal of the American Chemical Society* **2021**, *143* (6), 2545-2551, DOI: 10.1021/jacs.0c11730.
- 1344) “Demonstration of Energy-Resolved gamma-Ray Detection at Room Temperature by the CsPbCl<sub>3</sub> Perovskite Semiconductor”, He, Y. H.; Stoumpos, C. C.; Hadar, I.; Luo, Z. Z.; McCall, K. M.; Liu, Z. F.; Chung, D. Y.; Wessels, B. W.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (4), 2068-2077, DOI: 10.1021/jacs.0c12254.
- 1345) “The 2D Halide Perovskite Rulebook: How the Spacer Influences Everything from the Structure to Optoelectronic Device Efficiency”, Li, X. T.; Hoffman, J. M.; Kanatzidis, M. G., *Chemical Reviews* **2021**, *121* (4), 2230-2291, DOI: 10.1021/acs.chemrev.0c01006.
- 1346) “Mechanistic insight of KBiQ<sub>2</sub> (Q = S, Se) using panoramic synthesis towards synthesis-by-design”, McClain, R.; Malliakas, C. D.; Shen, J. H.; He, J. G.; Wolverton, C.; Gonzalez, G. B.; Kanatzidis, M. G., *Chemical Science* **2021**, *12* (4), 1378-1391, DOI: 10.1039/d0sc04562d.
- 1347) “Dissociation of GaSb in n-Type PbTe: off-Centered Gallium Atom and Weak Electron-Phonon Coupling Provide High Thermoelectric Performance”, Sarkar, S.; Hua, X.; Hao, S. Q.; Zhang, X. M.; Bailey, T. P.; Slade, T. J.; Yasaei, P.; Korkosz, R. J.; Tan, G. J.; Uher, C.; Dravid, V. P.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (5), 1842-1851, DOI: 10.1021/acs.chemmater.0c04854.
- 1348) “Tuning Ionic and Electronic Conductivities in the "Hollow" Perovskite {en}MAPbI<sub>3</sub>”, Senocrate, A.; Spanopoulos, I.; Zibouche, N.; Maier, J.; Islam, M. S.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (2), 719-726, DOI: 10.1021/acs.chemmater.0c04139.
- 1349) “Insight on the Stability of Thick Layers in 2D Ruddlesden-Popper and Dion-Jacobson Lead Iodide Perovskites”, Vasileiadou, E. S.; Wang, B.; Spanopoulos, I.; Hadar, I.; Navrotsky, A.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (6), 2523-2536, DOI: 10.1021/jacs.0c11328.
- 1350) “P<sub>2</sub>S<sub>5</sub> Reactive Flux Method for the Rapid Synthesis of Mono- and Bimetallic 2D Thiophosphates M<sub>2</sub>-xM' xP<sub>2</sub>S<sub>6</sub>”, Chica, D. G.; Iyer, A. K.; Cheng, M.; Ryan, K. M.; Krantz, P.; Laing, C.; dos Reis, R.; Chandrasekhar, V.; Dravid, V. P.; Kanatzidis, M. G., *Inorganic Chemistry* **2021**, *60* (6), 3502-3513, DOI: 10.1021/acs.inorgchem.0c03577.

- 1351) “Inch-sized high-quality perovskite single crystals by suppressing phase segregation for light-powered integrated circuits”, Liu, Y. C.; Zhang, Y. X.; Zhu, X. J.; Yang, Z.; Ke, W. J.; Feng, J. S.; Ren, X. D.; Zhao, K.; Liu, M.; Kanatzidis, M. G.; Liu, S. Z., *Science Advances* **2021**, 7 (7) eabc8844, DOI: 10.1126/sciadv.abc8844.
- 1352) “Role of the A-Site Cation in Low-Temperature Optical Behaviors of APbBr<sub>3</sub> (A = Cs, CH<sub>3</sub>NH<sub>3</sub>)”, Ryu, H.; Byun, H. R.; McCall, K. M.; Park, D. Y.; Kim, T. J.; Jeong, M. S.; Kanatzidis, M. G.; Jang, J. I., *Journal of the American Chemical Society* **2021**, 143 (5), 2340-2347, DOI: 10.1021/jacs.0c11980.
- 1353) “Quasi-Two-Dimensional Heterostructures (KM<sub>1-x</sub>Te)(LaTe<sub>3</sub>) (M = Mn and Zn) with Charge Density Waves”, Bao, J. K.; Malliakas, C. D.; Zhang, C.; Cai, S. T.; Chen, H. J.; Rettie, A. J. E.; Fisher, B. L.; Chung, D. Y.; Dravid, V. P.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, 33 (6), 2155-2164, DOI: 10.1021/acs.chemmater.0c04923.
- 1354) “Signatures of Coherent Phonon Transport in Ultralow Thermal Conductivity Two-Dimensional Ruddlesden-Popper Phase Perovskites”, Christodoulides, A. D.; Guo, P. J.; Dai, L. Y.; Hoffman, J. M.; Li, X. T.; Zuo, X. B.; Rosenmann, D.; Brumberg, A.; Kanatzidis, M. G.; Schaller, R. D.; Malen, J. A., *ACS Nano* **2021**, 15 (3), 4165-4172, DOI: 10.1021/acsnano.0c03595.
- 1355) “Two-dimensional overdamped fluctuations of the soft perovskite lattice in CsPbBr<sub>3</sub>”, Lanigan-Atkins, T.; He, X.; Krogstad, M. J.; Pajerowski, D. M.; Abernathy, D. L.; Xu, G.; Xu, Z. J.; Chung, D. Y.; Kanatzidis, M. G.; Rosenkranz, S.; Osborn, R.; Delaire, O., *Nature Materials*, **2021** 9 DOI: 10.1038/s41563-021-00947-y.
- 1356) “Efficient Removal of Cs<sup>+</sup> and Sr<sup>2+</sup> Ions by Granulose (Me<sub>2</sub>NH<sub>2</sub>)<sub>4/3</sub> (Me<sub>3</sub>NH)<sub>2/3</sub>Sn<sub>3</sub>S<sub>7</sub> · 1.25H<sub>2</sub>O/Polyacrylonitrile Composite”, Li, J. L.; Jin, J. C.; Zou, Y. M.; Sun, H. Y.; Zeng, X.; Huang, X. Y.; Feng, M. L.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2021**, 13 (11), 13434-13442, DOI: 10.1021/acsaami.1c01983.
- 1357) “Distance Dependence of Forster Resonance Energy Transfer Rates in 2D Perovskite Quantum Wells via Control of Organic Spacer Length”, Panuganti, S.; Besteiro, L. V.; Vasileiadou, E. S.; Hoffman, J. M.; Govorov, A. O.; Gray, S. K.; Kanatzidis, M. G.; Schaller, R. D., *Journal of the American Chemical Society* **2021**, 143 (11), 4244-4252, DOI: 10.1021/jacs.0c12441.
- 1358) “Lithium Thiostannate Spinel: Air-Stable Cubic Semiconductors”, Quintero, M. A.; Hao, S. Q.; Patel, S. V.; Bao, J. K.; Zhou, X. Q.; Hu, Y. Y.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, 33 (6), 2080-2089, DOI: 10.1021/acs.chemmater.0c04651.
- 1359) “Ultralow Thermal Conductivity in Diamondoid Structures and High Thermoelectric Performance in (Cu<sup>1-x</sup>Ag<sub>x</sub>)(In(1-y)Ga<sub>y</sub>)Te<sub>2</sub>”, Xie, H. Y.; Hao, S. Q.; Bailey, T. P.; Cai, S. T.; Zhang, Y. Y.; Slade, T. J.; Snyder, G. J.; Dravid, V. P.; Uher, C.; Wolverton, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, 143 (15), 5978-5989, DOI: 10.1021/jacs.1c01801.

- 1360) “Tunable Broad Light Emission from 3D "Hollow" Bromide Perovskites through Defect Engineering”, Spanopoulos, I.; Hadar, I.; Ke, W. J.; Guo, P. J.; Mozur, E. M.; Morgan, E.; Wang, S. X.; Zheng, D.; Padgaonkar, S.; Reddy, G. N. M.; Weiss, E. A.; Hersam, M. C.; Seshadri, R.; Schaller, R. D.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (18), 7069-7080. DOI: 10.1021/jacs.1c01727.
- 1361) “Charge-carrier-mediated lattice softening contributes to high zT in thermoelectric semiconductors”, Slade, T. J.; Anand, S.; Wood, M.; Male, J. P.; Imasato, K.; Cheikh, D.; Al Malki, M. M.; Agne, M. T.; Griffith, K. J.; Bux, S. K.; Wolverton, C.; Kanatzidis, M. G.; Snyder, G. J., *Joule* **2021**, *5* (5), 1168-1182 DOI: 10.1016/j.joule.2021.03.009.
- 1362) “Polaron Plasma in Equilibrium with Bright Excitons in 2D and 3D Hybrid Perovskites.,” Simbula, A.; Pau, R.; Wang, Q. Q.; Liu, F.; Sarritzu, V.; Lai, S.; Lodde, M.; Mattana, F.; Mula, G.; Lehmann, A. G.; Spanopoulos, I. D.; Kanatzidis, M. G.; Marongiu, D.; Quochi, F.; Saba, M.; Mura, A.; Bongiovanni, G., *Advanced Optical Materials*, **2021** 2100295. DOI: 10.1002/adom.202100295.
- 1363) “Memory Seeds Enable High Structural Phase Purity in 2D Perovskite Films for High-Efficiency Devices,” Sidhik, S.; Li, W. B.; Samani, M. H. K.; Zhang, H.; Wang, Y. F.; Hoffman, J.; Fehr, A. K.; Wong, M. S.; Katan, C.; Even, J.; Marciel, A. B.; Kanatzidis, M. G.; Blancon, J. C.; Mohite, A. D., 2021 *Advanced Materials* 207176, DOI: 10.1002/adma.202007176.
- 1364) “Efficient Removal of  $C^{s+}$  and  $Sr^{2+}$  Ions by Granulose  $(Me_2NH_2)_{4/3}(Me_3NH)_{2/3}Sn_3S_7 \cdot 1.25H_2O$ /Polyacrylonitrile Composite,” Li, J. L.; Jin, J. C.; Zou, Y. M.; Sun, H. Y.; Zeng, X.; Huang, X. Y.; Feng, M. L.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2021**, *13* (11), 13434-13442, DOI: 10.1021/acsami.1c01983.
- 1365) “Amorphous to Crystal Phase Change Memory Effect with Two-Fold Bandgap Difference in Semiconducting  $K_2Bi_8Se_{13}$ ,” Islam, S. M.; Sangwan, V. K.; Buchholz, D. B.; Wells, S. A.; Peng, L. T.; Zeng, L.; He, Y. H.; Hersam, M. C.; Ketterson, J. B.; Marks, T. J.; Bedzyk, M. J.; Grayson, M.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (16), 6221-6228, DOI: 10.1021/jacs.1c01484.
- 1366) “Local Distortions and Metal-Semiconductor-Metal Transition in Quasi-One-Dimensional Nanowire Compounds  $AV_3Q_3O_d$  ( $A = K, Rb, Cs$  and  $Q = Se, Te$ ),” Guo, Z. N.; Sun, F.; Puggioni, D.; Luo, Y. B.; Li, X. T.; Zhou, X. Q.; Chung, D. Y.; Cheng, E. J.; Li, S. Y.; Rondinelli, J. M.; Yuan, W. X.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (7), 2611-2623, DOI: 10.1021/jacs.1c01484.
- 1367) “Implications of doping on microstructure, processing, and thermoelectric performance: The case of PbSe,” Grovogui, J. A.; Slade, T. J.; Hao, S. Q.; Wolverton, C.; Kanatzidis, M. G.; Dravid, V. Y., *Journal of Materials Research*, **2021** DOI: 10.1557/s43578-021-00130-8/.
- 1368) “Observing the Suppression of Superconductivity in  $RbEuFe_4As_4$  by Correlated Magnetic Fluctuations,” Collomb, D.; Bending, S. J.; Koshelev, A. E.; Smylie, M. P.; Farrar, L.; Bao, J. K.; Chung, D. Y.; Kanatzidis, M. G.; Kwok, W. K.; Welp, U. *Physical Review Letters*, **2021**, *126* (15) 157001, DOI: 10.1103/PhysRevLett.126.157001

- 1369) “Defect engineering in thermoelectric materials: what have we learned?”, Zheng, Y.; Slade, T. J.; Hu, L.; Tan, X. Y.; Luo, Y. B.; Luo, Z. Z.; Xu, J. W.; Yan, Q. Y.; Kanatzidis, M. G., *Chemical Society Reviews*, **2021**, DOI: 10.1039/d1cs00347j.
- 1370) “A two-dimensional type I superionic conductor”, Rettie, A. J. E.; Ding, J. X.; Zhou, X. Q.; Johnson, M. J.; Malliakas, C. D.; Osti, N. C.; Chung, D. Y.; Osborn, R.; Delaire, O.; Rosenkranz, S.; Kanatzidis, M. G., *Nature Materials*, **2021** DOI: 10.1038/s41563-021-01053-9.
- 1371) “Accelerated discovery of a large family of quaternary chalcogenides with very low lattice thermal conductivity”, Pal, K.; Xia, Y.; Shen, J. H.; He, J. G.; Luo, Y. B.; Kanatzidis, M. G.; Wolverton, C., *NPJ Computational Materials* **2021**, 7 (1) 82, DOI: 10.1038/s41524-021-00549-x.
- 1372) “In-Plane Mechanical Properties of Two-Dimensional Hybrid Organic-Inorganic Perovskite Nanosheets: Structure-Property Relationships”, Kim, D.; Vasileiadou, E. S.; Spanopoulos, I.; Kanatzidis, M. G.; Tu, Q., *ACS Applied Materials & Interfaces* **2021**, 13 (27), 31642-31649, DOI: 0.1021/acsami.1c06140.
- 1373) “Metal cation s lone-pairs increase octahedral tilting instabilities in halide perovskites”, Gao, L. Y.; Yegorov, L.; Sharma, R.; Korobko, R.; McCall, K. M.; Fabini, D. H.; Stoumpos, C. C.; Kanatzidis, M. G.; Rappe, A. M.; Yaffe, O., *Materials Advances* **2021**, 2 (14), 4610-4616 DOI: 10.1039/d1ma00288k.
- 1374) “Employing the Dynamics of the Electrochemical Interface at Aqueous Zinc-Ion Battery Cathode”, Becknell, N.; Lopes, P. P.; Hatsukade, T.; Zhou, X. Q.; Liu, Y. Z.; Fisher, B.; Chung, D. Y.; Kanatzidis, M. G.; Markovic, N. M.; Tepavcevic, S.; Stamenkovic, V. R., *Advanced Functional Materials*, **2021** 2102135 DOI: 10.1002/adfm.
- 1375) “A Noncentrosymmetric Polymorph of LuRuGe”, Bao, J. K.; Bugaris, D. E.; Zheng, H. H.; Chung, D. Y.; Kanatzidis, M., *Inorganic Chemistry* **2021**, 60 (11), 7827-7833, DOI: 10.1021/acs.inorgchem.1c00320.
- 1376) “Vast Structural and Polymorphic Varieties of Semiconductors AMM'Q<sub>4</sub> (A = K, Rb, Cs, Tl; M = Ga, In; M' = Ge, Sn; Q = S, Se)”, Friedrich, D.; Hao, S. Q.; Patel, S.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, 33 (16), 6572-6583, DOI: 10.1021/acs.chemmater.1c02211.
- 1377) “m-Phenylenediammonium as a New Spacer for Dion-Jacobson Two-Dimensional Perovskites”, Gao, L. L.; Li, X. T.; Traore, B.; Zhang, Y. L.; Fang, J.; Han, Y.; Even, J.; Katan, C.; Zhao, K.; Liu, S. Z.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, 143 (31), 12063-12073, DOI: 10.1021/jacs.1c03687.
- 1378) “Bismuth/Silver-Based Two-Dimensional Iodide Double and One-Dimensional Bi Perovskites: Interplay between Structural and Electronic Dimensions”, Li, X. T.; Traore, B.; Kepenekian, M.; Li, L. D.; Stoumpos, C. C.; Guo, P. J.; Even, J.; Katan, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, 33 (15), 6206-6216, DOI: 10.1021/acsami.1c12004.

- 1379) “In Situ Mechanistic Studies of Two Divergent Synthesis Routes Forming the Heteroanionic BiOCuSe”, McClain, R.; Malliakas, C. D.; Shen, J. H.; Wolverton, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (31), 12090-12099, **DOI:** 10.1021/jacs.1c03947.
- 1380) “Selective Capture Mechanism of Radioactive Thorium from Highly Acidic Solution by a Layered Metal Sulfide.”, Xu, L.; Xu, C.; Bao, H. L.; Spanopoulos, I.; Ke, W. J.; Dong, X.; Xiao, C. L.; Kanatzidis, M. G., *ACS Applied Materials & Interfaces* **2021**, *13* (31), 37298-37305, **DOI:**10.1021/acsami.1c12004.
- 1381) “Photoluminescent Re<sub>6</sub>Q<sub>8</sub>I<sub>2</sub> (Q = S, Se) Semiconducting Cluster Compounds”, Laing, C. C.; Shen, J. H.; Chica, D. G.; Cuthriell, S. A.; Schaller, R. D.; Wolverton, C.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (14), 5780-5789, **DOI** 10.1021/acs.chemmater.1c01696.
- 1382) “Highly efficient photoelectric effect in halide perovskites for regenerative electron sources”, Liu, F.; Sidhik, S.; Hoffbauer, M. A.; Lewis, S.; Neukirch, A. J.; Pavlenko, V.; Tsai, H.; Nie, W. Y.; Even, J.; Tretiak, S.; Ajayan, P. M.; Kanatzidis, M. G.; Crochet, J. J.; Moody, N. A.; Blancon, J. C.; Mohite, A. D., *Nature Communications* **2021**, *12* (1) 473. **DOI** 10.1038/s41467-021-20954-6.
- 1383) “Shedding Light on the Stability and Structure-Property Relationships of Two-Dimensional Hybrid Lead Bromide Perovskites”, Vasileiadou, E. S.; Hadar, I.; Kepenekian, M.; Even, J.; Tu, Q.; Malliakas, C. D.; Friedrich, D.; Spanopoulos, I.; Hoffman, J. M.; Dravid, V. P.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, *33* (13), 5085-5107 **DOI** 10.1021/acs.chemmater.1c01129.
- 1384) Polycrystalline SnSe with a thermoelectric figure of merit greater than the single crystal”, Zhou, C. J.; Lee, Y. K.; Yu, Y.; Byun, S.; Luo, Z. Z.; Lee, H.; Ge, B. Z.; Lee, Y. L.; Chen, X. Q.; Lee, J. Y.; Cojocaru-Miredin, O.; Chang, H.; Im, J.; Cho, S. P.; Wuttig, M.; Dravid, V. P.; Kanatzidis, M. G.; Chung, I., *Nature Materials* **2021**, *20* (10), 1378-1384, **DOI** 10.1038/s41563-021-01064-6.
- 1385) “Nonequilibrium dynamics of spontaneous symmetry breaking into a hidden state of charge-density wave”, Zhou, F. R.; Williams, J.; Sun, S. S.; Malliakas, C. D.; Kanatzidis, M. G.; Kemper, A. F.; Ruan, C. Y., *Nature Communications* **2021**, *12* (1), 566, **DOI** 10.1038/s41467-020-20834-5.
- 1386) “Controllable Nonclassical Conductance Switching in Nanoscale Phase-Separated (PbI)<sub>x</sub>-(BiI<sub>3</sub>)<sub>x</sub> Layered Crystals. *Advanced Materials*”, Alexander, G. C. B.; Krantz, P. W.; Jung, H. J.; Davis, S. K.; Xu, Y. B.; Dravid, V. P.; Chandrasekhar, V.; Kanatzidis, M. G., *Advanced Materials* **2021** 2103098 **DOI** 10.1002/adma.202103098.
- 1387) “Giant Non-Resonant Infrared Second Order Nonlinearity in g-NaAsSe<sub>2</sub>. *Advanced Optical Materials*”, He, J. Y.; Iyer, A. K.; Waters, M. J.; Sarkar, S.; Zu, R.; Rondinelli, J. M.; Kanatzidis, M. G.; Gopalan, V., *Advanced Optical Materials* **2021** 2101729, **DOI** 10.1002/adom.202101729.



- 1388) “High Thermoelectric Performance through Crystal Symmetry Enhancement in Triply Doped Diamondoid Compound  $\text{Cu}_2\text{SnSe}_3$ ”, Hu, L.; Luo, Y. B.; Fang, Y. W.; Qin, F. Y.; Cao, X.; Xie, H. Y.; Liu, J. W.; Dong, J. F.; Sanson, A.; Giarola, M.; Tan, X. Y.; Zheng, Y.; Suwardi, A.; Huang, Y. Z.; Hippalgaonkar, K.; He, J. Q.; Zhang, W. Q.; Xu, J. W.; Yan, Q. Y.; Kanatzidis, M. G., *Advanced Energy Materials* **2021** 2100661 DOI 10.1002/aenm.202100661.
- 1389) “Structure-Property Relationships and Idiosyncrasies of Bulk, 2D Hybrid Lead Bromide Perovskites”, Vasileiadou, E. S.; Kanatzidis, M. G., *Israel Journal of Chemistry*, **2021**, DOI 10.1002/ijch.202100052.
- 1390) “High-performance thermoelectrics and challenges for practical devices”, Yan, Q. Y.; Kanatzidis, M. G., *Nature Materials*, 2021 Early Access DOI 10.1038/s41563-021-01109-w.
- 1391) “Superconductivity in  $\text{Y}_4\text{RuGe}_8$  with a Vacancy-Ordered  $\text{CeNiSi}_2$ -Type Superstructure”, Bao, J. K.; Zheng, H. H.; Wen, J. G.; Ramakrishnan, S.; Zheng, H.; Jiang, J. S.; Bugaris, D.; Cao, G.; Chung, D. Y.; van Smaalen, S.; Kanatzidis, M. G., *Chemistry of Materials* **2021**, 33 (19), 7839-7847, DOI 10.1021/acs.chemmater.1c02488.
- 1392) “Broad Photoluminescence and Second-Harmonic Generation in the Noncentrosymmetric Organic-Inorganic Hybrid Halide  $(\text{C}_6\text{H}_5(\text{CH}_2)_4\text{NH}_3)_4\text{MX}_7 \cdot \text{H}_2\text{O}$  ( $\text{M} = \text{Bi, In, X} = \text{Br or I}$ )”, Chen, D.; Hao, S. Q.; Fan, L. B.; Guo, Y. W.; Yao, J. Y.; Wolverton, C.; Kanatzidis, M. G.; Zhao, J.; Liu, Q. L., *Chemistry of Materials* **2021**, 33 (20), 8106-8111, DOI 10.1021/acs.chemmater.1c02896.
- 1393) “Structure Tuning, Strong Second Harmonic Generation Response, and High Optical Stability of the Polar Semiconductors  $\text{Na}_{1-x}\text{K}_x\text{AsQ}_2$ ”, Iyer, A. K.; Cho, J. B.; Byun, H. R.; Waters, M. J.; Hao, S. Q.; Oxley, B. M.; Gopalan, V.; Wolverton, C.; Rondinelli, J. M.; Jang, J. I.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, 143 (43), 18204-18215, DOI 10.1021/jacs.1c07993.
- 1394) “On the Origin of Room-Temperature Amplified Spontaneous Emission in  $\text{CsPbBr}_3$  Single Crystals”, Kim, D.; Ryu, H.; Lim, S. Y.; McCall, K. M.; Park, J.; Kim, S.; Kim, T. J.; Kim, J.; Kim, Y. S.; Kanatzidis, M. G.; Cheong, H.; Jang, J. I., *Chemistry of Materials* **2021**, 33 (18), 7185-7193, DOI 10.1021/acs.chemmater.1c00591.
- 1395) “Ultralow Thermal Conductivity, Multiband Electronic Structure and High Thermoelectric Figure of Merit in  $\text{TlCuSe}$ ”, Lin, W. W.; He, J. G.; Su, X. L.; Zhang, X. M.; Xia, Y.; Bailey, T. P.; Stoumpos, C. C.; Tan, G. J.; Rettie, A. J. E.; Chung, D. Y.; Dravid, V. P.; Uher, C.; Wolverton, C.; Kanatzidis, M. G., *Advanced Materials* **2021** 33 (44), 2104908, DOI 10.1002/adma.202104908.
- 1396) “Regulating off-centering distortion maximizes photoluminescence in halide perovskites”, Lu, X. J.; Stoumpos, C.; Hu, Q. Y.; Ma, X. D.; Zhang, D. Z.; Guo, S. H.; Hoffman, J.; Bu, K. J.; Guo, X. F.; Wang, Y. Q.; Ji, C.; Chen, H. J.; Xu, H. W.; Jia, Q. X.; Yang, W. G.; Kanatzidis, M. G.; Mao, H. K., *National Science Review* **2021**, 8 (9), DOI 10.1093/nsr/nwaa288.

- 1397) "Cubic AgMnSbTe<sub>3</sub> Semiconductor with a High Thermoelectric Performance", Luo, Y. B.; Xu, T.; Ma, Z.; Zhang, D.; Guo, Z. N.; Jiang, Q. H.; Yang, J. Y.; Yan, Q. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (34), 13990-13998, DOI 10.1021/jacs.1c07522.
- 1398) "Hidden Complexity in the Chemistry of Ammonolysis-Derived " $\gamma$ -Mo<sub>2</sub>N": An Overlooked Oxynitride Hydride", Pandey, S. A.; Zhang, C.; Ibrahim, D. H.; Goldfine, E. A.; Wenderott, J. K.; dos Reis, R.; Paul, R. L.; Spanopoulos, I.; Kanatzidis, M.; Bedzyk, M. J.; Dravid, V. P.; Gonzalez, G. B.; Haile, S. M., *Chemistry of Materials* **2021**, *33* (17), 6671-6684, DOI 10.1021/acs.chemmater.1c00617.
- 1399) "Excitons in CsPbBr<sub>3</sub> Halide Perovskite", Peters, J. A.; Liu, Z.; Bulgin, O.; He, Y.; Klepov, V. V.; De Siena, M. C.; Kanatzidis, M. G.; Wessels, B. W., *Journal of Physical Chemistry Letters* **2021**, *12* (38), 9301-9307, DOI 10.1021/acs.jpcclett.1c02397.
- 1400) "High-phase purity two-dimensional perovskites with 17.3% efficiency enabled by interface engineering of hole transport layer", Sidhik, S.; Wang, Y. F.; Li, W. B.; Zhang, H.; Zhong, X. J.; Agrawal, A.; Hadar, I.; Spanopoulos, I.; Mishra, A.; Traore, B.; Samani, M. H. K.; Katan, C.; Marciel, A. B.; Blancon, J. C.; Even, J.; Kahn, A.; Kanatzidis, M. G.; Mohite, A. D., *Cell Reports Physical Science* **2021**, *2* (10) 100601, DOI 10.1016/j.xcrp.2021.100601.
- 1401) "Mechanics-coupled stability of metal-halide perovskites. Matter", Tu, Q.; Kim, D.; Shyikh, M.; Kanatzidis, M. G., *MATTER* **2021**, *4* (9), 2765-2809, DOI 10.1016/j.matt.2021.06.028.
- 1402) "Scalable nanomanufacturing of chalcogenide inks: a case study on thermoelectric V-VI nanoplates", Zeng, M. X.; Xie, H. Y.; Saeidi-Javash, M.; Tanvir, A. N. M.; Du, Y. P.; Chen, J. H.; Kanatzidis, M. G.; Zhang, Y. L., *Journal of Materials Chemistry A* **2021**, *9* (39), 22555-22562, DOI 10.1039/d1ta05858d.
- 1403) "New Compounds and Phase Selection of Nickel Sulfides via Oxidation State Control in Molten Hydroxides", Zhou, X. Q.; Mandia, D. J.; Park, H.; Balasubramanian, M.; Yu, L.; Wen, J. G.; Yakovenko, A.; Chung, D. Y.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2021**, *143* (34), 13646-13654, DOI 10.1021/jacs.1c05107.
- 1404) "Accelerated Discovery and Design of Ultralow Lattice Thermal Conductivity Materials Using Chemical Bonding Principles", He, J. G.; Xia, Y.; Lin, W. W.; Pal, K.; Zhu, Y. Z.; Kanatzidis, M. G.; Wolverton, C., *Advanced Functional Materials* **2021**, DOI 10.1002/adfm.202108532.
- 1405) "Detecting ionizing radiation using halide perovskite semiconductors processed through solution and alternative methods", He, Y. H.; Hadar, I.; Kanatzidis, M. G., *Nature Photonics* **2022**, *16* (1), 14-26. DOI 10.1038/s41566-021-00909-5 (early access).
- 1406) "Light-activated interlayer contraction in two-dimensional perovskites for high-efficiency solar cells", Li, W. B.; Sidhik, S.; Traore, B.; Asadpour, R.; Hou, J.; Zhang, H.; Fehr, A.; Essman, J.; Wang, Y. F.; Hoffman, J. M.; Spanopoulos, I.; Crochet, J. J.; Tsai, E.; Strzalka,

- J.; Katan, C.; Alam, M. A.; Kanatzidis, M. G.; Even, J.; Blancon, J. C.; Mohite, A. D., *Nature Nanotechnology* **2021**. DOI 10.1038/s41565-021-01010-2.
- 1407) “Extraordinary role of Zn in enhancing thermoelectric performance of Ga-doped n-type PbTe”, Luo, Z. Z.; Cai, S. T.; Hao, S. Q.; Bailey, T. P.; Luo, Y. B.; Luo, W. J.; Yu, Y.; Uher, C.; Wolverton, C.; Dravid, V. P.; Zou, Z. G.; Yan, Q. Y.; Kanatzidis, M. G., *Energy & Environmental Science* **2021**. DOI 10.1039/d1ee02986j.
- 1408) “Interstitial Nature of Mn<sup>2+</sup> Doping in 2D Perovskites”, Torma, A. J.; Li, W. B.; Zhang, H.; Tu, Q.; Klepov, V. V.; Brennan, M. C.; McCleese, C. L.; Krzyaniak, M. D.; Wasielewski, M. R.; Katan, C.; Even, J.; Holt, M. V.; Grusenmeyer, T. A.; Jiang, J.; Pachter, R.; Kanatzidis, M. G.; Blancon, J. C.; Mohite, A. D., *ACS Nano* **2021**. DOI 10.1021/acsnano.1c09142.
- 1409) “Mixed Metal Thiophosphate Fe<sub>2-x</sub>Co<sub>x</sub>P<sub>2</sub>S<sub>6</sub>: Role of Structural Evolution and Anisotropy”, Cheng, M.; Lee, Y. S.; Iyer, A. K.; Chica, D. G.; Qian, E. K.; Shehzad, M. A.; dos Reis, R.; Kanatzidis, M. G.; Dravid, V. P., *Inorganic Chemistry* **2021**, 60 (22), 17268-17275. DOI 10.1021/acs.inorgchem.1c02635.
- 1410) “Optical phonon dominated heat transport: A first-principles thermal conductivity study of BaSnS<sub>2</sub>”, Li, Z.; Xie, H. Y.; Hao, S. Q.; Xia, Y.; Su, X. L.; Kanatzidis, M. G.; Wolverton, C.; Tang, X. F., *Physical Review B* **2021**, 104 (24). DOI 10.1103/PhysRevB.104.245209.
- 1411) “Extended Kohler's Rule of Magnetoresistance”, Xu, J.; Han, F.; Wang, T. T.; Thoutam, L. R.; Pate, S. E.; Li, M. D.; Zhang, X. F.; Wang, Y. L.; Fotovat, R.; Welp, U.; Zhou, X. Q.; Kwok, W. K.; Chung, D. Y.; Kanatzidis, M. G.; Xiao, Z. L., *Physical Review X* **2021**, 11 (4). DOI 10.1103/PhysRevX.11.041029.
- 1412) “Mo<sub>3</sub>S<sub>13</sub><sup>2-</sup> Intercalated Layered Double Hydroxide: Highly Selective Removal of Heavy Metals and Simultaneous Reduction of Ag<sup>+</sup> Ions to Metallic Ag<sup>0</sup> Ribbons”, Yang, L. X.; Xie, L. X.; Chu, M. L.; Wang, H.; Yuan, M. W.; Yu, Z. H.; Wang, C. N.; Yao, H. Q.; Islam, S. M.; Shi, K. R.; Yan, D. P.; Ma, S. L.; Kanatzidis, M. G. *Angewandte Chemie-International Edition* **2022**, 61 (1), 3202112511 DOI 10.1002/anie.202112511.
- 1413) “Direct visualization of polaron formation in the thermoelectric SnSe”, de Cotret, L. P. R.; Otto, M. R.; Pohls, J. H.; Luo, Z. Z.; Kanatzidis, M. G.; Siwick, B. J., *P Natl Acad Sci USA* **2022**, 119 (3). DOI: 10.1073/pnas.2113967119.
- 1414) “Thermoelectric Performance of the 2D Bi<sub>2</sub>Si<sub>2</sub>Te<sub>6</sub> Semiconductor”, Luo, Y.; Ma, Z.; Hao, S.; Cai, S.; Luo, Z. Z.; Wolverton, C.; Dravid, V. P.; Yang, J.; Yan, Q.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, 144 (3), 1445-1454. DOI: 10.1021/jacs.1c12507.
- 1415) “Direct visualization of polaron formation in the thermoelectric SnSe”, Rene de Cotret, L. P.; Otto, M. R.; Pohls, J. H.; Luo, Z.; Kanatzidis, M. G.; Siwick, B. J., *Proc Natl Acad Sci U S A* **2022**, 119 (3). DOI: 10.1073/pnas.2113967119.
- 1416) “Nontrivial Fermi surface topology of the kagome superconductor CsV<sub>3</sub>Sb<sub>5</sub> probed by de Haas-van Alphen oscillations”, Shrestha, K.; Chapai, R.; Pokharel, B. K.; Miertschin, D.;

Nguyen, T.; Zhou, X.; Chung, D. Y.; Kanatzidis, M. G.; Mitchell, J. F.; Welp, U.; Popovic, D.; Graf, D. E.; Lorenz, B.; Kwok, W. K., *Phys Rev B* **2022**, *105* (2). DOI: ARTN 024508 10.1103/PhysRevB.105.024508.

- 1417) “MoO<sub>x</sub>S<sub>y</sub>/Ni<sub>3</sub>S<sub>2</sub> Microspheres on Ni Foam as Highly Efficient, Durable Electrocatalysts for Hydrogen Evolution Reaction”, Yu, Z. H.; Yao, H. Q.; Yang, Y.; Yuan, M. W.; Li, C.; He, H. Y.; Chan, T. S.; Yan, D. P.; Ma, S. L.; Zapol, P.; Kanatzidis, M.G., *Chem Mater* **2022**, *34* (2), 798-808. DOI: 10.1021/acs.chemmater.1c03682.
- 1418) “Low Thermal Conductivity in Heteroanionic Materials with Layers of Homoleptic Polyhedra”, Zhang, C.; He, J.; McClain, R.; Xie, H.; Cai, S.; Walters, L. N.; Shen, J.; Ding, F.; Zhou, X.; Malliakas, C. D.; Rondinelli, J. M.; Kanatzidis, M. G.; Wolverton, C.; Dravid, V. P.; Poeppelmeier, K. R., *J Am Chem Soc* **2022**, *144* (6), 2569-2579. DOI: 10.1021/jacs.1c10284.
- 1419) “Achieving Enhanced Thermoelectric Performance in Multiphase Materials”, Jia, N.; Tan, X. Y.; Xu, J. W.; Yan, Q. Y.; Kanatzidis, M. G., *Accounts Mater Res* **2022**, *3* (2), 237-246. DOI: 10.1021/accountsmr.1c00228.
- 1420) “Expanding the Cage of 2D Bromide Perovskites by Large A-Site Cations”, Li, X. T.; Cuthriell, S. A.; Bergonzoni, A.; Dong, H.; Traore, B.; Stoumpos, C. C.; Guo, P. J.; Even, J.; Katan, C.; Schaller, R. D.; Kanatzidis, M. G., *Chem Mater* **2022**, *34* (3), 1132-1142. DOI: 10.1021/acs.chemmater.1c03605.
- 1421) “Weak-Bonding Elements Lead to High Thermoelectric Performance in BaSnS<sub>3</sub> and SrSnS<sub>3</sub>: A First-Principles Study”, Li, Z.; Xie, H. Y.; Xia, Y.; Hao, S. Q.; Pal, K.; Kanatzidis, M. G.; Wolverton, C.; Tang, X. F., *Chem Mater* **2022**, *34* (3), 1289-1301. DOI: 10.1021/acs.chemmater.1c03987.
- 1422) “Sensitivity and Detection Limit of Spectroscopic-Grade Perovskite CsPbBr<sub>3</sub> Crystal for Hard X-Ray Detection”, He, Y. H.; Hadar, I.; De Siena, M. C.; Klepov, V. V.; Pan, L.; Chung, D. Y.; Kanatzidis, M. G. *Adv Funct Mater* **2022**. DOI: ARTN 2112925 10.1002/adfm.202112925.
- 1423) “Tolerance Factor for Stabilizing 3D Hybrid Halide Perovskitoids Using Linear Diammonium Cations”, Li, X. T.; Kepenekian, M.; Li, L. D.; Dong, H.; Stoumpos, C. C.; Seshadri, R.; Katan, C.; Guo, P. J.; Even, J.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, *144* (9), 3902-3912. DOI: 10.1021/jacs.1c11803.
- 1424) “Polariton Dynamics in Two-Dimensional Ruddlesden-Popper Perovskites Strongly Coupled with Plasmonic Lattices”, Park, J. E.; Lopez-Arteaga, R.; Sample, A. D.; Cherqui, C. R.; Spanopoulos, I.; Guan, J.; Kanatzidis, M. G.; Schatz, G. C.; Weiss, E. A.; Odom, T. W., *Acs Nano* **2022**, *16* (3), 3917-3925. DOI: 10.1021/acsnano.1c09296.

- 1425) “Photoluminescence spectroscopy of excitonic emission in CsPbCl<sub>3</sub> perovskite single crystals”, Peters, J. A.; Liu, Z. F.; De Sien, M. C.; Kanatzidis, M. G.; Wessels, B. W., *J Lumin* **2022**, 243. DOI: ARTN 118661 10.1016/j.jlumin.2021.118661.
- 1426) “Film formation mechanisms in mixed-dimensional 2D/3D halide perovskite films revealed by *in situ* grazing-incidence wide-angle X-ray scattering”, Hoffman, J. M.; Hadar, I.; Li, X. T.; Ke, W. J.; Vasileiadou, E. S.; Strzalka, J.; Chen, L. X.; Kanatzidis, M. G., *Chem-Us* **2022**, 8 (4), 1067-1082. DOI: 10.1016/j.chempr.2021.12.022.
- 1427) “Valence Disproportionation of GeS in the PbS Matrix Forms Pb<sub>5</sub>Ge<sub>5</sub>S<sub>12</sub> Inclusions with Conduction Band Alignment Leading to High n-Type Thermoelectric Performance”, Luo, Z. Z.; Cai, S.; Hao, S.; Bailey, T. P.; Xie, H.; Slade, T. J.; Liu, Y.; Luo, Y.; Chen, Z.; Xu, J.; Luo, W.; Yu, Y.; Uher, C.; Wolverton, C.; Dravid, V. P.; Zou, Z.; Yan, Q.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, 144 (16), 7402-7413. DOI: 10.1021/jacs.2c01706.
- 1428) “Understanding Instability in Formamidinium Lead Halide Perovskites: Kinetics of Transformative Reactions at Grain and Subgrain Boundaries”, Raval, P.; Kennard, R. M.; Vasileiadou, E. S.; Dahlman, C. J.; Spanopoulos, I.; Chabinye, M. L.; Kanatzidis, M.; Reddy, G. N. M., *Acs Energy Lett* **2022**, 7 (4), 1534-1543. DOI: 10.1021/acsenerylett.2c00140.
- 1429) “Thick-Layer Lead Iodide Perovskites with Bifunctional Organic Spacers Allylammonium and Iodopropylammonium Exhibiting Trap-State Emission”, Vasileiadou, E. S.; Jiang, X.; Kepenekian, M.; Even, J.; De Siena, M. C.; Klepov, V. V.; Friedrich, D.; Spanopoulos, I.; Tu, Q.; Tajuddin, I. S.; Weiss, E. A.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, 144 (14), 6390-6409. DOI: 10.1021/jacs.2c00571.
- 1430) “Hybrid Layered Double Perovskite Halides of Transition Metals”, Vishnoi, P.; Zuo, J. L.; Li, X.; Binwal, D. C.; Wyckoff, K. E.; Mao, L.; Kautzsch, L.; Wu, G.; Wilson, S. D.; Kanatzidis, M. G.; Seshadri, R.; Cheetham, A. K., *J Am Chem Soc* **2022**, 144 (15), 6661-6666. DOI: 10.1021/jacs.1c12760.
- 1431) “High-performance thermoelectrics and challenges for practical devices”, Yan, Q.; Kanatzidis, M. G., *Nat Mater* **2022**, 21 (5), 503-513. DOI: 10.1038/s41563-021-01109-w
- 1432) “Hidden Local Symmetry Breaking in Silver Diamondoid Compounds is Root Cause of Ultralow Thermal Conductivity”, Xie, H. Y.; Bozin, E. S.; Li, Z.; Abeykoon, M.; Banerjee, S.; Male, J. P.; Snyder, G. J.; Wolverton, C.; Billinge, S. J. L.; Kanatzidis, M. G., *Adv Mater* **2022**. DOI: ARTN 2202255 10.1002/adma.202202255.
- 1433) “High Thermoelectric Performance in Chalcopyrite Cu<sub>1-x</sub>Ag<sub>x</sub>GaTe<sub>2</sub>-ZnTe: Nontrivial Band Structure and Dynamic Doping Effect”, Xie, H.; Liu, Y.; Zhang, Y.; Hao, S.; Li, Z.; Cheng, M.; Cai, S.; Snyder, G. J.; Wolverton, C.; Uher, C.; Dravid, V. P.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, 144 (20), 9113-9125. DOI: 10.1021/jacs.2c02726.

- 1434) "Perovskite CsPbBr<sub>3</sub> single crystal detector for high flux X-ray photon counting", Pan, L.; He, Y.; Klepov, V. V.; De Siena, M. C.; Kanatzidis, M. G., *IEEE Trans Med Imaging* **2022**, *PP*. DOI: 10.1109/TMI.2022.3176801.
- 1435) "Field-induced quantum critical point in the itinerant antiferromagnet Ti<sub>3</sub>Cu<sub>4</sub>", Moya, J. M.; Hallas, A. M.; Loganathan, V.; Huang, C. L.; Kish, L. L.; Aczel, A. A.; Beare, J.; Cai, Y.; Luke, G. M.; Weickert, F.; Nevidomskyy, A. H.; Malliakas, C. D.; Kanatzidis, M. G.; Lei, S. M.; Bayliff, K.; Morosan, E., *Commun Phys-Uk* **2022**, *5* (1). DOI: ARTN 136 10.1038/s42005-022-00901-7.
- 1436) "2D Homologous Series SrFM<sub>n</sub>BiS<sub>n+2</sub> (M = Pb, Ag<sub>0.5</sub>Bi<sub>0.5</sub>; n = 0, 1) and Commensurately Modulated Sr<sub>2</sub>F<sub>2</sub>Bi<sub>2/3</sub>S<sub>2</sub>", Chen, H.; McClain, R.; Shen, J.; He, J.; Malliakas, C. D.; Spanopoulos, I.; Zhang, C.; Zhao, C.; Wang, Y.; Li, Q.; Chung, D. Y.; Su, X.; Huang, F.; Kwok, W. K.; Wolverton, C.; Kanatzidis, M. G., *Inorg Chem* **2022**, *61* (21), 8233-8240. DOI: 10.1021/acs.inorgchem.2c00663.
- 1437) "Entropy Stabilization Effects and Ion Migration in 3D "Hollow" Halide Perovskites", Jayanthi, K.; Spanopoulos, I.; Zibouche, N.; Voskanyan, A. A.; Vasileiadou, E. S.; Islam, M. S.; Navrotsky, A.; Kanatzidis, M. G., *J Am Chem Soc* **2022**, *144* (18), 8223-8230. DOI: 10.1021/jacs.2c01383.
- 1438) "Mixed Anion Semiconductor In<sub>8</sub>S<sub>2.82</sub>Te<sub>6.18</sub>(Te<sub>2</sub>)<sub>3</sub>", McClain, R.; Laing, C. C.; Shen, J.; Wolverton, C.; Kanatzidis, M. G., *Inorg Chem* **2022**. DOI: 10.1021/acs.inorgchem.2c00265.
- 1439) "Removal of CrO<sub>4</sub><sup>2-</sup>, a Nonradioactive Surrogate of <sup>99</sup>TcO<sub>4</sub><sup>-</sup>, Using LDH-Mo<sub>3</sub>S<sub>13</sub> Nanosheets", Celik, A.; Li, D.; Quintero, M. A.; Taylor-Pashow, K. M. L.; Zhu, X.; Shakouri, M.; Roy, S. C.; Kanatzidis, M. G.; Arslan, Z.; Blanton, A.; Nie, J.; Ma, S.; Han, F. X.; Islam, S. M., *Environ Sci Technol* **2022**. DOI: 10.1021/acs.est.1c08766.
- 1440) "High Thermoelectric Performance in Chalcopyrite Cu<sub>1-x</sub>Ag<sub>x</sub>GaTe<sub>2</sub>-ZnTe: Nontrivial Band Structure and Dynamic Doping Effect", Xie, H. Y.; Liu, Y. K.; Zhang, Y. Y.; Hao, S. Q.; Li, Z.; Cheng, M.; Cai, S. T.; Snyder, G. J.; Wolverton, C.; Uher, C.; Dravid, V.P.; Kanatzidis, M.G., *Journal of the American Chemical Society* **2022**, *144* (20), 9113-9125. DOI: 10.1021/jacs.2c02726.
- 1441) "Helical spin ordering in room-temperature metallic antiferromagnet Fe<sub>3</sub>Ga<sub>4</sub>", Wilfong, B.; Fedorko, A.; Baigutlin, D. R.; Miroshkina, O. N.; Zhou, X. Q.; Stephen, G. M.; Friedman, A. L.; Sharma, V.; Bishop, O.; Barua, R.; Bennett, S. P.; Chung, D. Y.; Kanatzidis, M. G.; Buchelnikov, V. D.; Sokolovskiy, V. V.; Barbiellini, B.; Bansil, A.; Heiman, D.; Jamer, M. E., *J Alloy Compd* **2022**, *917*. DOI: ARTN 165532 10.1016/j.jallcom.2022.165532.
- 1442) "Ligand Control of Structural Diversity in Luminescent Hybrid Copper (I) Iodides", Wang, S. X.; Morgan, E. E.; Panuganti, S.; Mao, L. L.; Vishnoi, P.; Wu, G.; Liu, Q. L.; Kanatzidis, M. G.; Schaller, R. D.; Seshadri, R., *Chem Mater* **2022**, *34* (7), 3206-3216. DOI: 10.1021/acs.chemmater.1c04408.

- 1443) “Study of Annihilation Photon Pair Coincidence Time Resolution Using Prompt Photon Emissions in New Perovskite Bulk Crystals”, Tao, L.; He, Y. H.; Kanatzidis, M. G.; Levin, C. S., *Ieee T Radiat Plasma* **2022**, *6* (7), 804-810. DOI: 10.1109/Trpms.2022.3149992.
- 1444) “Cubic Stuffed-Diamond Semiconductors LiCu(3)TiQ(4) (Q = S, Se, and Te)”, Quintero, M. A.; Shen, J. H.; Laing, C. C.; Wolverton, C.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2022**. DOI: 10.1021/jacs.2c03501.
- 1445) “Heteroanionic Control of Exemplary Second-Harmonic Generation and Phase Matchability in 1D LiAsS<sub>2</sub>-XSeX br”, Oxley, B. M.; Bin Cho, J.; Iyer, A. K.; Waters, M. J.; He, J. Y.; Smith, N. C.; Wolverton, C.; Gopalan, V.; Rondinelli, J. M.; Jang, J. I.; Kanatzidis, M. G., *Journal of the American Chemical Society* **2022**, *144* (30), 13903-13912. DOI: 10.1021/jacs.2c05447.
- 1446) “Centimeter-Sized 2D Perovskitoid Single Crystals for Efficient X-ray Photoresponsivity”, Ma, C.; Gao, L. L.; Xu, Z.; Li, X. T.; Song, X.; Liu, Y. C.; Yang, T. H.; Li, H. J.; Du, Y. C.; Zhao, G. T.; Liu, X. M.; Kanatzidis, M. G.; Liu, S. F.; Zhao, K., *Chem Mater* **2022**, *34* (4), 1699-1709. DOI: 10.1021/acs.chemmater.1c03832.
- 1447) “Ordered Mixed-Spacer 2D Bromide Perovskites and the Dual Role of 1,2,4-Triazolium Cation”, Li, X. T.; Dong, H.; Volonakis, G.; Stoumpos, C. C.; Even, J.; Katan, C.; Guo, P. J.; Kanatzidis, M. G., *Chem Mater* **2022**, *34* (14), 6541-6552. DOI: 10.1021/acs.chemmater.2c01432.
- 1448) “Enhancing and Extinguishing the Different Emission Features of 2D (EA(1-(x)FA(x))(4)Pb3Br10 Perovskite Films”, Kennard, R. M.; Dahlman, C. J.; Morgan, E. E.; Chung, J.; Cotts, B. L.; Kincaid, J. R. A.; DeCrescent, R. A.; Stone, K. H.; Panuganti, S.; Mohtashami, Y.; Mao, L. L.; Schaller, R. D.; Salleo, A.; Kanatzidis, M. G.; Schuller, J. A.; Seshadri, R.; Chabinye, M. L., *Adv Opt Mater* **2022**, *10* (17). DOI: ARTN 2200547 10.1002/adom.202200547.
- 1449) “Ba(2)MAsQ(5) (Q = S and Se) Family of Polar Structures with Large Second Harmonic Generation and Phase Matchability”, Iyer, A. K.; Cho, J. J.; Waters, M. J.; Cho, J. S.; Oxley, B. M.; Rondinelli, J. M.; Jang, J. I.; Kanatzidis, M. G., *Chem Mater* **2022**, *34* (11), 5283-5293. DOI: 10.1021/acs.chemmater.2c00962.
- 1450) “Giant Non-Resonant Infrared Second Order Nonlinearity in gamma-NaAsSe<sub>2</sub>”, He, J. Y.; Iyer, A. K.; Waters, M. J.; Sarkar, S.; Zu, R.; Rondinelli, J. M.; Kanatzidis, M. G.; Gopalan, V., *Adv Opt Mater* **2022**, *10* (2). DOI: ARTN 2101729 10.1002/adom.202101729.
- 1451) “AlInSn(2)S(6) (A = K, Rb, Cs)-Layered Semiconductors Based on the SnS<sub>2</sub> Structure”, Friedrich, D.; Quintero, M. A.; Hao, S. Q.; Laing, C. C.; Wolverton, C.; Kanatzidis, M. G., *Inorganic Chemistry* **2022**, *61* (34), 13525-13531. DOI: 10.1021/acs.inorgchem.2c02157.

- 1452) “Tuning the Structural and Magnetic Properties in Mixed Cation  $Mn_xCo_{2-x}P_2S_6$ ”, Cheng, M. T.; Iyer, A. K.; Zhou, X. Q.; Tyner, A.; Liu, Y. K.; Shehzad, M. A.; Goswami, P.; Chung, D. Y.; Kanatzidis, M. G.; Dravid, V. P., *Inorganic Chemistry* **2022**, *61* (35), 13719-13727. DOI: 10.1021/acs.inorgchem.2c01116.
- 1453) “2,3-Diphenylthieno[3,4-b]pyrazines as Hole-Transporting Materials for Stable, High-Performance Perovskite Solar Cells”, Afraj, S. N.; Zheng, D.; Velusamy, A.; Ke, W. J.; Cuthriell, S.; Zhang, X. H.; Chen, Y.; Lin, C. J.; Ni, J. S.; Wasielewski, M. R.; Huang, W.; Yu, J.; Pan, C. H.; Schaller, R. D.; Chen, M. C.; Kanatzidis, M. G.; Fchetti, A.; Marks, T. J., *Acs Energy Lett* **2022**, *7* (6), 2118-2127. DOI: 10.1021/acseenergylett.2c00684.
- 1454) “Homologous Alkali Metal Copper Rare-Earth Chalcogenides  $A(2)Cu(2n)Ln(4)Q(7+n)$  ( $n=1, 2, 3$ )”, Laing, C. C.; Shen, J. H.; Quintero, M. A.; Weiss, B. E.; Xia, Y.; Li, Z.; He, J. G.; Wolverton, C.; Kanatzidis, M. G., *Chem Mater* **2022**, *34* (7), 3409-3422. DOI: 10.1021/acs.chemmater.2c00223.
- 1455) “Regulating surface potential maximizes voltage in all-perovskite tandems”, Chen, H.; Maxwell, A.; Li, C.; Teale, S.; Chen, B.; Zhu, T.; Ugur, E.; Harrison, G.; Grater, L.; Wang, Z.; Zeng, L.; Park, S.M.; Chen, L.; Serles, P.; Awni, R. A.; Subedi, B.; Zheng, X.; Xiao, C.; Podraza, N.; Filleter, T.; Liu, C.; Yang, Y.; Luther, J.M.; De Wolf, S.; Kanatzidis, M.G.; Yan, Y.; Sargent, E.H., *Nature* **2022**. DOI: 10.1038/s41586-022-05541-z.
- 1456) “Discovery of chalcogenides structures and compositions using mixed fluxes”, Zhou, X.; Kolluru, V. S. C.; Xu, W.; Wang, L.; Chang, T.; Chen, Y. S.; Yu, L.; Wen, J.; Chan, M. K. Y.; Chung, D. Y.; Kanatzidis, M.G., *Nature* **2022**, *612* (7938), 72-77. DOI: 10.1038/s41586-022-05307-7.
- 1457) “Ultrafast Excitonic Response in Two-Dimensional Hybrid Perovskites Driven by Intense Midinfrared Pulses”, Li, S.; Li, X.; Kocoj, C. A.; Ji, X.; Yuan, S.; Macropulos, E. C.; Stoumpos, C. C.; Xia, F.; Mao, L.; Kanatzidis, M. G.; Guo, P., *Phys Rev Lett* **2022**, *129* (17), 177401. DOI: 10.1103/PhysRevLett.129.17740.
- 1458) “Wireless multi-lateral optofluidic microsystems for real-time programmable optogenetics and photopharmacology”, Wu, Y.; Wu, M.; Vazquez-Guardado, A.; Kim, J.; Zhang, X.; Avila, R.; Kim, J. T.; Deng, Y.; Yu, Y.; Melzer, S.; Bai, Y.; Yoon, H.; Meng, L.; Zhang, Y.; Guo, H.; Hong, L.; Kanatzidis, E. E.; Haney, C. R.; Waters, E. A.; Banks, A. R.; Hu, Z.; Lie, F.; Chamorro, L. P.; Sobotini, B. L.; Huang, Y.; Kozorovitskiy, Y.; Robers, J.A., *Nat Commun* **2022**, *13* (1), 5571. DOI: 10.1038/s41467-022-32947-0.
- 1459) “Deterministic fabrication of 3D/2D perovskite bilayer stacks for durable and efficient solar cells”, Sidhik, S.; Wang, Y.; De Siena, M.; Asadpour, R.; Torma, A. J.; Terlier, T.; Ho, K.; Li, W.; Puthirath, A. B.; Shuai, X.; Agrawal, A.; Traore, B.; Jones, M.; Giridharagopal, R.; Ajayan, P. M.; Strzalka, J.; Ginger, D. S.; Katan, C.; Alam, M. A.; Even, J.; Kanatzidis, M.G.; Mohite, A. D., *Science* **2022**, *377* (6613), 1425-1430. DOI: 10.1126/science.abq7652.



- 1460) “Nonequilibrium Lattice Dynamics in Photoexcited 2D Perovskites”, Cuthriell, S. A.; Panuganti, S.; Laing, C. C.; Quintero, M. A.; Guzelturk, B.; Yazdani, N.; Traore, B.; Brumberg, A.; Malliakas, C. D.; Lindenberg, A. M.; Wood, V.; Katan, C.; Even, J.; Zhang, X.; Kanatzidis, M. G.; Schaller, R. D., *Adv Mater* **2022**, *34* (44), e2202709. DOI: 10.1002/adma.202202709.
- 1461) “AInSn(2)S(6) (A = K, Rb, Cs) horizontal line Layered Semiconductors Based on the SnS(2) Structure”, Friedrich, D.; Quintero, M. A.; Hao, S.; Laing, C. C.; Wolverton, C.; Kanatzidis, M. G., *Inorg Chem* **2022**, *61* (34), 13525-13531. DOI: 10.1021/acs.inorgchem.2c02157.
- 1462) “Transuranium Sulfide via the Boron Chalcogen Mixture Method and Reversible Water Uptake in the NaCuTS(3) Family”, Berseneva, A. A.; Klepov, V. V.; Pal, K.; Seeley, K.; Koury, D.; Schaeperkoetter, J.; Wright, J. T.; Mixture, S. T.; Kanatzidis, M. G.; Wolverton, C., *J Am Chem Soc* **2022**, *144* (30), 13773-13786. DOI: 10.1021/jacs.2c04783.