



ELSEVIER

Journal of Physics and Chemistry of Solids 64 (2003) 1437–1441

JOURNAL OF  
PHYSICS AND CHEMISTRY  
OF SOLIDS

[www.elsevier.com/locate/jpcs](http://www.elsevier.com/locate/jpcs)

## Direct synthesis of $\text{AgInO}_2$

Dean Y. Shahriari<sup>a</sup>, Natasha Erdman<sup>b</sup>, Ulrika T.M. Haug<sup>a</sup>,  
Matthew C. Zarzyczny<sup>a</sup>, Lawrence D. Marks<sup>b</sup>, Kenneth R. Poeppelmeier<sup>a,\*</sup>

<sup>a</sup>Department of Chemistry, Northwestern University, 2145 Sheridan Road, Evanston, IL 60208-3113, USA

<sup>b</sup>Department of Materials Science and Engineering, Northwestern University, 2137 Sheridan Road, Evanston, IL 60208-3000, USA

### Abstract

Potential applications as transparent conducting oxides have made the study of ternary metal oxides based on the delafossite structure very attractive. The well known and understood thermal instability of noble metal oxides, and therefore the associated problems with high-temperature solid-state techniques to yield pure complex oxides based on noble metals, clearly illustrates the need for low-temperature alternatives. For the first time, synthesis of  $3\text{R-AgInO}_2$  at low temperature (175 °C) and pressure (<10 atm) was achieved by a single-step hydrothermal technique. Particle size of the orange crystallites ranged from 3 to 7  $\mu\text{m}$ . © 2003 Elsevier Ltd. All rights reserved.

### 1. Introduction

Owing to their potential application as transparent conducting oxides (TCOs) [1–5], investigations of ternary metal oxides that adopt the delafossite ( $\text{CuFeO}_2$ ) structure have increased dramatically over the last five years. Delafossites have the general chemical formula  $\text{ABO}_2$  and can crystallize in either the rhombohedral  $3\text{R-}(R\bar{3}m)$  or hexagonal  $2\text{H-}(P6_3/mmc)$  polytype based on the stacking of the alternating layers of edge-shared  $\text{BO}_6$  octahedra and two-coordinate noble metal A-site cations. This structure type can accommodate various monovalent A-site cations ( $\text{Cu}^{\text{I}}$ ,  $\text{Pd}^{\text{I}}$ ,  $\text{Pt}^{\text{I}}$  and  $\text{Ag}^{\text{I}}$ ) and trivalent B-site cations ( $0.53 < r(\text{B}_{\text{VI}}^{3+}) < 1.09 \text{ \AA}$ ). The synthesis of a particular delafossite material is dictated by the choice of A-site cation, of which  $\text{Cu}^{\text{I}}$  and  $\text{Ag}^{\text{I}}$  ( $d^{10}$  ions) are more appropriate for enhanced optical transparency [1], while  $\text{Pd}^{\text{I}}$  and  $\text{Pt}^{\text{I}}$  ( $d^9$  ions) are better choices for improved electrical conductivity [6]. Although ternary and more complex oxides incorporating copper can easily be synthesized by high-temperature solid-state techniques, such oxides containing Ag, Pd or Pt are difficult to prepare in one step by solid-state reactions. Reagents containing noble metal cations have low free energies of formation, which result in decomposition or dissociation at temperatures that are too

low to permit mass diffusion to occur. Consequently, most oxide phases that contain Ag, Pd or Pt are prepared by direct reactions in closed solid state systems [7–10] or by exchange reactions [2,7,11–14].

Recently, we reported a general hydrothermal synthesis method whereby various polycrystalline Cu-based delafossite-like materials ( $\text{CuMO}_2$ , where  $\text{M} = \text{Al, Ga, Fe, La}$  and  $\text{Al}_{1-x}\text{Ga}_x$ ) were synthesized in a single-step, at low temperature (<215 °C) and low pressure (<10 atm) [15,16]. In the present work, we further illustrate the universality of this technique [17] in its application to the synthesis of  $\text{AgInO}_2$ , and we present a possible explanation for the obstacles encountered in previous low-temperature and pressure attempts to synthesize phase-pure samples of Ag-based materials. This work provides more desirable and practical conditions than the early pioneering hydrothermal work on  $\text{AgInO}_2$  reported by Shannon et al. (500 °C and 3000 atm externally applied) [7] and the improved conditions reported later by Jansen et al. (580 °C and 2000 atm  $\text{O}_2$ ) [18]. Furthermore, this work represents the first single-step, low temperature and low pressure example of Ag-containing delafossite synthesis.

### 2. Experimental procedure

Bulk  $\text{AgInO}_2$  was synthesized by adding 0.1357 g ( $3.4 \times 10^{-3}$  mol) of  $\text{NaOH(s)}$  (Alfa Aesar), 0.3932 g ( $1.7 \times 10^{-3}$  mol) of  $\text{Ag}_2\text{O}$  (D.F. Goldsmith) and

\* Corresponding author. Tel.: +1-847-491-3505; fax: +1-847-491-7713.

E-mail address: [krp@northwestern.edu](mailto:krp@northwestern.edu) (K.R. Poeppelmeier).




Fig. 1. SEM images of large, highly crystalline grains of  $\text{AgInO}_2$  grown hydrothermally.

0.4711 g ( $1.7 \times 10^{-3}$  mol) of  $\text{In}_2\text{O}_3$  (Alfa Aesar) to a FEP (fluoro(ethylene–propylene)) Teflon pouch [19]. The pouch was sealed and placed in a 125 ml Teflon-lined autoclave (Parr) filled with 80 ml of deionized water. The total contents of each pouch were held constant to 1.0 g. Up to 6 additional pouches were inserted into the autoclave. The autoclave was first heated to 150 °C for 5 h to allow water to enter the permeable membrane of the pouch and dissolve the  $\text{NaOH(s)}$ . This was followed by 48 h step at 175 °C, with subsequent cooling to room temperature at 6 °C/h. The pouch was opened and polycrystalline  $\text{AgInO}_2$  was recovered by filtration.

Powder X-ray diffraction (PXRD) data for all samples, to confirm phase formation and extent of purity, were collected every 0.02° for  $10^\circ < 2\theta < 80^\circ$  on a Rigaku XDS 2000 diffractometer with Ni-filtered  $\text{Cu K}\alpha$  radiation ( $\lambda = 1.5418 \text{ \AA}$ ). Patterns were indexed with the Jade<sup>®</sup> software suite, and known phases were identified by comparing them with powder diffraction files (PDF) from within Jade<sup>®</sup> [20]. Electron microscopy studies were carried out using Hitachi H-8100 transmission electron microscope (TEM) and S-4500 scanning electron microscope (SEM).

### 3. Results and discussion

After investigating the effects of, and optimizing, important experimental parameters including reaction time, temperature,  $[\text{NaOH}]/[\text{Ag}]$ ,  $[\text{NaOH}]/[\text{In}]$  and  $[\text{Ag}]/[\text{In}]$ , nearly phase pure 3R- $\text{AgInO}_2$  was isolated in >90% mass yield. The SEM images in Fig. 1 shows that particle size for the orange crystallites ranged from 3 to 7  $\mu\text{m}$ . The PXRD pattern of the final product mixture is shown in Fig. 2. With the exception of peaks corresponding to unfiltered  $\text{K}\beta$  transitions and the (111) reflection of metallic Ag, all peak positions correspond to reflections of the rhombohedral phase  $R\bar{3}m$  (No. 166), with cell constants  $a = 3.272 \text{ \AA}$ ,  $c = 18.858 \text{ \AA}$ . These values match those of JCPDS #21-1077 ( $a = 3.277 \text{ \AA}$ ,  $c = 18.877 \text{ \AA}$ ). Significant intensity anomalies suggest a microstructure with a preferred  $c$ -axis orientation of grains, which is consistent with other delafossites prepared by this method [16]. Differential thermal analysis revealed that the compound is stable up to 675 °C, at which point it decomposes to  $\text{In}_2\text{O}_3$  and Ag. This is consistent with what has been reported previously [7].

The presence of trace amounts of metallic silver in the product mixture is not surprising, as it has been evidenced in previous attempts at Ag-based delafossite synthesis [2,11,12,21–23]. Phase pure products have been reported for either high oxygen pressure hydrothermal systems [18] or for ion exchange reactions, with  $\text{KNO}_3$  as an oxidizing flux, in addition to up to 50% excess  $\text{AgNO}_3$ , followed by a post-synthesis removal of excess nitrates by water [2,12]. Reproduction of the latter results by other laboratories has not yet been successful as trace amounts of metallic Ag are observed [14]. Previous hydrothermal work by Croft et al. [24] and Shannon et al. [7] reported that the addition of up to 50% excess  $\text{Ag}_2\text{O}$  and increased basic conditions, followed by post-synthesis leaching with nitric acid enable phase pure materials to be obtained [7,24]. In contrast to this result,




Fig. 2. Powder X-ray diffraction pattern of 3R- $\text{AgInO}_2$ .




Fig. 3. (a) Powder XRD pattern for typical  $\text{Ag}_2\text{O}$  as received from vendor ( $K\beta$  transition at  $2\theta = 29.413^\circ$ ), with inset from  $37.5 < 2\theta < 45.5^\circ$  illustrating location, marked by asterisk, where (200) reflection of metallic Ag would appear. Calculated positions, both indexed and showing relative intensities marked by vertical bars, of (b)  $\text{Ag}_2\text{O}$  (JCPDS #41–1104) and (c) Ag (JCPDS #04–0783).

the addition of excess  $\text{Ag}_2\text{O}$  and increased  $\text{NaOH(s)}$  in the current work did not eliminate the presence of trace amounts of metallic silver. Post-synthesis leaching in dilute nitric acid led to reduced amounts of metallic silver, but at the expense of significant dissolution of the delafossite phase.

TEM studies of samples from several vendors (D.F. Goldsmith, Alfa-Aesar, Fisher and Acros Organics) reveal  $\text{Ag}_2\text{O}$  to be the source of the silver impurity. It is important to note that, in previous reports [11,21,22], the presence of metallic silver was believed to be an artifact of the synthesis, i.e. that it was an unwanted side product arising from the decomposition of a small amount of  $\text{Ag}_2\text{O}$ . This conclusion is most likely a consequence of the difficulty in detecting the presence of Ag in  $\text{Ag}_2\text{O}$  by conventional techniques such as PXRD or elemental analysis. Unless significant amounts are present, metallic silver in  $\text{Ag}_2\text{O}$  would not be observed by PXRD, owing to peak overlap of the most intense reflection for Ag, which is the (111) peak, located at  $2\theta = 38.116^\circ$ ,  $d(\text{\AA}) = 2.3590 \text{\AA}$ , and the (200) reflection of  $\text{Ag}_2\text{O}$ , occurring at  $2\theta = 38.066^\circ$ ,  $d(\text{\AA}) = 2.3620 \text{\AA}$ . (Fig. 3). Resolving these two peaks ( $\Delta d/d = 1.3 \times 10^{-3}$ ) would be

extremely difficult using any available powder X-ray diffractometer. With electron microscopy, however, this problem can be avoided. Micrographs of several grains reveal the presence of globules, attached to the surface of larger  $\text{Ag}_2\text{O}$  particles, which by electron diffraction are shown to be metallic silver. (Fig. 4).

Attempts at oxidizing the Ag globules within the  $\text{Ag}_2\text{O}$ , in an oxygen atmosphere at temperatures up to  $280^\circ\text{C}$ , were only partially successful. The size range of the globules decreased from 100–250 to 20–70 nm, but were not completely removed (Fig. 5). It has been proposed that, in air at elevated temperatures (but below the decomposition temperature of  $300^\circ\text{C}$ ),  $\text{Ag}_2\text{O}$  undergoes slow dissociative evaporation into  $\text{O}_2$  molecules and free Ag atoms, which immediately condense as metallic silver [25]. Condensation occurs owing to the low-volatility of the gaseous Ag atoms and the lack of highly reactive species in the surroundings. Under the hydrothermal conditions presented here, where no oxidizing agents are available to react with metallic silver, it is not surprising that attempts to synthesize  $\text{AgInO}_2$  using




Fig. 4. Electron micrographs of (a) an image of a typical  $\text{Ag}_2\text{O}$  grain, as received from vendor, and (b) a diffraction pattern, along the [001] zone axis of Ag, as taken from a globule.




Fig. 5. TEM image of an oxidized  $\text{Ag}_2\text{O}$  particle illustrates the presence of Ag globules on the grain edge.

a source of  $\text{Ag}_2\text{O}$  that contained trace amounts of silver metal resulted in a small, but detectable, amount of silver metal in the  $\text{AgInO}_2$  product.

#### 4. Conclusions

Delafossite-like  $\text{AgInO}_2$  was synthesized in high yield by a new hydrothermal technique that had previously been applied only to Cu-based delafossites. The presence of metallic Ag in the product is similar to what has been reported in previous hydrothermal work. TEM studies, on various sources of  $\text{Ag}_2\text{O}$ , demonstrated that the impurity can be attributed to unoxidized Ag globules within  $\text{Ag}_2\text{O}$  and not to a side product of the reaction. Attempts to remove this impurity by heating the  $\text{Ag}_2\text{O}$  in an  $\text{O}_2$  atmosphere were unsuccessful, although the number and size of the Ag globules were reduced. It is unlikely that a pure sample of  $\text{Ag}_2\text{O}$  can be obtained through oxidation of the Ag globules, owing to the mechanism by which  $\text{Ag}_2\text{O}$  decomposes into metallic Ag on heating to temperatures approaching  $300^\circ\text{C}$ . New routes towards pure starting materials are warranted.

Preliminary results show that applications of this single-step hydrothermal technique towards the low temperature synthesis of other Ag-based delafossites, including aliovalent substitution of the B-site cation, are promising. The synthetic, structural, and electro-optical details will appear in forthcoming contributions.

#### Acknowledgements

The authors gratefully acknowledge support from the Department of Energy, National Renewable Energy Laboratory Subcontract (Award No. AAD-9-18668-05), and the MRSEC program of the National Science Foundation (Grant

DMR-0076097). U.T.M.H participated in the 2001 National Science Foundation Materials Research Internship for Minority Undergraduates Program at the Northwestern University Materials Research Center. M.C.Z. participated in the 2002 National Science Foundation Solid State Chemistry Research Experience for Undergraduates Summer Research Program. The authors made use of Central Facilities supported by the MRSEC program of the National Science Foundation (Grant DMR-0076097) at the Materials Research Center of Northwestern University.

#### References

- [1] H. Kawazoe, M. Yasukawa, H. Hyodo, M. Kurita, H. Yanagi and H. Hosono, P-type electrical conduction in transparent thin films of  $\text{CuAlO}_2$ , *Nature* 389 (1997) 939–942.
- [2] T. Otabe, K. Ueda, A. Kudoh, H. Hosono and H. Kawazoe, N-type electrical conduction in transparent thin films of delafossite-type  $\text{AgInO}_2$ , *Appl. Phys. Lett.* 72 (1998) 1036–1038.
- [3] H. Yanagi, S. Inoue, K. Ueda, H. Kawazoe, H. Hosono and N. Hamada, Electronic structure and optoelectronic properties of transparent p-type conducting  $\text{CuAlO}_2$ , *J. Appl. Phys.* 88 (2000) 4159–4163.
- [4] R. Nagarajan, A.D. Draeseke, A.W. Sleight and J. Tate, P-type conductivity in  $\text{CuCr}_{1-x}\text{Mg}_x\text{O}_2$  films and powders, *J. Appl. Phys.* 89 (2001) 8022–8025.
- [5] H. Yanagi, T. Hase, S. Ibuki, K. Ueda and H. Hosono, Bipolarity in electrical conduction of transparent oxide semiconductor  $\text{CuInO}_2$  with delafossite structure, *Appl. Phys. Lett.* 78 (2001) 1583–1585.
- [6] D.B. Rogers, R.D. Shannon, C.T. Prewitt and J.L. Gillson, Chemistry of noble metal oxides. III. Electrical transport properties and crystal chemistry of  $\text{ABO}_2$  compounds with the delafossite structure, *Inorg. Chem.* 10 (1971) 723–727.
- [7] R.D. Shannon, D.B. Rogers and C.T. Prewitt, Chemistry of noble metal oxides. I. Syntheses and properties of  $\text{ABO}_2$  delafossite compounds, *Inorg. Chem.* 10 (1971) 713–718.
- [8] C. Linke and M. Jansen, On the low temperature modifications of  $\text{Ag}_6\text{Si}_2\text{O}_7$  and  $\text{Ag}_6\text{Ge}_2\text{O}_7$ -synthesis, crystal structure, and comparison of Ag–Ag distances, *Z. Anorg. Allg. Chem.* 622 (1996) 486–493.
- [9] M. Tanaka, M. Hasegawa, T. Higuchi, T. Tsukamoto, Y. Tezuka, S. Shin and H. Takei, Origin of the metallic conductivity in  $\text{PdCoO}_2$  with delafossite structure, *Physica B* 245 (1998) 157–163.
- [10] M. Hasegawa, M. Tanaka and H. Takei, Metathetical reaction growth and characterization of delafossite-type  $\text{Pd}(\text{Co,Mg})\text{O}_2$  single crystals, *J. Cryst. Growth* 226 (2001) 277–280.
- [11] A. Wichainchai, P. Dordor, J.P. Doumerc, E. Marquestaut, M. Pouchard and P. Hagenmuller, On the electrical-properties of polycrystalline delafossite-type  $\text{AgNiO}_2$ , *J. Solid State Chem.* 74 (1988) 126–131.
- [12] Y.J. Shin, J.P. Doumerc, P. Dordor, M. Pouchard and P. Hagenmuller, Preparation and physical-properties of

- the delafossite-type solid-solutions  $\text{AgCo}_x\text{Ni}_{1-x}\text{O}_2$  ( $0 < X < 0.5$ ), *J. Solid State Chem.* 107 (1993) 194–200.
- [13] Y.J. Shin, J.H. Kwak and S. Yoon, Preparation of Ag-deficient delafossite-type compounds  $\text{Ag}_x\text{CoO}_{2-\delta}$  ( $x = 0.95, 0.75$ ), *Bull. Korean Chem. Soc.* 18 (1997) 775–778.
- [14] J.E. Clayton, Processing of  $\text{AgInO}_2$  Delafossite by Cation Exchange, MSc Thesis, Iowa State University, Ames, Iowa, 2001, p. 103.
- [15] D.Y. Shahriari, A. Barnabe, T.O. Mason and K.R. Poeppelmeier, A high-yield hydrothermal preparation of  $\text{CuAlO}_2$ , *Inorg. Chem.* 40 (2001) 5734–5735.
- [16] D.Y. Shahriari, A. Ambrosini, A. Barnabe, A. Wahl and K.R. Poeppelmeier, P-type Transparent Conductors, vol. 33, Techna, Faenza, Italy, 2002, p. 1073–1084.
- [17] D.Y. Shahriari, A. Barnabe, T.O. Mason and K.R. Poeppelmeier, Commercial-Scale Synthesis of p-type Transparent Conductors, Patent Pending, USA, 2001.
- [18] B.U. Kohler and M. Jansen, Synthesis and crystal-structure of  $\text{AgLnO}_2$ , *J. Solid State Chem.* 71 (1987) 566–569.
- [19] W.T.A. Harrison, T.M. Nenoff, T.E. Gier and G.D. Stucky, Tetrahedral-atom 3-ring groupings in 1-dimensional inorganic chains- $\text{Be}_2\text{AsO}_4\text{OH}\cdot 4\text{H}_2\text{O}$  and  $\text{Na}_2\text{ZnPO}_4\text{OH}\cdot 7\text{H}_2\text{O}$ , *Inorg. Chem.* 32 (1993) 2437–2441.
- [20] Jade, ver. 5.0; Materials Data Inc., Livermore, CA, 1999.
- [21] R.N. Attili, M. Uhrmacher, K.P. Lieb, L. Ziegeler, M. Mekata and E. Schwarzmann, Electric-field gradients at Cd-111 in delafossite oxides  $\text{ABO}_2$  ( $A = \text{Ag, Cu}$ ;  $B = \text{Al, Cr, Fe, In, Nd, Y}$ ), *Phys. Rev. B Condens. Matter* 53 (1996) 600–608.
- [22] J.E. Clayton, D.P. Cann and N. Ashmore, Synthesis and processing of  $\text{AgInO}_2$  delafossite compounds by cation exchange reactions, *Thin Solid Films* 411 (2002) 140–146.
- [23] J. Tate, M.K. Jayaraj, A.D. Draeseke, T. Ulbrich, A.W. Sleight, K.A. Vanaja, R. Nagarajan, J.F. Wager and R.L. Hoffman, P-type oxides for use in transparent diodes, *Thin Solid Films* 411 (2002) 119–124.
- [24] W.J. Croft, N.C. Tombs and R.E. England, Crystallographic data for pure crystalline silver ferrite, *Acta Crystallogr.* 17 (1964) 313–314.
- [25] B.V. L'vov, Kinetics and mechanism of thermal decomposition of silver oxide, *Thermochim. Acta* 333 (1999) 13–19.